Vision Research

An International Journal for Functional Aspects of Vision

Author and Subject Index
Volume 38, 1998

PERGAMON

Supplement to Vision Research

VISION RESEARCH

Founded by THORNE SHIPLEY

Chairman

H. SPEKREIJSE, Netherlands Ophthalmic Research Institute and Laboratory of Medical Physics, University of Amsterdam, P.O. Box 12011, 1100 AA Amsterdam-Zuidoost, The Netherlands [Tel. (31) 20 5664584; Fax (31) 20 6916521; Email e.borghols@ioi.knaw.nl]

Editorial Assistant: ELS BORGHOLS

Vision Research is a journal devoted to the functional aspects of human, vertebrate and invertebrate vision and welcomes papers that address important issues in basic and/or clinical research. The journal is sub-divided into five sections, each with two Section Editors for publication of full papers and *Letters-to-the-Editor*. The journal has a new section called Rapid Communications for publication of highly topical material of about 2000 words on a fast publication track (within 3 months upon acceptance).

Section 1: *Neurobiology*
functional morphology and anatomy
pigments and transduction
the role of neurotransmitters
retinal, subcortical and cortical electrophysiology
physiological optics
plasticity and regeneration of function
GÜNTER NIEMEYER, Zürich, Switzerland
SAMUEL WU, Houston, TX, U.S.A.

Section 2: *Psychophysics*
binocular, depth, motion, colour, form, pattern,
orientation and texture vision
spatial vision and stereopsis
attentive vision
adaptation and aftereffects
WILSON S. GEISLER, Austin, TX, U.S.A.
STEVEN K. SHEVELL, Chicago, IL, U.S.A.

Section 3: *Behavioural Physiology and Visuomotor Control*
eye movements, animal psychophysics
oculomotor studies, reading
visual guidance of manipulation, locomotion and navigation
visual behaviour in space
EILEEN KOWLER, New Brunswick, NJ, U.S.A.
CHRISTA NEUMEYER, Mainz, Germany

Section 4: *Computational Vision*
models and theory
visual networks
computer vision
ELLEN C. HILDRETH, Wellesley, MA, U.S.A.
CONCETTA MORRONE, Pisa, Italy

Section 5: *Clinical Vision Sciences*
psychophysics, electrophysiology
pathophysiology, neuropharmacology
experimental ophthalmology and neurology
functional (brain) imaging
IVAN BODIS-WOLLNER, Brooklyn, NY, U.S.A.
EBERHART ZRENNER, Tübingen, Germany

The Section Editors are assisted by an Editorial Board consisting of:

EMIKO ADACHI-USAMI, Chiba, Japan
RICHARD ANDERSEN, Pasadena, CA, U.S.A.
JANETTE ATKINSON, London, U.K.
ROBERT BARLOW, Syracuse, NY, U.S.A.
WOLFGANG BAEHR, Salt Lake City, UT, U.S.A.
MARTIN S. BANKS, Berkeley, CA, U.S.A.
ANDREW BLAKE, Oxford, U.K.
RANDOLPH BLAKE, Nashville, TN, U.S.A.
COLIN BLAKEMORE, Oxford, U.K.
DENNIS DACEY, Seattle, WA, U.S.A.
MICHAEL D'ZMURA, Irvine, CA, U.S.A.
JIM ENRIGHT, La Jolla, CA, U.S.A.
CASPER ERKELENS, Utrecht, The Netherlands
MANFRED FAHLE, London, U.K.
GERALD FISHMAN, Chicago, IL, U.S.A.
MARTIN GIZZI, Edison, NJ, U.S.A.
AMIRAM GRINVALD, Rehovot, Israel
WILLEM DE GRIP, Nijmegen, The Netherlands
ROBERT HESS, Montréal, Canada
HOWARD HOWLAND, It, Canberra, Australia
ABBIE HUGHES, Victoria, Australia
MICHAEL KASS, St Louis, MO, U.S.A.
CHRISTOF KOCH, Pasadena, CA, U.S.A.
BARRY LEE, Göttingen, Germany
GORDON LEGGE, Minneapolis, MN, U.S.A.
DENNIS M. LEVI, Houston, TX, U.S.A.
LUC MISSOTTEN, Leuven, Belgium
JOHN MOLLON, Cambridge, U.K.
DAVID NEWSOME, New Orleans, LA. U.S.A.
CYNTHIA OWSLEY, Birmingham, AL, U.S.A.
ALLAN J. PANTLE, Oxford, OH, U.S.A.
ADAM REEVES, Boston, MA, U.S.A.
MARTIN REGAN, North York, Ontario, Canada
FRANK SCHAEFFEL, Tübingen, Germany
PAUL SIEVING, Ann Arbor, MI, U.S.A.
MANDYAM SRINIVASAN, Canberra, Australia
DAN T'SO, New York, NY, U.S.A.

Publishing Office: Elsevier Science Ltd, Bampfylde Street, Exeter EX1 2AH, U.K. [Tel. +44 (0)1392 251558; Fax +44 (0)1392 425370].

Author Service Department: For queries relating to the general submission of articles (including electronic text and artwork) and the status of accepted manuscripts, please contact the Author Service Department [*Tel.* +44 (0)1865 843900; *Fax.* +44 (0)1865 843905; *Email* authors@elsevier.co.uk].

Frequency: Published 26 issues/annum. © 1999 Elsevier Science Ltd. All rights reserved.

Subscription Rates: Annual Institutional Subscription Rates 1999: Europe, The CIS and Japan 4578 Dutch Guilders. All other countries US$2324.00. Associated Personal Subscription rates are available on request for those whose institutions are library subscribers. Dutch Guilder prices exclude VAT. Non-VAT registered customers in the European Community will be charged the appropriate VAT in addition to the price listed. Prices include postage and insurance and are subject to change without notice.

Orders, claims, and product enquiries: please contact the Customer Support Department at the Regional Sales Office nearest you:
New York: Elsevier Science, PO Box 945, New York, NY 10159-0945, USA; phone: (+1) (212) 633 3730 [toll free number for North American customers: 1-888-4ES-INFO (437-4636)]; fax: (+1) (212) 633 3680; e-mail: usinfo-f@elsevier.com. **Amsterdam:** Elsevier Science, PO Box 211, 1000 AE Amsterdam, The Netherlands; phone: (+31) 20 4853757; fax: (+31) 20 4853432; e-mail: nlinfo-f@elsevier.nl. **Tokyo:** Elsevier Science, 9-15 Higashi-Azabu 1-chome, Minato-ku, Tokyo 106-0044, Japan; phone: (+81) (3) 5561 5033; fax: (+81) (3) 5561 5047; e-mail: info@elsevier.co.jp. **Singapore:** Elsevier Science, No. 1 Temasek Avenue, #17-01 Millenia Tower, Singapore 039192; phone: (+65) 434 3727; fax: (+65) 337 2230; e-mail: asiainfo@elsevier.com.sg. **Rio de Janeiro:** Elsevier Science, Rua Sete de Setembro 111/16 Andar, 20050-002 Centro, Rio de Janeiro-RJ, Brazil; phone: (+55) (21) 509 5340; fax: (+55) (21) 507 1991; e-mail: elsevier@campus.com.br [Note (Latin America): for orders, claims and help desk information, please contact the Regional Sales Office in New York as listed above]

PERIODICALS POSTAGE PAID AT RAHWAY, NJ AND ADDITIONAL ENTRY POINTS. *Vision Research* (ISSN 0042–6989) is published 26 issues/annum, semi-monthly, with additional issues in June and December, in one volume, by Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K. the annual subscription in the U.S.A. is $2324. *Vision Research* is distributed in the U.S.A. by Mercury Airfreight International Ltd, 365 Blair Road, Avenel, NJ 07001. Postmaster: please send address corrections to Vision Research, c/o Elsevier Science RSO, Customer Support Department, 655 Avenue of the Americas, New York, NY 10010, U.S.A. [*Tel.* (+1) 212-633-3730/1 888 4ES-INFO. *Fax* (+1) 212-633-3680. *Email* usinfo-f@elsevier.com].

Back Issues: Back issues of all previously published volumes are available direct from Elsevier Science offices. Complete volumes and single issues can be purchased for 1994–1998. Earlier issues are available in high-quality photo-duplicated copies as complete volumes only.

AUTHOR INDEX

ABELL, K.M.
Abell, K.M., Baker, R.S., Cowen, D.E. and Porter, J.D. Efficacy of gold weight implants in facial nerve palsy: quantitative alterations in blinking 38: 3019

ADLER, M.
Erb, C., Adler, M., Stübiger, N., Wohlrab, M., Zrenner, E. and Thiel, H.-J. Colour vision in normal subjects tested by the colour arrangement test 'Roth 28-hue desaturated' 38: 3467
Lüdtke, H., Wilhelm, B., Adler, M., Schaeffel, F. and Wilhelm, H. Mathematical procedures in data recording and processing of pupillary fatigue waves 38: 2889

AGLIOTI, S.
Tassinari, G., Aglioti, S., Chelazzi, L., Peru, A. and Berlucchi, G. On the time course of exogenous cueing effects: a response to Lupiáñez and Weaver 38: 1625

AGUAYO, A.J.
Clarke, D.B., Bray, G.M. and Aguayo, A.J. Prolonged administration of NT-4/5 fails to rescue most axotomized retinal ganglion cells in adult rats 38: 1517

AHISSAR, M.
Ahissar, M., Laiwand, R., Kozminsky, G. and Hochstein, S. Learning pop-out detection: building representations for conflicting target-distractor relationships 38: 3095

ALAIS, D.
Alais, D. and Blake, R. Interactions between global motion and local binocular rivalry 38: 637
Alais, D., van der Smagt, M.J., van den Berg, A.V. and van de Grind, W.A. Local and global factors affecting the coherent motion of gratings presented in multiple apertures 38: 1581

ALBRIGHT, T.D.
Stoner, G.R. and Albright, T.D. Luminance contrast affects motion coherency in plaid patterns by acting as a depth-from-occlusion cue 38: 387

ALEXANDER, K.R.
Alexander, K.R., Derlacki, D.J., Xie, W., Fishman, G.A. and Szlyk, J.P. Discrimination of spatial displacements by patients with retinitis pigmentosa 38: 1171

ALLEN, D.
Allen, D., Hess, R.F. and Nordby, K. Is the rod visual field temporally homogeneous? 38: 3927

ALVAREZ, T.L.
Semmlow, J.L., Yuan, W. and Alvarez, T.L. Evidence for separate control of slow version and vergence eye movements: support for Hering's Law 38: 1145

AMARA, S.G.
Eliasof, S., Arriza, J.L., Leighton, B.H., Amara, S.G. and Kavanaugh, M.P. Localization and function of five glutamate transporters cloned from the salamander retina 38: 1443

ANAND, S.
Anand, S., Olson, J.D. and Hotson, J.R. Tracing the timing of human analysis of motion and chromatic signals from occipital to temporo-parieto-occipital cortex: a transcranial magnetic stimulation study 38: 2619

ANDERSON, R.A.
Qian, N. and Anderson, R.A. (1997). A physiological model for motion-stereo integration and a unified explanation of Pulfrich-like phenomena. *Vision Research* 37:1683 Errata 38: 773

ANSTEE, S.D.
Beazley, L.D., Tennant, M., Stewart, T.M. and Anstee, S.D. The primary visual system of adult lizards demonstrates that neurogenesis is not obligatorily linked to central nerve regeneration but may be a prerequisite for the restoration of maps in the brain 38: 789
ANSTIS, S.
Anstis, S. and Ho, A. Nonlinear combination of luminance excursions during flicker, simultaneous contrast, afterimages and binocular fusion 38: 523
Anstis, S., Hutahajan, P. and Cavanagh, P. Optomotor test for wavelength sensitivity in guppyfish *(Poecilia reticulata)* 38: 45
APPLEGATE, R.A.
Bradley, A., Zhang, H., Applegate, R.A., Thibos, L.N. and Elsner, A.E. Entoptic image quality of the retinal vasculature 38: 2685
AQUILANTE, K.
Yager, D., Aquilante, K. and Plass, R. High and low luminance letters, acuity reserve, and font effects on reading speed 38: 2527
ARBIB, M.A.
Gaillard, F., Arbib, M.A., Corbacho, F.J. and Lee, H.B. Modeling the physiological responses of anuran R3 ganglion cells 38: 2551
ARDEN, G.B.
Arden, G.B., Wolf, J.E. and Tsang, Y. Does dark adaptation exacerbate diabetic retinopathy? Evidence and a linking hypothesis 38: 1723
ARONCHICK, D.M.
Hughes, H.C., Nelson, M.D. and Aronchick, D.M. Spatial characteristics of visual-auditory summation in human saccades 38: 3955
ARRIZA, J.L.
Eliasof, S., Arriza, J.L., Leighton, B.H., Amara, S.G. and Kavanaugh, M.P. Localization and function of five glutamate transporters cloned from the salamander retina 38: 1443
ARTAL, P.
López-Gil, N., Iglesias, I. and Artal, P. Retinal image quality in the human eye as a function of the accommodation 38: 2897
ATANASSOVA, S.
Manahilov, V. and Atanassova, S. Spatiotemporal impulse response and cortical magnification 38: 1119
AYOUB, G.S.
Ayoub, G.S. and Dorst, K. Imaging of glutamate release from the goldfish retinal slice 38: 2909

BACHOUD-LÉVI, A.-C.
de Gelder, B., Bachoud-Lévi, A.-C. and Degos, J.-D. Inversion superiority in visual agnosia may be common to a variety of orientation polarised objects besides faces 38: 2855
BACKUS, B.T.
Banks, M.S. and Backus, B.T. Extra-retinal and perspective cues cause the small range of the induced effect 38: 187
BADCOCK, D.R.
Edwards, M. and Badcock, D.R. Discrimination of global-motion signal strength 38: 3051
Edwards, M., Badcock, D.R. and Smith, A.T. Independent speed-tuned global-motion systems 38: 1573
BADDELEY, R.J.
Sengpiel, F., Baddeley, R.J., Freeman, T.C.B., Harrad, R. and Blakemore, C. Different mechanisms underlie three inhibitory phenomena in cat area 17 38: 2067

BAGLIVO, E.
Sommerhalder, J., Baglivo, E., Barbey, C., Hirschel, B., Roth, A. and Pelizzone, M. Colour vision in AIDS patients without HIV retinopathy 38: 3441
BAKER, C.L. JR.
Baker, C.L. Jr. and Hess, R.F. Two mechanisms underlie processing of stochastic motion stimuli 38: 1211
Baker, C.L. Jr., Boulton, J.C. and Mullen, K.T. A nonlinear chromatic motion mechanism 38: 291
BAKER, R.S.
Abell, K.M., Baker, R.S., Cowen, D.E. and Porter, J.D. Efficacy of gold weight implants in facial nerve palsy: quantitative alterations in blinking 38: 3019
BALDING, S.D.
Balding, S.D., Sjoberg, S.A., Neitz, J. and Neitz, M. Pigment gene expression in protan color vision defects 38: 3359
Sjoberg, S.A., Neitz, M., Balding, S.D. and Neitz, J. L-cone pigment genes expressed in normal colour vision 38: 3213
BALL, A.K.
Koeberle, P.D. and Ball, A.K. Effects of GDNF on retinal ganglion cell survival following axotomy 38: 1505
BALLARD, D.H.
Hayhoe, M.M., Bensinger, D.G. and Ballard, D.H. Task constraints in visual working memory 38: 125
BALZ, G.W.
Hock, H.S., Balz, G.W. and Smollon, W. Attentional control of spatial scale: effects on self-organized motion patterns 38: 3743
BANKS, M.S.
Banks, M.S. and Backus, B.T. Extra-retinal and perspective cues cause the small range of the induced effect 38: 187
Candy, T.R., Crowell, J.A. and Banks, M.S. Optical, receptoral, and retinal constraints on foveal and peripheral vision in the human neonate 38: 3857
Ehrlich, S.M., Beck, D.M., Crowell, J.A., Freeman, T.C.A. and Banks, M.S. Depth information and perceived self-motion during simulated gaze rotations 38: 3129
Freeman, T.C.A. and Banks, M.S. Perceived head-centric speed is affected by both extra-retinal and retinal errors 38: 941
BARBEY, C.
Sommerhalder, J., Baglivo, E., Barbey, C., Hirschel, B., Roth, A. and Pelizzone, M. Colour vision in AIDS patients without HIV retinopathy 38: 3441
BARBUR, J.L.
Barbur, J.L., Sahraie, A., Simmons, A., Weiskrantz, L. and Williams, S.C.R. Residual processing of chromatic signals in the absence of a geniculostriate projection 38: 3447
Gamlin, P.D.R., Zhang, H., Harlow, A. and Barbur, J.L. Pupil responses to stimulus color, structure and light flux increments in the rhesus monkey 38: 3353
BARNES, L.L.
Cornblath, W.T., Butter, C.M., Barnes, L.L. and Hasselbach, M.M. Spatial characteristics of cerebral polyopia: a case study 38: 3965
BARON, E.
Miyahara, E., Pokorny, J., Smith, V.C., Baron, R. and Baron, E. Color vision in two observers with highly based LWS/MWS cone ratios 38: 601
BARON, R.
Miyahara, E., Pokorny, J., Smith, V.C., Baron, R. and Baron, E. Color vision in two observers with highly based LWS/MWS cone ratios 38: 601

BARTSCH, B.
Thoss, F., Bartsch, B. and Stebel, J. Analysis of oscillations of the visual sensitivity 38: 139
BASRI, R.
Basri, R., Costa, L., Geiger, D. and Jacobs, D. Determining the similarity of deformable shapes 38: 2365
BEARD, B.L.
Westheimer, G. and Beard, B.L. Orientation dependency for foveal line stimuli: detection and intentsity discrimination, resolution, orientation discrimination and vernier acuity 38: 1097
BEAUVILLAIN, C.
Beauvillain, C. and Doré, K. Orthographic codes are used in integrating information from the parafovea by the saccadic computation system 38: 115
BEAZLEY, L.D.
Beazley, L.D., Tennant, M., Stewart, T.M. and Anstee, S.D. The primary visual system of adult lizards demonstrates that neurogenesis is not obligatorily linked to central nerve regeneration but may be a prerequisite for the restoration of maps in the brain 38: 789
BECK, D.M.
Ehrlich, S.M., Beck, D.M., Crowell, J.A., Freeman, T.C.A. and Banks, M.S. Depth information and perceived self-motion during simulated gaze rotations 38: 3129
BECKER, C.-M.
Wässle, H., Koulen, P., Brandstätter, J.H., Fletcher, E.L. and Becker, C.-M. Glycine and GABA receptors in the mammalian retina 38: 1411
BEDELL, H.E.
Chen, Y, Bedell, H.E., Frishman, L.J. and Levi, D.M. Stimulus uncertainty affects velocity discrimination 38: 1265
Chung, S.T.L. and Bedell, H.E. Vernier and letter acuities for low-pass filtered moving stimuli 38: 1967
Purushothaman, G., ÖÈmen, H., Chen, S. and Bedell, H.E. Motion deblurring in a neural network model of retino-cortical dynamics 38: 1827
BEDI, K.S.
Smith, S.A. and Bedi, K.S. Unilateral enucleation of adult rats does not effect the synapse-to-neuron ratio within the stratum griseum superficiale of the superior colliculi 38: 3041
BEINTEMA, J.A.
Beintema, J.A. and van den Berg, A.V. Heading detection using motion templates and eye velocity gain fields 38: 2155
BELKY, E.J.
Motter, B.C. and Belky, E.J. The guidance of eye movements during active visual search 38: 1805
Motter, B.C. and Belky, E.J. The zone of focal attention during active visual search 38: 1007
BENLIAN, P.
Souied, E.H., Benlian, P., Rozet, J.-M., Gerber, S., Lagarde, J.-P., Coscas, G., Soubrane, G., Duffier, J.-L., Munnich, A. and Kaplan, J. Exclusion of the apoE gene in autosomal dominant pigmentosa 38: 3829
BENSINGER, D.G.
Hayhoe, M.M., Bensinger, D.G. and Ballard, D.H. Task constraints in visual working memory 38: 125
BERENDSCHOT, T.T.J.M.
Delint, P.J., Weissenbruch, C., Berendschot, T.T.J.M. and van Norren, D. Photoreceptor function in unilateral amblyopia 38: 613

VAN DEN BERG, A.V.
Alais, D., van der Smagt, M.J., van den Berg, A.V. and van de Grind, W.A. Local and global factors affecting the coherent motion of gratings presented in multiple apertures 38: 1581
Beintema, J.A. and van den Berg, A.V. Heading detection using motion templates and eye velocity gain fields 38: 2155
BERLUCCHI, G.
Tassinari, G., Aglioti, S., Chelazzi, L., Peru, A. and Berlucchi, G. On the time course of exogenous cueing effects: a response to Lupiáñez and Weaver 38: 1625
BERNAL, R.
Moya, F.J., De Juan, J.A., Ripodas, A., Bernal, R., Fernandez-Cruz, A. and Fernandez-Durango, R. Higher proportions of type C than of types A and B natriuretic peptide receptors exist in the rat ciliary body 38: 3833
BERROS, P.
Hubschman, J.P., Vola, J.L., Conrath, J., Berros, P. and Hougrand, F. The short-wavelength mechanisms of Stiles in age-related macular degeneration 38: 3433
BEST, M.
Demb, J.B., Boynton, G.M., Best, M. and Heeger, D.J. Psychophysical evidence for a magnocellular pathway deficit in dyslexia 38: 1555
BETTS, G.A.
Betts, G.A. and Curthoys, I.S. Visually perceived vertical and visually perceived horizontal are not orthogonal 38: 1989
BEUSMANS, J.M.H.
Beusmans, J.M.H. Optic flow and the metric of the visual ground plane 38: 1153
BEUTTER, B.R.
Beutter, B.R. and Stone, L.S. Human motion perception and smooth eye movements show similar directional biases for elongated apertures 38: 1273
BEX, P.J.
Hess, R.F., Bex, P.J., Fredericksen, E.R. and Brady, N. Is human motion detection subserved by a single or multiple channel mechanism? 38: 259
BIEBER, M.L.
Bieber, M.L., Knoblauch, K. and Werner, J.S. M- and L-cones in early infancy: II. action spectra at 8 weeks of age 38: 1765
Bieber, M.L., Kraft, J.M. and Werner, J.S. Effects of known variations in photopigments on *L/M* cone ratios estimated from luminous efficiency functions 38: 1961
Bieber, M.L., Werner, J.S., Knoblauch, K., Neitz, J. and Neitz, M. M- and L-cones in early infancy: III. Comparison of genotypic and phenotypic markers of color vision in infants and adults 38: 3293
Knoblauch, K., Bieber, M.L. and Werner, J.S. M- and L-cones in early infancy: I. VEP responses to receptor-isolating stimuli at 4- and 8-weeks of age 38: 1753
BILOTTA, J.
Bilotta, J., Lynd, F.M. and Powers, M.K. Effects of mean luminance on goldfish temporal contrast sensitivity 38: 55
BIMLER, D.L.
Paramei, G.V., Bimler, D.L. and Cavonius, C.R. Effect of luminance on color perception of protanopes 38: 3397
BIRCH, D.G.
Nusinowitz, S., Birch, D.G. and Birch, E.E. Rod photoresponses in 6-week and 4-month-old human infants 38: 627
BIRCH, E.E.
Nusinowitz, S., Birch, D.G. and Birch, E.E. Rod photoresponses in 6-week and 4-month-old human infants 38: 627

BIRCH, J.
Birch, J., Kolle, R.U., Kunkel, M., Paulus, W. and Upadhyay, P. Acquired colour deficiency in patients with Parkinson's disease 38: 3421
BLACKWELL, K.T.
Blackwell, K.T. The effect of white and filtered noise on contrast detection thresholds 38: 267
BLAKE, R.
Alais, D. and Blake, R. Interactions between global motion and local binocular rivalry 38: 637
BLAKEMORE, C.
Sengpiel, F., Baddeley, R.J., Freeman, T.C.B., Harrad, R. and Blakemore, C. Different mechanisms underlie three inhibitory phenomena in cat area 17 38: 2067
BOBIER, W.R.
Roorda, A., Bobier, W.R. and Campbell, M.C.W. An infrared eccentric photo-optometer 38: 1913
BODIS-WOLLNER, I.
Bodis-Wollner, I. and Tzelepi, A. The push—pull action of dopamine on spatial tuning of the monkey retina: the effects of dopaminergic deficiency and selective D1 and D2 receptor ligands on the pattern electroretinogram 38: 1479
BONNEH, Y.
Bonneh, Y. and Sagi, D. Effects of spatial configuration on contrast detection 38: 3541
BOOTHE, R.G.
Brown, R.J., Wilson, J.R., Norcia, A.M. and Boothe, R.G. Development of directional motion symmetry in the monocular visually evoked potential of infant monkeys 38: 1253
BOULTON, J.C.
Baker, C.L. Jr., Boulton, J.C. and Mullen, K.T. A nonlinear chromatic motion mechanism 38: 291
BOURASSA, C.M.
Johnson, B., Nozawa, G. and Bourassa, C.M. Differences in the luminance of the first and second displays affects visible persistence in opposite ways 38: 1233
BOWD, C.
Patterson, R., Bowd, C. and Donnelly, M. The cyclopean (stereoscopic) barber pole illusion 38: 2119
BOWMAKER, J.K.
Hunt, D.M., Dulai, K.S., Cowing, J.A., Julliot, C., Mollon, J.D., Bowmaker, J.K., Li, W.-H. and Hewett-Emmett, D. Molecular evolution of trichromacy in primates 38: 3299
BOYNTON, G.M.
Demb, J.B., Boynton, G.M., Best, M. and Heeger, D.J. Psychophysical evidence for a magnocellular pathway deficit in dyslexia 38: 1555
BRADLEY, A.
Bradley, A., Zhang, H., Applegate, R.A., Thibos, L.N. and Elsner, A.E. Entoptic image quality of the retinal vasculature 38: 2685
Strang, N.C., Winn, B. and Bradley, A. The role of neural and optical factors in limiting visual resolution in myopia 38: 1713
BRADY, N.
Hess, R.F., Bex, P.J., Fredericksen, E.R. and Brady, N. Is human motion detection subserved by a single or multiple channel mechanism? 38: 259
BRANDSTÄTTER, J.H.
Brandstätter, J.H., Koulen, P. and Wässle, H. Diversity of glutamate receptors in the mammalian retina 38: 1385
Wässle, H., Koulen, P., Brandstätter, J.H., Fletcher, E.L. and Becker, C.-M. Glycine and GABA receptors in the mammalian retina 38: 1411

BRAUN, C.
Schiefer, U., Skalej, M., Kolb, M., Dietrich, T.J., Kolb, R., Braun, C. and Petersen, D. Lesion location influences perception of homonymous scotomata during flickering random dot pattern stimulation 38: 1303
BRAVO, M.J.
Bravo, M.J. A global process in motion segregation 38: 853
BRAY, G.M.
Clarke, D.B., Bray, G.M. and Aguayo, A.J. Prolonged administration of NT-4/5 fails to rescue most axotomized retinal ganglion cells in adult rats 38: 1517
BRENNER, E.
Brenner, E. and Cornelissen, F.W. When is a background equivalent? Sparse chromatic context revisited 38: 1789
Brenner, E. and van Damme, W.J.M. Judging distance from ocular convergence 38: 493
BRIDGEMAN, B.
Deubel, H., Bridgeman, B. and Schneider, W.X. Immediate post-saccadic information mediates space constancy 38: 3147
BROCKERHOFF, S.E.
Brockerhoff, S.E., Dowling, J.E. and Hurley, J.B. Zebrafish retinal mutants 38: 1335
BROSNAHAN, D.
Brosnahan, D., Norcia, A.M., Schor, C.M. and Taylor, D.G. OKN, perceptual and VEP direction biases in strabismus 38: 2833
BROWN, A.M.
Dobson, V., Brown, A.M., Harvey, E.M. and Narter, D.B. Visual field extent in children 3.5—30 months of age tested with a double-arc LED perimeter 38: 2743
BROWN, L.G.
Brown, L.G. and Rudd, M.E. Evidence for a noise gain control mechanism in human vision 38: 1925
BROWN, R.J.
Brown, R.J., Wilson, J.R., Norcia, A.M. and Boothe, R.G. Development of directional motion symmetry in the monocular visually evoked potential of infant monkeys 38: 1253
BRUCE, V.
Hancock, P.J.B., Bruce, V. and Burton, M.A. A comparison of two computer-based face identification systems with human perceptions of faces 38: 2277
BUCK, S.L.
Buck, S.L., Knight, R., Fowler, G. and Hunt, B. Rod influence on hue-scaling functions 38: 3259
Knight, R., Buck, S.L., Fowler, G.A. and Nguyen, A. Rods affect S-cone discrimination on the Farnsworth—Munsell 100-hue test 38: 3477
BULLINGER, A.
Tschopp, C., Safran, A.B., Viviani, P., Bullinger, A., Reicherts, M. and Mermoud, C. Automated visual field examination in children aged 5—8 years: Part I: Experimental validation of a testing procedure 38: 2203
Tschopp, C., Safran, A.B., Viviani, P., Reicherts, M., Bullinger, A. and Mermoud, C. Automated visual field examination in children aged 5—8 years: Part II: Normative values 38: 2211
BÜLTHOFF, H.H.
O'Toole, A.J., Edelman, S. and Bülthoff, H.H. Stimulus-specific effects in face recognition over changes in viewpoint 38: 2351
Tarr, M.J., Kersten, D. and Bülthoff, H.H. Why the visual recognition system might encode the effects of illumination 38: 2259
Troje, N.F. and Bülthoff, H.H. How is bilateral symmetry of human faces used for recognition of novel views? 38: 79

BURBECK, C.A.
Wang, X. and Burbeck, C.A. Scaled medial axis representation: evidence from position discrimination task 38: 1947
BURGI, P.-Y.
Burgi, P.-Y. and Grzywacz, N.M. A biophysical model for the developmental time course of retinal orientation selectivity 38: 2787
BURR, D.C.
Burr, D.C., Fiorentini, A. and Morrone, C. Reaction time to motion onset of luminance and chromatic gratings is determined by perceived speed 38: 3681
Burr, D.C., Morrone, M.C. and Vaina, L.M. Large receptive fields for optic flow detection in humans 38: 1731
BURTON, A.M.
Hancock, P.J.B., Bruce, V. and Burton, M.A. A comparison of two computer-based face identification systems with human perceptions of faces 38: 2277
BUTTER, C.M.
Cornblath, W.T., Butter, C.M., Barnes, L.L. and Hasselbach, M.M. Spatial characteristics of cerebral polyopia: a case study 38: 3965
BYATT, G.
Byatt, G. and Rhodes, G. Recognition of own-race and other-race caricatures: implications for models of face recognition 38: 2455
Rhodes, G., Carey, S., Byatt, G. and Proffitt, F. Coding spatial variations in faces and simple shapes: a test of two models 38: 2307
BYZOV, A.L.
Lebedev, D.S., Byzov, A.L. and Govardovskii, V.I. Photoreceptor coupling and boundary detection 38: 3161

CAMPBELL, M.C.W.
Glasser, A. and Campbell, M.C.W. Presbyopia and the optical changes in the human crystalline lens with age 38: 209
Roorda, A., Bobier, W.R. and Campbell, M.C.W. An infrared eccentric photo-optometer 38: 1913
CANDY, T.R.
Candy, T.R., Crowell, J.A. and Banks, M.S. Optical, receptoral, and retinal constraints on foveal and peripheral vision in the human neonate 38: 3857
CAPUTO, G.
Caputo, G. and Guerra, S. Attentional selection by distractor suppression 38: 669
Caputo, G. Texture brightness filling-in 38: 841
CAREY, S.
Rhodes, G., Carey, S., Byatt, G. and Proffitt, F. Coding spatial variations in faces and simple shapes: a test of two models 38: 2307
CARR, R.E.
Hood, D.C., Holopigian, K., Greenstein, V., Seiple, W., Li, J., Sutter, E.E. and Carr, R.E. Assessment of local retinal function in patients with retinitis pigmentosa using the multi-focal ERG technique 38: 163
CARRASCO, M.
Carrasco, M., McLean, T.L., Katz, S.M. and Frieder, K.S. Feature asymmetries in visual search: effects of display duration, target eccentricity, orientation and spatial frequency 38: 347
CASAGRANDE, V.A.
Yamada, E.S., Marshak, D.W., Silveira, L.C.L. and Casagrande, V.A. Morphology of P and M retinal ganglion cells of the bush baby 38: 3345
CASE, J.F.
Douglas, R.H., Harper, R.D. and Case, J.F. The pupil response of a teleost fish, *Porichthys notatus:* description and comparison to other species 38: 2697

CASTLEMAN, K.R.
Lawton, T.A., Sebag, J., Sadun, A.A. and Castleman, K.R. Image enhancement improves reading performance in age-related macular degeneration patients 38: 153
CAVANAGH, P.
Anstis, S., Hutahajan, P. and Cavanagh, P. Optomotor test for wavelength sensitivity in guppyfish *(Poecilia reticulata)* 38: 45
Seiffert, A.E. and Cavanagh, P. Position displacement, not velocity, is the cue to motion detection of second-order stimuli 38: 3569
CAVONIUS, C.R.
Paramei, G.V., Bimler, D.L. and Cavonius, C.R. Effect of luminance on color perception of protanopes 38: 3397
CENNI, M.C.
Chierzi, S., Cenni, M.C., Maffie, L., Pizzorusso, T., Porciatti, V., Ratto, G.M. and Strettoi, E. Protection of retinal ganglion cells and preservation of function after optic nerve lesion in *bcl*-2 transgenic mice 38: 1537
CHAPARRO, A.
Stromeyer, C.F. III, Chaparro, A., Rodriguez, C., Chen, D., Hu, E. and Kronauer, R.E. Short-wave cone signal in the red-green detection mechanism 38: 813
Zemany, L., Stromeyer, C.F. III, Chaparro, A. and Kronauer, R.E. Motion detection on flashed, stationary pedestal gratings: evidence for an opponent-motion mechanism 38: 795
CHARLES-DOMINIQUE, P.
Regan, B.C., Julliot, C., Simmen, B., Viénot, F., Charles-Dominique, P. and Mollon, J.D. Frugivory and colour vision in *Alouatta seniculus*, a trichromatic platyrrhine monkey 38: 3321
CHARMAN, W.N.
Charman, W.N., Murray, I.J., Nacer, M. and O'Donoghue, E.P. Theoretical and practical performance of a concentric bifocal intraocular implant lens 38: 2841
CHATURVEDI, N.
Zurakowski, D., Vorwerk, C.K., Gorla, M., Kanellopoulos, A.J., Chaturvedi, N., Grosskreutz, C.L., Lipton, S.A. and Dreyer, E.B. Nitrate therapy may retard glaucomatous optic neuropathy, perhaps through modulation of glutamate receptors 38: 1489
CHELAZZI, L.
Tassinari, G., Aglioti, S., Chelazzi, L., Peru, A. and Berlucchi, G. On the time course of exogenous cueing effects: a response to Lupiáñez and Weaver 38: 1625
CHEN, D.
Stromeyer, C.F. III, Chaparro, A., Rodriguez, C., Chen, D., Hu, E. and Kronauer, R.E. Short-wave cone signal in the red-green detection mechanism 38: 813
CHEN, S.
Purushothaman, G., ÖÈmen, H., Chen, S. and Bedell, H.E. Motion deblurring in a neural network model of retino-cortical dynamics 38: 1827
CHEN, Y.
Chen, Y, Bedell, H.E., Frishman, L.J. and Levi, D.M. Stimulus uncertainty affects velocity discrimination 38: 1265
CHEY, J.
Chey, J., Grossberg, S. and Mingolla, E. Neural dynamics of motion processing and speed discrimination 38: 2769
CHIERZI, S.
Chierzi, S., Cenni, M.C., Maffie, L., Pizzorusso, T., Porciatti, V., Ratto, G.M. and Strettoi, E. Protection of retinal ganglion cells and preservation of function after optic nerve lesion in *bcl*-2 transgenic mice 38: 1537

CHUBB, C.
McGowan, J.W., Kowler, E., Sharma, A. and Chubb, C. Saccadic localization of random dot targets 38: 895
CHUNG, S.T.L.
Chung, S.T.L. and Bedell, H.E. Vernier and letter acuities for low-pass filtered moving stimuli 38: 1967
Chung, S.T.L., Mansfield, J.S. and Legge, G.E. Psychophysics of reading. XVIII. The effect of print size on reading speed in normal peripheral vision 38: 2949
CICERONE, C.M.
Gowdy, P.D. and Cicerone, C.M. The spatial arrangement of the L and M cones in the central fovea of the living human eye 38: 2575
CIUFFREDA, K.J.
Horng, J.-L., Semmlow, J.L., Hung, G.K. and Ciuffreda, K.J. Dynamic asymmetries in disparity convergence eye movements 38: 2761
Mordi, J.A. and Ciuffreda, K.J. Static aspects of accommodation: age and presbyopia 38: 1643
CLARKE, D.B.
Clarke, D.B., Bray, G.M. and Aguayo, A.J. Prolonged administration of NT-4/5 fails to rescue most axotomized retinal ganglion cells in adult rats 38: 1517
CLEVELAND, S.
Scheibner, H. and Cleveland, S. Dichromacy characterized by chrominance planes 38: 3403
COLE, B.L.
Cole, B.L. and Maddocks, J.D. Can clinical colour vision tests be used to predict the results of the Farnsworth lantern test? 38: 3483
COLLEWIJN, H.
van Leeuwen, A.F., Collewijn, H. and Erkelens, C.J. Dynamics of horizontal vergence movements: interaction with horizontal and vertical saccades and relation with monocular preferences 38: 3943
CONNAUGHTON, V.P.
Connaughton, V.P. and Dowling, J.E. Comparative morphology of distal neurons in larval and adult zebrafish retinas 38: 13
CONRATH, J.
Hubschman, J.P., Vola, J.L., Conrath, J., Berros, P. and Hougrand, F. The short-wavelength mechanisms of Stiles in age-related macular degeneration 38: 3433
CONWAY, D.M.
Webster, W.R., Panthradil, J.T. and Conway, D.M. A rotational stereoscopic 3-dimensional movement aftereffect 38: 1745
COOPERMAN, A.
Gepshtein, S. and Cooperman, A. Stereoscopic transparency: a test for binocular vision's disambiguating power 38: 2913
CORBACHO, F.J.
Gaillard, F., Arbib, M.A., Corbacho, F.J. and Lee, H.B. Modeling the physiological responses of anuran R3 ganglion cells 38: 2551
CORDLE, E.P.
Jackson, G.R., Owsley, C., Cordle, E.P. and Finley, C.D. Aging and scotopic sensitivity 38: 3655
CORMACK, F.
Cornelissen, P.L., Hansen, P.C., Gilchrist, I., Cormack, F., Essex, J. and Frankish, C. Coherent motion detection and letter position encoding 38: 2181
CORNBLATH, W.T.
Cornblath, W.T., Butter, C.M., Barnes, L.L. and Hasselbach, M.M. Spatial characteristics of cerebral polyopia: a case study 38: 3965

CORNELISSEN, F.W.
Brenner, E. and Cornelissen, F.W. When is a background equivalent? Sparse chromatic context revisited 38: 1789
CORNELISSEN, P.L.
Cornelissen, P.L., Hansen, P.C., Gilchrist, I., Cormack, F., Essex, J. and Frankish, C. Coherent motion detection and letter position encoding 38: 2181
Cornelissen, P.L., Hansen, P.C., Hutton, J.L., Evangelinou, V. and Stein, J.F. Magnocellular visual function and children's single word reading 38: 471
COSCAS, G.
Souied, E.H., Benlian, P., Rozet, J.-M., Gerber, S., Lagarde, J.-P., Coscas, G., Soubrane, G., Duffier, J.-L., Munnich, A. and Kaplan, J. Exclusion of the apoE gene in autosomal dominant pigmentosa 38: 3829
COSTA, L.
Basri, R., Costa, L., Geiger, D. and Jacobs, D. Determining the similarity of deformable shapes 38: 2365
COWEN, D.E.
Abell, K.M., Baker, R.S., Cowen, D.E. and Porter, J.D. Efficacy of gold weight implants in facial nerve palsy: quantitative alterations in blinking 38: 3019
COWING, J.A.
Hunt, D.M., Dulai, K.S., Cowing, J.A., Julliot, C., Mollon, J.D., Bowmaker, J.K., Li, W.-H. and Hewett-Emmett, D. Molecular evolution of trichromacy in primates 38: 3299
COX, M.
Derrington, A. and Cox, M. Temporal resolution of dichoptic and second-order motion mechanisms 38: 3531
CRASSINI, B.
Mussap, A.J., Crassini, B. and Flanagan, P.R. Directions of motion after-effects induced by gratings and plaids 38: 2087
CREWTHER, D.P.
Klistorner, A., Crewther, D.P. and Crewther, S.G. Temporal analysis of the chromatic flash VEP–separate colour and luminance contrast components 38: 3979
Klistorner, A., Crewther, D.P. and Crewther, S.G. Temporal analysis of the topographic ERG: chromatic versus achromatic stimulation 38: 1047
CREWTHER, S.G.
Klistorner, A., Crewther, D.P. and Crewther, S.G. Temporal analysis of the chromatic flash VEP–separate colour and luminance contrast components 38: 3979
Klistorner, A., Crewther, D.P. and Crewther, S.G. Temporal analysis of the topographic ERG: chromatic versus achromatic stimulation 38: 1047
CROGNALE, M.A.
Crognale, M.A., Kelly, J.P., Weiss, A.H. and Teller, D.Y. Development of the spatio-chromatic visual evoked potential (VEP): a longitudinal study 38: 3283
Crognale, M.A., Teller, D.Y., Motulsky, A.G. and Deeb, S.S. Severity of color vision defects: electroretinographic (ERG), molecular and behavioral studies 38: 3377
CROWELL, J.A.
Candy, T.R., Crowell, J.A. and Banks, M.S. Optical, receptoral, and retinal constraints on foveal and peripheral vision in the human neonate 38: 3857
Ehrlich, S.M., Beck, D.M., Crowell, J.A., Freeman, T.C.A. and Banks, M.S. Depth information and perceived self-motion during simulated gaze rotations 38: 3129
CURTHOYS, I.S.
Betts, G.A. and Curthoys, I.S. Visually perceived vertical and visually perceived horizontal are not orthogonal 38: 1989
CUTTING, G.R.
Enz, R. and Cutting, G.R. Molecular composition of GABAC receptors 38: 1431

CUTZU, F.
Cutzu, F. and Edelman, S. Representation of object similarity in human vision: psychophysics and a computational model 38: 2229

DAIN, S.J.
Dain, S.J. Skewness and transformations of Farnsworth—Munsell 100-Hue Test scores 38: 3473
DAKIN, S.C.
Hess, R.F., Dakin, S.C. and Field, D.J. The role of "contrast enhancement" in the detection and appearance of visual contours 38: 783
VAN DAMME
Brenner, E. and van Damme, W.J.M. Judging distance from ocular convergence 38: 493
DANNEMILLER, J.L.
Dannemiller, J.L. Temporal modulation enhances the efficiency of spatial offset discriminations by 6-month-olds 38: 2127
DAS, V.E.
Kori, A.A., Das, V.E., Zivotofsky, A.Z. and Leigh, R.J. Memory-guided saccadic eye movements; effects of cerebellar disease 38: 3181
Zivotofsky, A.Z., White, O.B., Das, V.E. and Leigh, R.J. Saccades to remembered targets: the effects of saccades and illusory stimulus motion 38: 1287
DAVEY, M.P.
Davey, M.P., Maddess, T. and Srinivasan, M.V. The spatiotemporal properties of the Craik—O'Brien—Cornsweet effect are consistent with 'filling-in' 38: 2037
DE JUAN, J.A.
Moya, F.J., De Juan, J.A., Ripodas, A., Bernal, R., Fernandez-Cruz, A. and Fernandez-Durango, R. Higher proportions of type C than of types A and B natriuretic peptide receptors exist in the rat ciliary body 38: 3833
DE WEERD, P.
De Weerd, P., Desimone, R. and Ungerleider, L.G. Percepetual filling-in: a parametric study 38: 2721
DEEB, S.S.
Crognale, M.A., Teller, D.Y., Motulsky, A.G. and Deeb, S.S. Severity of color vision defects: electroretinographic (ERG), molecular and behavioral studies 38: 3377
DEGOS, J.-D.
de Gelder, B., Bachoud-Lévi, A.-C. and Degos, J.-D. Inversion superiority in visual agnosia may be common to a variety of orientation polarised objects besides faces 38: 2855
DEL VIVA, M.M.
Del Viva, M.M. and Morrone, M.C. Motion analysis by feature tracking 38: 3633
DELINT, P.J.
Delint, P.J., Weissenbruch, C., Berendschot, T.T.J.M. and van Norren, D. Photoreceptor function in unilateral amblyopia 38: 613
DELL'OSSO, L.F.
Dell'Osso, L.F., Williams, R.W., Jacobs, J.B. and Erchul, D.M. The congenital and see-saw nystagmus in the prototypical achiasma of canines: comparison to the human achiasmatic prototype 38: 1629
DEMANINS, R.
Hess, R.F. and Demanins, R. Contour integration in anisometropic amblyopia 38: 889
DEMB, J. B.
Demb, J.B., Boynton, G.M., Best, M. and Heeger, D.J. Psychophysical evidence for a magnocellular pathway deficit in dyslexia 38: 1555
DENGIS, C.D.
Dengis, C.D., Simpson, T.L., Steinbach, M.J. and Ono, H. The *Cyclops effect* in adults: sighting without visual feedback 38: 327

DERLACKI, D.J.
Alexander, K.R., Derlacki, D.J., Xie, W., Fishman, G.A. and Szlyk, J.P. Discrimination of spatial displacements by patients with retinitis pigmentosa 38: 1171
DERRINGTON, A.
Derrington, A. and Cox, M. Temporal resolution of dichoptic and second-order motion mechanisms 38: 3531
DESIMONE, R.
De Weerd, P., Desimone, R. and Ungerleider, L.G. Percepetual filling-in: a parametric study 38: 2721
DESOUZA, J.F.X.
Somani, R.A.B., Hutnik, C., DeSouza, J.F.X., Tweed, D., Nicolle, D. and Vilis, T. Using a synoptophore to test Listing's law during vergence in normal subjects and strabismic patients 38: 3621
DESOUZA, J.F.X.
Somani, R.A.B., Desouza, J.F.X., Tweed, D. and Vilis, T. Visual test of Listing's law during vergence 38: 911
DEUBEL, H.
Deubel, H., Bridgeman, B. and Schneider, W.X. Immediate post-saccadic information mediates space constancy 38: 3147
DIETRICH, T.J.
Schiefer, U., Skalej, M., Kolb, M., Dietrich, T.J., Kolb, R., Braun, C. and Petersen, D. Lesion location influences perception of homonymous scotomata during flickering random dot pattern stimulation 38: 1303
DOBSON, V.
Dobson, V., Brown, A.M., Harvey, E.M. and Narter, D.B. Visual field extent in children 3.5—30 months of age tested with a double-arc LED perimeter 38: 2743
Mash, C. and Dobson, V. Long-term reliability and predictive validity of the Teller Acuity Card procedure 38: 619
DONALDSON, I.M.L.
Fahy, F.L. and Donaldson, I.M.L. Signals of eye position and velocity in the first-order afferents from pigeon extraocular muscles 38: 1795
DONNELLY, M.
Patterson, R., Bowd, C. and Donnelly, M. The cyclopean (stereoscopic) barber pole illusion 38: 2119
DONNER, K.
Donner, K., Hemilä, S. and Koskelainen, A. Light adaptation of cone photoresponses studied at the photoreceptor and ganglion cell levels in the frog retina 38: 19
DORÉ, K.
Beauvillain, C. and Doré, K. Orthographic codes are used in integrating information from the parafovea by the saccadic computation system 38: 115
DORST, K.
Ayoub, G.S. and Dorst, K. Imaging of glutamate release from the goldfish retinal slice 38: 2909
DOSHER, B.A.
Lu, Z.-L. and Dosher, B.A. External noise distinguishes attention mechanisms 38: 1183
DOUGLAS, R.H.
Douglas, R.H., Harper, R.D. and Case, J.F. The pupil response of a teleost fish, *Porichthys notatus:* description and comparison to other species 38: 2697
DOWLING, J.E.
Brockerhoff, S.E., Dowling, J.E. and Hurley, J.B. Zebrafish retinal mutants 38: 1335
Connaughton, V.P. and Dowling, J.E. Comparative morphology of distal neurons in larval and adult zebrafish retinas 38: 13

DRESP, B.
Wehrhahn, C. and Dresp, B. Detection facilitation by collinear stimuli in humans: dependence on strength and sign of contrast 38: 423
DREYER, E.B.
Zurakowski, D., Vorwerk, C.K., Gorla, M., Kanellopoulos, A.J., Chaturvedi, N., Grosskreutz, C.L., Lipton, S.A. and Dreyer, E.B. Nitrate therapy may retard glaucomatous optic neuropathy, perhaps through modulation of glutamate receptors 38: 1489
DUFFIER, J.-L.
Souied, E.H., Benlian, P., Rozet, J.-M., Gerber, S., Lagarde, J.-P., Coscas, G., Soubrane, G., Duffier, J.-L., Munnich, A. and Kaplan, J. Exclusion of the apoE gene in autosomal dominant pigmentosa 38: 3829
DULAI, K.S.
Hunt, D.M., Dulai, K.S., Cowing, J.A., Julliot, C., Mollon, J.D., Bowmaker, J.K., Li, W.-H. and Hewett-Emmett, D. Molecular evolution of trichromacy in primates 38: 3299
D'ZMURA, M.
D'Zmura, M. and Knoblauch, K. Spectral bandwidths for the detection of color 38: 3117
D'Zmura, M., Knoblauch, K., Henaff, M.-A. and Michel, F. Dependence of color on context in a case of cortical color vision deficiency 38: 3455

EAGLE, R.A.
Eagle, R.A. Upper displacement limits for spatially broadband patterns containing bandpass noise 38: 1775
EDELMAN, S.
Cutzu, F. and Edelman, S. Representation of object similarity in human vision: psychophysics and a computational model 38: 2229
O'Toole, A.J., Edelman, S. and Bülthoff, H.H. Stimulus-specific effects in face recognition over changes in viewpoint 38: 2351
EDWARDS, M.
Edwards, M. and Badcock, D.R. Discrimination of global-motion signal strength 38: 3051
Edwards, M., Badcock, D.R. and Smith, A.T. Independent speed-tuned global-motion systems 38: 1573
Edwards, M., Pope, D.R. and Schor, C.M. Luminance contrast and spatial-frequency tuning of the transient-vergence system 38: 705
Schor, C.M., Edwards, M. and Pope, D.R. Spatial-frequency and contrast tuning of the transient-stereopsis system 38: 3057
VAN EE, R.
van Ee, R. and Erkelens, C.J. Temporal aspects of stereoscopic slant estimation: an evaluation and extension of Howard and Kaneko's theory 38: 3871
Erkelens, C.J. and van Ee, R. A computational model of depth perception based on headcentric disparity 38: 2999
EHRLICH, S.M.
Ehrlich, S.M., Beck, D.M., Crowell, J.A., Freeman, T.C.A. and Banks, M.S. Depth information and perceived self-motion during simulated gaze rotations 38: 3129
EJIMA, Y.
Ohtani, Y., Tanigawa, M. and Ejima, Y. Motion assimilation for expansion/contraction and rotation and its spatial properties 38: 429
ELDER, J.H.
Elder, J.H. and Zucker, S.W. Evidence for boundary-specific grouping 38: 143
ELIASOF, S.
Eliasof, S., Arriza, J.L., Leighton, B.H., Amara, S.G. and Kavanaugh, M.P. Localization and function of five glutamate transporters cloned from the salamander retina 38: 1443

ELLIOTT, D.B.
Elliott, D.B. and Situ, P. Visual acuity versus letter contrast sensitivity in early cataract 38: 2047
ELLISON, A.
Ellison, A. and Walsh, V. Perceptual learning in visual search: some evidence of specificities 38: 333
ELSNER, A.E.
Bradley, A., Zhang, H., Applegate, R.A., Thibos, L.N. and Elsner, A.E. Entoptic image quality of the retinal vasculature 38: 2685
ENGEL, S.A.
Olds, E.S. and Engel, S.A. Linearity across spatial frequency in object recognition 38: 2109
ENNS, J.T.
Rensink, R.A. and Enns, J.T. Early completion of occluded objects 38: 2489
ENRIGHT, J.T.
Enright, J.T. On the "Cyclopean eye": saccadic asymmetry and the reliability of perceived straight-ahead 38: 459
ENZ, R.
Enz, R. and Cutting, G.R. Molecular composition of GABAC receptors 38: 1431
EPELBOIM, J.
Epelboim, J. Gaze and retinal-image-stability in two kinds of sequential looking tasks 38: 3773
ERB, C.
Erb, C., Adler, M., Stübiger, N., Wohlrab, M., Zrenner, E. and Thiel, H.-J. Colour vision in normal subjects tested by the colour arrangement test 'Roth 28-hue desaturated' 38: 3467
ERCHUL, D.M.
Dell'Osso, L.F., Williams, R.W., Jacobs, J.B. and Erchul, D.M. The congenital and see-saw nystagmus in the prototypical achiasma of canines: comparison to the human achiasmatic prototype 38: 1629
ERKELENS, C.J.
van Ee, R. and Erkelens, C.J. Temporal aspects of stereoscopic slant estimation: an evaluation and extension of Howard and Kaneko's theory 38: 3871
Erkelens, C.J. and van Ee, R. A computational model of depth perception based on headcentric disparity 38: 2999
Hooge, I.Th.C. and Erkelens, C.J. Adjustment of fixation duration in visual search 38: 1295
van Leeuwen, A.F., Collewijn, H. and Erkelens, C.J. Dynamics of horizontal vergence movements: interaction with horizontal and vertical saccades and relation with monocular preferences 38: 3943
ESKEW, R.T. JR.
Giulianini, F. and Eskew, R.T. Jr. Chromatic masking in the (ΔL/L, ΔM/M) plane of cone-contrast space reveals only two detection mechanisms 38: 3913
ESSEX, J.
Cornelissen, P.L., Hansen, P.C., Gilchrist, I., Cormack, F., Essex, J. and Frankish, C. Coherent motion detection and letter position encoding 38: 2181
ESTEVE, J.V.
Esteve, J.V. and Jeffery, G. Reduced retinal deficits in an albino mammal with a cone rich retina: a study of the ganglion cell layer at the area centralis of pigmented and albino grey squirrels 38: 937
EVANGELINOU, V.
Cornelissen, P.L., Hansen, P.C., Hutton, J.L., Evangelinou, V. and Stein, J.F. Magnocellular visual function and children's single word reading 38: 471

EVANS, B.J.W.
Evans, B.J.W., Evans, B.V., Jordahl-Moroz, J. and Nabee, M. Randomised double-masked placebo-controlled trial of a treatment for congenital nystagmus 38: 2193
EVANS, B.V.
Evans, B.J.W., Evans, B.V., Jordahl-Moroz, J. and Nabee, M. Randomised double-masked placebo-controlled trial of a treatment for congenital nystagmus 38: 2193

FABIANE, R.S.
Saidel, W.M. and Fabiane, R.S. Optomotor response of *Anableps anableps* depends on the field of view 38: 2001
FAHLE, M.
Kramer, D. and Fahle, M. (1996). A simple mechanism for detecting low curvatures. *Vision Research* 36:1411 Errata 38: 773
FAHY, F.L.
Fahy, F.L. and Donaldson, I.M.L. Signals of eye position and velocity in the first-order afferents from pigeon extraocular muscles 38: 1795
FEHÉR, Á.
Kovács, I., Fehér, Á. and Julesz, B. Medial-point description of shape: a representation for action coding and its psychophysical correlates 38: 2323
FERNANDEZ-CRUZ, A.
Moya, F.J., De Juan, J.A., Ripodas, A., Bernal, R., Fernandez-Cruz, A. and Fernandez-Durango, R. Higher proportions of type C than of types A and B natriuretic peptide receptors exist in the rat ciliary body 38: 3833
FERNANDEZ-CRUZ, R.
Moya, F.J., De Juan, J.A., Ripodas, A., Bernal, R., Fernandez-Cruz, A. and Fernandez-Durango, R. Higher proportions of type C than of types A and B natriuretic peptide receptors exist in the rat ciliary body 38: 3833
FIELD, D.J.
Hess, R.F., Dakin, S.C. and Field, D.J. The role of "contrast enhancement" in the detection and appearance of visual contours 38: 783
FINDLAY, J.M.
Popple, A.V., Smallman, H.S. and Findlay, J.M. The area of spatial integration for initial horizontal disparity vergence 38: 319
FINKEL, L.H.
Yen, S.-C. and Finkel, L.H. Extraction of perceptually salient contours by striate cortical networks 38: 719
FINLEY, C.D.
Jackson, G.R., Owsley, C., Cordle, E.P. and Finley, C.D. Aging and scotopic sensitivity 38: 3655
FINN, J.T.
Finn, J.T., Xiong, W.-H., Solessio, E.C. and Yau, K.-W. A cGMP-gated cation channel and phototransduction in depolarizing photoreceptors of the lizard parietal eye 38: 1353
FIORENTINI, A.
Burr, D.C., Fiorentini, A. and Morrone, C. Reaction time to motion onset of luminance and chromatic gratings is determined by perceived speed 38: 3681
FISCHER, M.H.
Rayner, K., Fischer, M.H. and Pollatsek, A. Unspaced text interferes with both word identification and eye movement control 38: 1129
FISHMAN, G.A.
Alexander, K.R., Derlacki, D.J., Xie, W., Fishman, G.A. and Szlyk, J.P. Discrimination of spatial displacements by patients with retinitis pigmentosa 38: 1171

FITZKE, F.W.
Westcott, M.C., Fitzke, F.W. and Hitchings, R.A. Abnormal motion displacement thresholds are associated with fine scale luminance sensitivity loss in glaucoma 38: 3171
FLANAGAN, P.R.
Mussap, A.J., Crassini, B. and Flanagan, P.R. Directions of motion after-effects induced by gratings and plaids 38: 2087
FLEET, D.
Gurnsey, R., Fleet, D. and Potechin, C. Second-order motions contribute to vection 38: 2801
FLETCHER, E.L.
Wässle, H., Koulen, P., Brandstätter, J.H., Fletcher, E.L. and Becker, C.-M. Glycine and GABA receptors in the mammalian retina 38: 1411
FLITCROFT, D.I.
Flitcroft, D.I. A model of the contribution of oculomotor and optical factors to emmetropization and myopia 38: 2869
FOGT, N.
Fogt, N. and Jones, R. Comparison of fixation disparities obtained by objective and subjective methods 38: 411
Fogt, N. and Jones, R. The effect of forced vergence on retinal correspondence 38: 2711
FORCIER, P.
Forcier, P., Kergoat, H. and Lovasik, J.V. Macular hemodynamic responses to short-term acute exercise in young healthy adults 38: 181
FOWLER, G.
Buck, S.L., Knight, R., Fowler, G. and Hunt, B. Rod influence on hue-scaling functions 38: 3259
FOWLER, G.A.
Knight, R., Buck, S.L., Fowler, G.A. and Nguyen, A. Rods affect S-cone discrimination on the Farnsworth—Munsell 100-hue test 38: 3477
FRANKISH, C.
Cornelissen, P.L., Hansen, P.C., Gilchrist, I., Cormack, F., Essex, J. and Frankish, C. Coherent motion detection and letter position encoding 38: 2181
FREDERICKSEN, E.R.
Hess, R.F., Bex, P.J., Fredericksen, E.R. and Brady, N. Is human motion detection subserved by a single or multiple channel mechanism? 38: 259
FREDERICKSEN, R.E.
Fredericksen, R.E. and Hess, R.F. Estimating multiple temporal mechanisms in human vision 38: 1023
FREEMAN, T.C.
Sengpiel, F., Baddeley, R.J., Freeman, T.C.B., Harrad, R. and Blakemore, C. Different mechanisms underlie three inhibitory phenomena in cat area 17 38: 2067
FREEMAN, T.C.A.
Ehrlich, S.M., Beck, D.M., Crowell, J.A., Freeman, T.C.A. and Banks, M.S. Depth information and perceived self-motion during simulated gaze rotations 38: 3129
Freeman, T.C.A. and Banks, M.S. Perceived head-centric speed is affected by both extra-retinal and retinal errors 38: 941
FREUDENTHALER, N.
Regan, B.C., Freudenthaler, N., Kolle, R., Mollon, J.D. and Paulus, W. Colour discrimination thresholds in Parkinson's disease: results obtained with a rapid computer-controlled colour vision test 38: 3427
FRIEDER, K.S.
Carrasco, M., McLean, T.L., Katz, S.M. and Frieder, K.S. Feature asymmetries in visual search: effects of display duration, target eccentricity, orientation and spatial frequency 38: 347

FRISHMAN, L.J.
Chen, Y, Bedell, H.E., Frishman, L.J. and Levi, D.M. Stimulus uncertainty affects velocity discrimination 38: 1265
FUHR, P.S.
Fuhr, P.S. and Kuyk, T. The contrast-response of the periphery effect 38: 1983
FUKUDA, Y.
Fukuda, Y., Watanabe, M., Sawai, H. and Miyoshi, T. Functional recovery of vision in regenerated optic nerve fibers 38: 1545
Wollner, I.B., Fukuda, Y., Spekreijse, H. and Wu, S.M. Editorial 38: 1313
FYHRQUIST, N.
Fyhrquist, N., Govardovskii, V., Leibrock, C. and Reuter, T. Rod pigment and rod noise in the European toad *Bufo bufoi* 38: 483

GAILLARD, F.
Gaillard, F., Arbib, M.A., Corbacho, F.J. and Lee, H.B. Modeling the physiological responses of anuran R3 ganglion cells 38: 2551
GAMLIN, P.D.R.
Gamlin, P.D.R., Zhang, H., Harlow, A. and Barbur, J.L. Pupil responses to stimulus color, structure and light flux increments in the rhesus monkey 38: 3353
GARCÍA-PÉREZ, M.A.
García-Pérez, M.A. and Sierra-Vázquez, V. The optimal motion stimulus: comments on Watson and Turano (1995) 38: 1611
García-Pérez, M.A. Forced-choice staircases with fixed step sizes: asymptotic and small-sample properties 38: 1861
GARWIN, G.G.
Saari, J.C., Garwin, G.G., Van Hooser, J.P. and Palczewski, K. Reduction of all-*trans*-retinal limits regeneration of visual pigment in mice 38: 1325
GAUTHIER, I.
Gauthier, I., Williams, P., Tarr, M.J. and Tanaka, J. Training 'greeble' experts: a framework for studying expert object recognition processes 38: 2401
GEESAMAN, B.J.
Geesaman, B.J. and Qian, N. The effect of complex motion pattern on speed perception 38: 1223
GEGENFURTNER, K.R.
Gegenfurtner, K.R. Thresholds for the identification of the direction of motion of plaid patterns defined by luminance or chromatic contrast 38: 881
Gegenfurtner, K.R., Wichmann, F.A. and Sharpe, L.T. The contribution of color to visual memory in X-chromosome-linked diachromats 38: 1041
Reisbeck, T.E. and Gegenfurtner, K.R. Effects of contrast and temporal frequency on orientation discrimination for luminance and isoluminant stimuli 38: 1105
GEIGER, D.
Basri, R., Costa, L., Geiger, D. and Jacobs, D. Determining the similarity of deformable shapes 38: 2365
DE GELDER, B.
de Gelder, B., Bachoud-Lévi, A.-C. and Degos, J.-D. Inversion superiority in visual agnosia may be common to a variety of orientation polarised objects besides faces 38: 2855
GEORGESON, M.A.
Hammett, S.T., Georgeson, M.A. and Gorea, A. Motion blur and motion sharpening: temporal smear and local contrast nonlinearity 38: 2099
GEPSHTEIN, S.
Gepshtein, S. and Cooperman, A. Stereoscopic transparency: a test for binocular vision's disambiguating power 38: 2913

GERBER, S.
Souied, E.H., Benlian, P., Rozet, J.-M., Gerber, S., Lagarde, J.-P., Coscas, G., Soubrane, G., Duffier, J.-L., Munnich, A. and Kaplan, J. Exclusion of the apoE gene in autosomal dominant pigmentosa 38: 3829
GERSTEIN, G.L.
Kirkland, K.L. and Gerstein, G.L. A model of cortically induced synchronization in the lateral geniculate nucleus of the cat: a role for low-threshold calcium channels 38: 2007
GILCHRIST, I.
Cornelissen, P.L., Hansen, P.C., Gilchrist, I., Cormack, F., Essex, J. and Frankish, C. Coherent motion detection and letter position encoding 38: 2181
GIULIANINI, F.
Giulianini, F. and Eskew, R.T. Jr. Chromatic masking in the ($\Delta L/L$, $\Delta M/M$) plane of cone-contrast space reveals only two detection mechanisms 38: 3913
GLASSER, A.
Glasser, A. and Campbell, M.C.W. Presbyopia and the optical changes in the human crystalline lens with age 38: 209
GLENNERSTER, A.
Glennerster, A. *dmas* for stereopsis and motion in random dot displays 38: 925
GOLDSMITH, T.H.
Palacios, A.G., Varela, F.J., Srivastava, R. and Goldsmith, T.H. Spectral sensitivity of cones in the goldfish, *Carassius auratus* 38: 2135
GOLOVAN, A.V.
Rybak, I.A., Gusakova, V.I., Golovan, A.V., Podladchikova, L.N. and Shevtsova, N.A. A model of attention-guided visual perception and recognition 38: 2387
GOREA, A.
Hammett, S.T., Georgeson, M.A. and Gorea, A. Motion blur and motion sharpening: temporal smear and local contrast nonlinearity 38: 2099
GORLA, M.
Zurakowski, D., Vorwerk, C.K., Gorla, M., Kanellopoulos, A.J., Chaturvedi, N., Grosskreutz, C.L., Lipton, S.A. and Dreyer, E.B. Nitrate therapy may retard glaucomatous optic neuropathy, perhaps through modulation of glutamate receptors 38: 1489
GOVARDOVSKII, V.
Fyhrquist, N., Govardovskii, V., Leibrock, C. and Reuter, T. Rod pigment and rod noise in the European toad *Bufo bufoi* 38: 483
GOVARDOVSKII, V.I.
Lebedev, D.S., Byzov, A.L. and Govardovskii, V.I. Photoreceptor coupling and boundary detection 38: 3161
GOWDY, P.D.
Gowdy, P.D. and Cicerone, C.M. The spatial arrangement of the L and M cones in the central fovea of the living human eye 38: 2575
GRAHAM, N.
Graham, N. and Sutter, A. Spatial summation in simple (Fourier) and complex (non-Fourier) texture channels 38: 231
GRAY, R.
Gray, R. and Regan, D. Accuracy of estimating time to collision using binocular and monocular information 38: 499
Gray, R. and Regan, D. Spatial frequency discrimination and detection characteristics for gratings defined by orientation texture 38: 2601
GREENLEE, M.W.
Greenlee, M.W. and Magnussen, S. Limited-capacity mechanisms of visual discrimination 38: 375

GREENSTEIN, V.
Hood, D.C., Holopigian, K., Greenstein, V., Seiple, W., Li, J., Sutter, E.E. and Carr, R.E. Assessment of local retinal function in patients with retinitis pigmentosa using the multi-focal ERG technique 38: 163
GREENSTEIN, V.C.
Greenstein, V.C., Seliger, S., Zemon, V. and Ritch, R. Visual evoked potential assessment of the effects of glaucoma on visual subsystems 38: 1901
GRIGO, A.
Grigo, A. and Lappe, M. Interaction of stereo vision and optic flow processing revealed by an illusory stimulus 38: 281
VAN DE GRIND, W.A.
Alais, D., van der Smagt, M.J., van den Berg, A.V. and van de Grind, W.A. Local and global factors affecting the coherent motion of gratings presented in multiple apertures 38: 1581
GROSSBERG, S.
Chey, J., Grossberg, S. and Mingolla, E. Neural dynamics of motion processing and speed discrimination 38: 2769
Grossberg, S. and Pessoa, L. Texture segregation, surface representation and figure—ground separation 38: 2657
McLoughlin, N.P. and Grossberg, S. Cortical computation of stereo disparity 38: 91
GROSSKREUTZ, C.L.
Zurakowski, D., Vorwerk, C.K., Gorla, M., Kanellopoulos, A.J., Chaturvedi, N., Grosskreutz, C.L., Lipton, S.A. and Dreyer, E.B. Nitrate therapy may retard glaucomatous optic neuropathy, perhaps through modulation of glutamate receptors 38: 1489
GRUNEWALD, A.
Grunewald, A. and Mingolla, E. Motion after-effect due to binocular sum of adaptation to linear motion 38: 2963
GRZYWACZ, N.M.
Burgi, P.-Y. and Grzywacz, N.M. A biophysical model for the developmental time course of retinal orientation selectivity 38: 2787
Pettet, M.W., McKee, S.P. and Grzywacz, N.M. Constraints on long range interactions mediating contour detection 38: 865
GUERRA, S.
Caputo, G. and Guerra, S. Attentional selection by distractor suppression 38: 669
GURNSEY, R.
Gurnsey, R., Fleet, D. and Potechin, C. Second-order motions contribute to vection 38: 2801
Gurnsey, R., Herbert, A.M. and Kenemy, J. Bilateral symmetry embedded in noise is detected accurately only at fixation 38: 3795
GUSAKOVA, V.I.
Rybak, I.A., Gusakova, V.I., Golovan, A.V., Podladchikova, L.N. and Shevtsova, N.A. A model of attention-guided visual perception and recognition 38: 2387

HABAK, C.
Wilkinson, F., Wilson, H.R. and Habak, C. Detection and recognition of radial frequency patterns 38: 3555
HÄKKINEN, J.
Häkkinen, J., Liinasuo, M., Kojo, I. and Nyman, G. Three-dimensionally slanted illusory contours capture stereopsis 38: 3109
HAMMETT, S.T.
Hammett, S.T., Georgeson, M.A. and Gorea, A. Motion blur and motion sharpening: temporal smear and local contrast nonlinearity 38: 2099

Snowden, R.J. and Hammett, S.T. The effects of surround contrast on contrast thresholds, perceived contrast and contrast discrimination 38: 1935
HANCOCK, P.J.B.
Hancock, P.J.B., Bruce, V. and Burton, M.A. A comparison of two computer-based face identification systems with human perceptions of faces 38: 2277
HANSEN, P.C.
Cornelissen, P.L., Hansen, P.C., Gilchrist, I., Cormack, F., Essex, J. and Frankish, C. Coherent motion detection and letter position encoding 38: 2181
Cornelissen, P.L., Hansen, P.C., Hutton, J.L., Evangelinou, V. and Stein, J.F. Magnocellular visual function and children's single word reading 38: 471
HARLOW, A.
Gamlin, P.D.R., Zhang, H., Harlow, A. and Barbur, J.L. Pupil responses to stimulus color, structure and light flux increments in the rhesus monkey 38: 3353
HARPER, R.D.
Douglas, R.H., Harper, R.D. and Case, J.F. The pupil response of a teleost fish, *Porichthys notatus:* description and comparison to other species 38: 2697
HARRAD, R.
Sengpiel, F., Baddeley, R.J., Freeman, T.C.B., Harrad, R. and Blakemore, C. Different mechanisms underlie three inhibitory phenomena in cat area 17 38: 2067
HARVEY, E.M.
Dobson, V., Brown, A.M., Harvey, E.M. and Narter, D.B. Visual field extent in children 3.5—30 months of age tested with a double-arc LED perimeter 38: 2743
HASSELBACH, M.M.
Cornblath, W.T., Butter, C.M., Barnes, L.L. and Hasselbach, M.M. Spatial characteristics of cerebral polyopia: a case study 38: 3965
HAYHOE, M.M.
Hayhoe, M.M., Bensinger, D.G. and Ballard, D.H. Task constraints in visual working memory 38: 125
HAZAMA, F.
Mekada, A., Sasahara, M., Yamada, E., Kani, K. and Hazama, F. Platelet-derived growth factor B-chain expression in the rat retina and optic nerve: distribution and changes after transection of the optic nerve 38: 3031
HE, J.C.
Shevell, S.K., He, J.C., Kainz, P., Neitz, J. and Neitz, M. Relating color discrimination to photopigment genes in deutan observers 38: 3371
HE, S.
He, S. and MacLeod, D.I.A. Contrast-modulation flicker: dynamics and spatial resolution of the light adaptation process 38: 985
He, S. and MacLeod, D.I.A. Local nonlinearity in S-cones and their estimated light-collecting apertures 38: 1001
HEEGER, D.J.
Demb, J.B., Boynton, G.M., Best, M. and Heeger, D.J. Psychophysical evidence for a magnocellular pathway deficit in dyslexia 38: 1555
Simoncelli, E.P. and Heeger, D.J. A model of neuronal responses in visual area MT 38: 743
HEINEN, S.J.
Heinen, S.J. and Watamaniuk, S.N.J. Spatial integration in human smooth pursuit 38: 3785
HEMILÄ, S.
Donner, K., Hemilä, S. and Koskelainen, A. Light adaptation of cone photoresponses studied at the photoreceptor and ganglion cell levels in the frog retina 38: 19
HEMMI, J.M.
Maddess, T., Hemmi, J.M. and James, A.C. Evidence for spatial aliasing effects in the Y-like cells of the magnocellular visual pathway 38: 1843

HENAFF, M.-A.
D'Zmura, M., Knoblauch, K., Henaff, M.-A. and Michel, F. Dependence of color on context in a case of cortical color vision deficiency 38: 3455
HENDRIKSE, F.
van Rijn, L.J., ten Tusscher, M.P.M., de Jong, I. and Hendrikse, F. Asymmetrical vertical phorias indicating dissociated vertical deviation in subjects with normal binocular vision 38: 2973
HERBERT, A.M.
Gurnsey, R., Herbert, A.M. and Kenemy, J. Bilateral symmetry embedded in noise is detected accurately only at fixation 38: 3795
HESS, R.F.
Allen, D., Hess, R.F. and Nordby, K. Is the rod visual field temporally homogeneous? 38: 3927
Baker, C.L. Jr. and Hess, R.F. Two mechanisms underlie processing of stochastic motion stimuli 38: 1211
Fredericksen, R.E. and Hess, R.F. Estimating multiple temporal mechanisms in human vision 38: 1023
Hess, R.F. and Demanins, R. Contour integration in anisometropic amblyopia 38: 889
Hess, R.F., Bex, P.J., Fredericksen, E.R. and Brady, N. Is human motion detection subserved by a single or multiple channel mechanism? 38: 259
Hess, R.F., Dakin, S.C. and Field, D.J. The role of "contrast enhancement" in the detection and appearance of visual contours 38: 783
Keeble, D.R.T. and Hess, R.F. Orientation masks 3-Gabor alignment performance 38: 827
Wilcox, L.M. and Hess, R.F. When stereopsis does not improve with increasing contrast 38: 3671
HEWETT-EMMETT, D.
Hunt, D.M., Dulai, K.S., Cowing, J.A., Julliot, C., Mollon, J.D., Bowmaker, J.K., Li, W.-H. and Hewett-Emmett, D. Molecular evolution of trichromacy in primates 38: 3299
HIBBARD, P.B.
Hibbard, P.B. and Langley, K. Plaid slant and inclination thresholds can be predicted from components 38: 1073
HILDRETH, E.C.
Hildreth, E.C. Preface. Models of recognition 38: 2225
HIRSCHEL, B.
Sommerhalder, J., Baglivo, E., Barbey, C., Hirschel, B., Roth, A. and Pelizzone, M. Colour vision in AIDS patients without HIV retinopathy 38: 3441
HITCHINGS, R.A.
Westcott, M.C., Fitzke, F.W. and Hitchings, R.A. Abnormal motion displacement thresholds are associated with fine scale luminance sensitivity loss in glaucoma 38: 3171
HO, A.
Anstis, S. and Ho, A. Nonlinear combination of luminance excursions during flicker, simultaneous contrast, afterimages and binocular fusion 38: 523
HOCHSTEIN, S.
Ahissar, M., Laiwand, R., Kozminsky, G. and Hochstein, S. Learning pop-out detection: building representations for conflicting target-distractor relationships 38: 3095
HOCK, H.S.
Hock, H.S., Balz, G.W. and Smollon, W. Attentional control of spatial scale: effects on self-organized motion patterns 38: 3743
HOHNSBEIN, J.
Hohnsbein, J. and Mateeff, S. The time it takes to detect changes in speed and direction of visual motion 38: 2569

HOLLANTS-GILHUIJS, M.A.M.
Hollants-Gilhuijs, M.A.M., Ruijter, J.M. and Spekreijse, H. Visual half-field development in children: detection of colour-contrast-defined forms 38: 645
Hollants-Gilhuijs, M.A.M., Ruijter, J.M. and Spekreijse, H. Visual half-field development in children: detection of motion-defined forms 38: 651
HOLOPIGIAN, K.
Hood, D.C., Holopigian, K., Greenstein, V., Seiple, W., Li, J., Sutter, E.E. and Carr, R.E. Assessment of local retinal function in patients with retinitis pigmentosa using the multi-focal ERG technique 38: 163
HOOD, D.C.
Hood, D.C., Holopigian, K., Greenstein, V., Seiple, W., Li, J., Sutter, E.E. and Carr, R.E. Assessment of local retinal function in patients with retinitis pigmentosa using the multi-focal ERG technique 38: 163
HOOGE, I.TH.C.
Hooge, I.Th.C. and Erkelens, C.J. Adjustment of fixation duration in visual search 38: 1295
VAN HOOSER, J.P.
Saari, J.C., Garwin, G.G., Van Hooser, J.P. and Palczewski, K. Reduction of all-*trans*-retinal limits regeneration of visual pigment in mice 38: 1325
HORNG, J.-L.
Horng, J.-L., Semmlow, J.L., Hung, G.K. and Ciuffreda, K.J. Dynamic asymmetries in disparity convergence eye movements 38: 2761
HOTSON, J.R.
Anand, S., Olson, J.D. and Hotson, J.R. Tracing the timing of human analysis of motion and chromatic signals from occipital to temporo-parieto-occipital cortex: a transcranial magnetic stimulation study 38: 2619
HOUGRAND, F.
Hubschman, J.P., Vola, J.L., Conrath, J., Berros, P. and Hougrand, F. The short-wavelength mechanisms of Stiles in age-related macular degeneration 38: 3433
HOVIS, J.K.
Hovis, J.K. and Oliphant, D. Validity of the Holmes—Wright lantern as a color vision test for the rail industry 38: 3487
Oliphant, D. and Hovis, J.K. Comparison of the D-15 and City University (second) color vision tests 38: 3461
HOWELL, N.
Howell, N. Leber hereditary optic neuropathy: respiratory chain dysfunction and degeneration of the optic nerve 38: 1495
HSU, A.
Hsu, A., Tsukamoto, Y., Smith, R.G. and Sterling, P. Functional architecture of primate cone and rod axons 38: 2539
HU, E.
Stromeyer, C.F. III, Chaparro, A., Rodriguez, C., Chen, D., Hu, E. and Kronauer, R.E. Short-wave cone signal in the red-green detection mechanism 38: 813
HUANG, Z.
Wong-Riley, M.T.T., Huang, Z., Liebl, W., Nie, F., Xu, H. and Zhang, C. Neurochemical organization of the macaque retina: effect of TTX on levels and gene expression of cytochrome oxidase and nitric oxide synthase and on the immunoreactivity of Na+K+ATPase and NMDA receptor subunit I 38: 1455
HUBSCHMAN, J.P.
Hubschman, J.P., Vola, J.L., Conrath, J., Berros, P. and Hougrand, F. The short-wavelength mechanisms of Stiles in age-related macular degeneration 38: 3433
HUGHES, H.C.
Hughes, H.C., Nelson, M.D. and Aronchick, D.M. Spatial characteristics of visual-auditory summation in human saccades 38: 3955

HUGHES, T.E.
Lo, W., Molloy, R. and Hughes, T.E. Ionotropic glutamate receptors in the retina: moving from molecules to circuits 38: 1399
HUNG, G.K.
Horng, J.-L., Semmlow, J.L., Hung, G.K. and Ciuffreda, K.J. Dynamic asymmetries in disparity convergence eye movements 38: 2761
HUNT, B.
Buck, S.L., Knight, R., Fowler, G. and Hunt, B. Rod influence on hue-scaling functions 38: 3259
HUNT, D.M.
Hunt, D.M., Dulai, K.S., Cowing, J.A., Julliot, C., Mollon, J.D., Bowmaker, J.K., Li, W.-H. and Hewett-Emmett, D. Molecular evolution of trichromacy in primates 38: 3299
Silveira, L.C.L., Lee, B.B., Yamada, E.S., Kremers, J. and Hunt, D.M. Post-receptoral mechanisms of colour vision in new world primates 38: 3329
HURLEY, J.B.
Brockerhoff, S.E., Dowling, J.E. and Hurley, J.B. Zebrafish retinal mutants 38: 1335
Hurley, J.B., Spencer, M. and Niemi, G.A. Rhodopsin phosphorylation and its role in photoreceptor function 38: 1341
HUTAHAJAN, P.
Anstis, S., Hutahajan, P. and Cavanagh, P. Optomotor test for wavelength sensitivity in guppyfish *(Poecilia reticulata)* 38: 45
HUTNIK, C.
Somani, R.A.B., Hutnik, C., DeSouza, J.F.X., Tweed, D., Nicolle, D. and Vilis, T. Using a synoptophore to test Listing's law during vergence in normal subjects and strabismic patients 38: 3621
HUTTON, J.L.
Cornelissen, P.L., Hansen, P.C., Hutton, J.L., Evangelinou, V. and Stein, J.F. Magnocellular visual function and children's single word reading 38: 471

IGLESIAS, I.
López-Gil, N., Iglesias, I. and Artal, P. Retinal image quality in the human eye as a function of the accommodation 38: 2897
ISAAK, M.
Raymond, J.E. and Isaak, M. Successive episodes produce direction contrast effects in motion perception 38: 579

JACKSON, G.R.
Jackson, G.R., Owsley, C., Cordle, E.P. and Finley, C.D. Aging and scotopic sensitivity 38: 3655
JACOBS, D.
Basri, R., Costa, L., Geiger, D. and Jacobs, D. Determining the similarity of deformable shapes 38: 2365
JACOBS, G.H.
Jacobs, G.H. A perspective on color vision in platyrrhine monkeys 38: 3307
JACOBS, J.B.
Dell'Osso, L.F., Williams, R.W., Jacobs, J.B. and Erchul, D.M. The congenital and see-saw nystagmus in the prototypical achiasma of canines: comparison to the human achiasmatic prototype 38: 1629
JÄGLE, H.
Sharpe, L.T., Stockman, A., Knau, H. and Jägle, H. Macular pigment densities derived from central and peripheral spectral sensitivity differences 38: 3233

JAMES, A.C.
Maddess, T., Hemmi, J.M. and James, A.C. Evidence for spatial aliasing effects in the Y-like cells of the magnocellular visual pathway 38: 1843
JEFFERY, G.
Esteve, J.V. and Jeffery, G. Reduced retinal deficits in an albino mammal with a cone rich retina: a study of the ganglion cell layer at the area centralis of pigmented and albino grey squirrels 38: 937
JIN, Q.
Smith, V.C., Jin, Q. and Pokorny, J. Color appearance: neutral surrounds and spatial contrast 38: 3265
JOHNSON, B.
Johnson, B., Nozawa, G. and Bourassa, C.M. Differences in the luminance of the first and second displays affects visible persistence in opposite ways 38: 1233
JONES, R.
Fogt, N. and Jones, R. Comparison of fixation disparities obtained by objective and subjective methods 38: 411
Fogt, N. and Jones, R. The effect of forced vergence on retinal correspondence 38: 2711
DE JONG, I.
van Rijn, L.J., ten Tusscher, M.P.M., de Jong, I. and Hendrikse, F. Asymmetrical vertical phorias indicating dissociated vertical deviation in subjects with normal binocular vision 38: 2973
JORDAHL-MOROZ, J.
Evans, B.J.W., Evans, B.V., Jordahl-Moroz, J. and Nabee, M. Randomised double-masked placebo-controlled trial of a treatment for congenital nystagmus 38: 2193
JORDAN, G.
Jordan, G. and Mollon, J.D. Shift in Rayleigh matches after adaptation to monochromatic light of various intensities 38: 3253
JULESZ, B.
Kovács, I., Fehér, Á. and Julesz, B. Medial-point description of shape: a representation for action coding and its psychophysical correlates 38: 2323
JULLIOT, C.
Hunt, D.M., Dulai, K.S., Cowing, J.A., Julliot, C., Mollon, J.D., Bowmaker, J.K., Li, W.-H. and Hewett-Emmett, D. Molecular evolution of trichromacy in primates 38: 3299
Regan, B.C., Julliot, C., Simmen, B., Viénot, F., Charles-Dominique, P. and Mollon, J.D. Frugivory and colour vision in *Alouatta seniculus*, a trichromatic platyrrhine monkey 38: 3321
JÜTTNER, M.
Unzicker, A., Jüttner, M. and Rentschler, I. Similarity-based models of human visual recogition 38: 2289

KAINZ, P.
Shevell, S.K., He, J.C., Kainz, P., Neitz, J. and Neitz, M. Relating color discrimination to photopigment genes in deutan observers 38: 3371
KAINZ, P.M.
Kainz, P.M., Neitz, J. and Neitz, M. Recent evolution of uniform trichromacy in a New World monkey 38: 3315
Kainz, P.M., Neitz, M. and Neitz, J. Molecular genetic detection of female carriers of protan defects 38: 3365
KANELLOPOULOS, A.J.
Zurakowski, D., Vorwerk, C.K., Gorla, M., Kanellopoulos, A.J., Chaturvedi, N., Grosskreutz, C.L., Lipton, S.A. and Dreyer, E.B. Nitrate therapy may retard glaucomatous optic neuropathy, perhaps through modulation of glutamate receptors 38: 1489

KANI, K.
Mekada, A., Sasahara, M., Yamada, E., Kani, K. and Hazama, F. Platelet-derived growth factor B-chain expression in the rat retina and optic nerve: distribution and changes after transection of the optic nerve 38: 3031
KAPLAN, J.
Souied, E.H., Benlian, P., Rozet, J.-M., Gerber, S., Lagarde, J.-P., Coscas, G., Soubrane, G., Duffier, J.-L., Munnich, A. and Kaplan, J. Exclusion of the apoE gene in autosomal dominant pigmentosa 38: 3829
KASAMATSU, T.
Kasamatsu, T., Kitano, M., Sutter, E.E. and Norcia, A.M. Lack of lateral inhibitory interactions in visual cortex of monocularly deprived cats 38: 1
KATZ, S.M.
Carrasco, M., McLean, T.L., Katz, S.M. and Frieder, K.S. Feature asymmetries in visual search: effects of display duration, target eccentricity, orientation and spatial frequency 38: 347
KAVANAUGH, M.P.
Eliasof, S., Arriza, J.L., Leighton, B.H., Amara, S.G. and Kavanaugh, M.P. Localization and function of five glutamate transporters cloned from the salamander retina 38: 1443
KAWAMURA, S.
Kawamura, S. and Yokoyama, S. Functional characterization of visual and nonvisual pigments of American chemeleon *(Anolis carolinensis)* 38: 37
KEEBLE, D.R.T.
Keeble, D.R.T. and Hess, R.F. Orientation masks 3-Gabor alignment performance 38: 827
KELLY, J.P.
Crognale, M.A., Kelly, J.P., Weiss, A.H. and Teller, D.Y. Development of the spatio-chromatic visual evoked potential (VEP): a longitudinal study 38: 3283
KENEMY, J.
Gurnsey, R., Herbert, A.M. and Kenemy, J. Bilateral symmetry embedded in noise is detected accurately only at fixation 38: 3795
KERGOAT, H.
Forcier, P., Kergoat, H. and Lovasik, J.V. Macular hemodynamic responses to short-term acute exercise in young healthy adults 38: 181
KERSTEN, D.
Liu, Z. and Kersten, D. 2D observers for human 3D object recognition? 38: 2507
Tarr, M.J., Kersten, D. and Bülthoff, H.H. Why the visual recognition system might encode the effects of illumination 38: 2259
KETELAER, P.
Vleugels, L., van Nunen, A., Lafosse, C., Ketelaer, P. and Vandenbussche, E. Temporal and spatial resolution in foveal vision of multiple sclerosis patients 38: 2987
KIM, J.
Wilson, H.R. and Kim, J. Dynamics of a divisive gain control in human vision 38: 2735
KINGDOM, F.A.A.
Simmons, D.R. and Kingdom, F.A.A. On the binocular summation of chromatic contrast 38: 1063
KIORPES, L.
Kiorpes, L. and Movshon, J.A. Peripheral and central factors limiting the development of contrast sensitivity in macaque monkeys 38: 61
KIRKLAND, K.L.
Kirkland, K.L. and Gerstein, G.L. A model of cortically induced synchronization in the lateral geniculate nucleus of the cat: a role for low-threshold calcium channels 38: 2007

KITANO, M.
Kasamatsu, T., Kitano, M., Sutter, E.E. and Norcia, A.M. Lack of lateral inhibitory interactions in visual cortex of monocularly deprived cats 38: 1
KLEIN, S.A.
Wang, H., Levi, D.M. and Klein, S.A. Spatial uncertainty and sampling efficiency in amblyopic position acuity 38: 1239
KLISTORNER, A.
Klistorner, A., Crewther, D.P. and Crewther, S.G. Temporal analysis of the chromatic flash VEP–separate colour and luminance contrast components 38: 3979
Klistorner, A., Crewther, D.P. and Crewther, S.G. Temporal analysis of the topographic ERG: chromatic versus achromatic stimulation 38: 1047
KNAU, H.
Sharpe, L.T., Stockman, A., Knau, H. and Jägle, H. Macular pigment densities derived from central and peripheral spectral sensitivity differences 38: 3233
Wolf, S., Sharpe, L.T., Knau, H. and Wissinger, B. Numbers and ratios of X-chromosomal-linked opsin genes 38: 3227
KNIGHT, R.
Buck, S.L., Knight, R., Fowler, G. and Hunt, B. Rod influence on hue-scaling functions 38: 3259
Knight, R., Buck, S.L., Fowler, G.A. and Nguyen, A. Rods affect S-cone discrimination on the Farnsworth—Munsell 100-hue test 38: 3477
KNILL, D.C.
Knill, D.C. Discrimination of planar surface slant from texture: human and ideal observers compared 38: 1683
Knill, D.C. Ideal observer perturbation analysis reveals human strategies for inferring surface orientation from texture 38: 2635
Knill, D.C. Surface orientation from texture: ideal observers, generic observers and the information content of texture cues 38: 1655
KNOBLAUCH, K.
Bieber, M.L., Knoblauch, K. and Werner, J.S. M- and L-cones in early infancy: II. action spectra at 8 weeks of age 38: 1765
Bieber, M.L., Werner, J.S., Knoblauch, K., Neitz, J. and Neitz, M. M- and L-cones in early infancy: III. Comparison of genotypic and phenotypic markers of color vision in infants and adults 38: 3293
D'Zmura, M. and Knoblauch, K. Spectral bandwidths for the detection of color 38: 3117
D'Zmura, M., Knoblauch, K., Henaff, M.-A. and Michel, F. Dependence of color on context in a case of cortical color vision deficiency 38: 3455
Knoblauch, K., Bieber, M.L. and Werner, J.S. M- and L-cones in early infancy: I. VEP responses to receptor-isolating stimuli at 4- and 8-weeks of age 38: 1753
KOEBERLE, P.D.
Koeberle, P.D. and Ball, A.K. Effects of GDNF on retinal ganglion cell survival following axotomy 38: 1505
KOJIMA H.
Kojima, H. Figure/ground segregation from temporal delay is best at high spatial frequencies 38: 3729
KOJO, I.
Häkkinen, J., Liinasuo, M., Kojo, I. and Nyman, G. Three-dimensionally slanted illusory contours capture stereopsis 38: 3109
KOLB, M.
Schiefer, U., Skalej, M., Kolb, M., Dietrich, T.J., Kolb, R., Braun, C. and Petersen, D. Lesion location influences perception of homonymous scotomata during flickering random dot pattern stimulation 38: 1303

KOLB, R.
Schiefer, U., Skalej, M., Kolb, M., Dietrich, T.J., Kolb, R., Braun, C. and Petersen, D. Lesion location influences perception of homonymous scotomata during flickering random dot pattern stimulation 38: 1303
KOLLE, R.
Regan, B.C., Freudenthaler, N., Kolle, R., Mollon, J.D. and Paulus, W. Colour discrimination thresholds in Parkinson's disease: results obtained with a rapid computer-controlled colour vision test 38: 3427
KOLLE, R.U.
Birch, J., Kolle, R.U., Kunkel, M., Paulus, W. and Upadhyay, P. Acquired colour deficiency in patients with Parkinson's disease 38: 3421
KONTSEVICH, L.L.
Kontsevich, L.L. and Tyler, C.W. How much of the visual object is used in estimating its position? 38: 3025
KORI, A.A.
Kori, A.A., Das, V.E., Zivotofsky, A.Z. and Leigh, R.J. Memory-guided saccadic eye movements; effects of cerebellar disease 38: 3181
KOSKELAINEN, A.
Donner, K., Hemilä, S. and Koskelainen, A. Light adaptation of cone photoresponses studied at the photoreceptor and ganglion cell levels in the frog retina 38: 19
KOULEN, P.
Brandstätter, J.H., Koulen, P. and Wässle, H. Diversity of glutamate receptors in the mammalian retina 38: 1385
Wässle, H., Koulen, P., Brandstätter, J.H., Fletcher, E.L. and Becker, C.-M. Glycine and GABA receptors in the mammalian retina 38: 1411
KOVÁCS, I.
Kovács, I., Fehér, Á. and Julesz, B. Medial-point description of shape: a representation for action coding and its psychophysical correlates 38: 2323
KOWLER, E.
McGowan, J.W., Kowler, E., Sharma, A. and Chubb, C. Saccadic localization of random dot targets 38: 895
KOZMINSKY, G.
Ahissar, M., Laiwand, R., Kozminsky, G. and Hochstein, S. Learning pop-out detection: building representations for conflicting target-distractor relationships 38: 3095
KRAFT, J.M.
Bieber, M.L., Kraft, J.M. and Werner, J.S. Effects of known variations in photopigments on *L/M* cone ratios estimated from luminous efficiency functions 38: 1961
KRAFT, T.W.
Kraft, T.W., Neitz, J. and Neitz, M. Specra of human L cones 38: 3663
Neitz, M., Kraft, T.W. and Neitz, J. Expression of L cone pigment gene subtypes in females 38: 3221
KRAMER, D.
Kramer, D. and Fahle, M. (1996). A simple mechanism for detecting low curvatures. *Vision Research* 36:1411 Errata 38: 773
KRAPPMANN, P.
Krappmann, P. Accuracy of visually and memory-guided antisaccades in man 38: 2979
KREMERS, J.
Kremers, J. and Lee, B.B. Comparative retinal physiology in anthropoids 38: 3339
Silveira, L.C.L., Lee, B.B., Yamada, E.S., Kremers, J. and Hunt, D.M. Post-receptoral mechanisms of colour vision in new world primates 38: 3329
Usui, T., Kremers, J., Sharpe, L.T. and Zrenner, E. Flicker cone electroretinogram in dichromats and trichromats 38: 3391
Usui, T., Kremers, J., Sharpe, L.T. and Zrenner, E. Response phase of the flicker electroretinogram (ERG) is influenced by cone excitation strength 38: 3247

KRETSCHMANN, U.
Kretschmann, U., Seeliger, M., Ruether, K., Usui, T. and Zrenner, E. Spatial cone activity distribution in diseases of the posterior pole determined by multifocal electroretinography 38: 3817
Kretschmann, U., Tornow, R.-P. and Zrenner, E. Multifocal ERG reveals long distance effects of a local bleach in the retina 38: 1567
KRONAUER, R.E.
Stromeyer, C.F. III, Chaparro, A., Rodriguez, C., Chen, D., Hu, E. and Kronauer, R.E. Short-wave cone signal in the red-green detection mechanism 38: 813
Zemany, L., Stromeyer, C.F. III, Chaparro, A. and Kronauer, R.E. Motion detection on flashed, stationary pedestal gratings: evidence for an opponent-motion mechanism 38: 795
KULIKOWSKI, J.J.
Moreland, J.D., Robson, A.G., Soto-Leon, N. and Kulikowski, J.J. Macular pigment and the colour-specificity of visual evoked potentials 38: 3241
Robson, A.G. and Kulikowski, J.J. Objective specification of tritanopic confusion lines using visual evoked potentials 38: 3499
KUNKEL, M.
Birch, J., Kolle, R.U., Kunkel, M., Paulus, W. and Upadhyay, P. Acquired colour deficiency in patients with Parkinson's disease 38: 3421
KUYK, T.
Fuhr, P.S. and Kuyk, T. The contrast-response of the periphery effect 38: 1983
KWAN, L.
Kwan, L. and Regan, D. Orientation-tuned spatial filters for texture-defined form 38: 3849

LAFOSSE, C.
Vleugels, L., van Nunen, A., Lafosse, C., Ketelaer, P. and Vandenbussche, E. Temporal and spatial resolution in foveal vision of multiple sclerosis patients 38: 2987
LAGARDE, J.-P.
Souied, E.H., Benlian, P., Rozet, J.-M., Gerber, S., Lagarde, J.-P., Coscas, G., Soubrane, G., Duffier, J.-L., Munnich, A. and Kaplan, J. Exclusion of the apoE gene in autosomal dominant pigmentosa 38: 3829
LAGES, M.
Lages, M. and Treisman, M. Spatial frequency discrimination: visual long-term memory or criterion setting? 38: 557
LAIWAND, R.
Ahissar, M., Laiwand, R., Kozminsky, G. and Hochstein, S. Learning pop-out detection: building representations for conflicting target-distractor relationships 38: 3095
LAMME, V.A.F.
Lee, T.S., Mumford, D., Romero, R. and Lamme, V.A.F. The role of the primary visual cortex in higher level vision 38: 2429
LANDY, M.S.
Mamassian, P. and Landy, M.S. Observer biases in the 3D interpretation of line drawings 38: 2817
Wolfson, S.S. and Landy, M.S. Examining edge- and region-based texture analysis mechanisms 38: 439
LANGAAS, T.
Langaas, T., Mon-Williams, M., Wann, J.P., Pascal, E. and Thompson, C. Eye movements, prematurity and developmental co-ordination disorder 38: 1817
LANGLEY, K.
Hibbard, P.B. and Langley, K. Plaid slant and inclination thresholds can be predicted from components 38: 1073

LANKHEET, M.J.M.
Lankheet, M.J.M. and Palmen, M. Stereoscopic segregation of transparent surfaces and the effect of motion contrast 38: 659
LAPPE, M.
Grigo, A. and Lappe, M. Interaction of stereo vision and optic flow processing revealed by an illusory stimulus 38: 281
LATIES, A.M.
Papastergiou, G.I., Schmid, G.F., Laties, A.M., Pendrak, K., Lin, T. and Stone, R.A. Induction of axial eye elongation and myopic refractive shift in one-year-old chickens 38: 1883
LAWTON, T.A.
Lawton, T.A., Sebag, J., Sadun, A.A. and Castleman, K.R. Image enhancement improves reading performance in age-related macular degeneration patients 38: 153
LEBEDEV, D.S.
Lebedev, D.S., Byzov, A.L. and Govardovskii, V.I. Photoreceptor coupling and boundary detection 38: 3161
LEDGEWAY, T.
Smith, A.T. and Ledgeway, T. Sensitivity to second-order motion as a function of temporal frequency and eccentricity 38: 403
LEE, B.B.
Kremers, J. and Lee, B.B. Comparative retinal physiology in anthropoids 38: 3339
Silveira, L.C.L., Lee, B.B., Yamada, E.S., Kremers, J. and Hunt, D.M. Post-receptoral mechanisms of colour vision in new world primates 38: 3329
LEE, H.B.
Gaillard, F., Arbib, M.A., Corbacho, F.J. and Lee, H.B. Modeling the physiological responses of anuran R3 ganglion cells 38: 2551
LEE, T.S.
Lee, T.S., Mumford, D., Romero, R. and Lamme, V.A.F. The role of the primary visual cortex in higher level vision 38: 2429
VAN LEEUWEN, A.F.
van Leeuwen, A.F., Collewijn, H. and Erkelens, C.J. Dynamics of horizontal vergence movements: interaction with horizontal and vertical saccades and relation with monocular preferences 38: 3943
LEGGE, G.E.
Chung, S.T.L., Mansfield, J.S. and Legge, G.E. Psychophysics of reading. XVIII. The effect of print size on reading speed in normal peripheral vision 38: 2949
Tjan, B.S. and Legge, G.E. The viewpoint complexity of an object-recognition task 38: 2335
LEIBROCK, C.
Fyhrquist, N., Govardovskii, V., Leibrock, C. and Reuter, T. Rod pigment and rod noise in the European toad *Bufo bufoi* 38: 483
LEIGH, R.J.
Kori, A.A., Das, V.E., Zivotofsky, A.Z. and Leigh, R.J. Memory-guided saccadic eye movements; effects of cerebellar disease 38: 3181
Zivotofsky, A.Z., White, O.B., Das, V.E. and Leigh, R.J. Saccades to remembered targets: the effects of saccades and illusory stimulus motion 38: 1287
LEIGHTON, B.H.
Eliasof, S., Arriza, J.L., Leighton, B.H., Amara, S.G. and Kavanaugh, M.P. Localization and function of five glutamate transporters cloned from the salamander retina 38: 1443
LEONARDS, U.
Leonards, U. and Singer, W. Two segmentation mechanisms with differential sensitivity for colour and luminance contrast 38: 101

LEVI, D.M.
Chen, Y, Bedell, H.E., Frishman, L.J. and Levi, D.M. Stimulus uncertainty affects velocity discrimination 38: 1265
Levi, D.M. and Sharma, V. Integration of local orientation in strabismic amblyopia 38: 775
Wang, H., Levi, D.M. and Klein, S.A. Spatial uncertainty and sampling efficiency in amblyopic position acuity 38: 1239
Yu, C. and Levi, D.M. Rectification nonlinearity in cortical end-stopped perceptive fields 38: 3517
LI, J.
Hood, D.C., Holopigian, K., Greenstein, V., Seiple, W., Li, J., Sutter, E.E. and Carr, R.E. Assessment of local retinal function in patients with retinitis pigmentosa using the multi-focal ERG technique 38: 163
LI, W.-H.
Hunt, D.M., Dulai, K.S., Cowing, J.A., Julliot, C., Mollon, J.D., Bowmaker, J.K., Li, W.-H. and Hewett-Emmett, D. Molecular evolution of trichromacy in primates 38: 3299
LIDÉN, L.
Lidén, L. and Mingolla, E. Monocular occlusion cues alter the influence of terminator motion in the barber pole phenomenon 38: 3883
LIEBL, W.
Wong-Riley, M.T.T., Huang, Z., Liebl, W., Nie, F., Xu, H. and Zhang, C. Neurochemical organization of the macaque retina: effect of TTX on levels and gene expression of cytochrome oxidase and nitric oxide synthase and on the immunoreactivity of Na+K+ATPase and NMDA receptor subunit I 38: 1455
LIINASUO, M.
Häkkinen, J., Liinasuo, M., Kojo, I. and Nyman, G. Three-dimensionally slanted illusory contours capture stereopsis 38: 3109
LIN, T.
Papastergiou, G.I., Schmid, G.F., Laties, A.M., Pendrak, K., Lin, T. and Stone, R.A. Induction of axial eye elongation and myopic refractive shift in one-year-old chickens 38: 1883
LIPTON, S.A.
Zurakowski, D., Vorwerk, C.K., Gorla, M., Kanellopoulos, A.J., Chaturvedi, N., Grosskreutz, C.L., Lipton, S.A. and Dreyer, E.B. Nitrate therapy may retard glaucomatous optic neuropathy, perhaps through modulation of glutamate receptors 38: 1489
LIU, Z.
Liu, Z. and Kersten, D. 2D observers for human 3D object recognition? 38: 2507
LO, W.
Lo, W., Molloy, R. and Hughes, T.E. Ionotropic glutamate receptors in the retina: moving from molecules to circuits 38: 1399
LOEW, E.R.
Loew, E.R. and Sillman, A.J. An action spectrum for the light-dependent inhibition of swimming behavior in newly hatched white sturgeon, *Acipenser transmontanus* 38: 111
LOGVINENKO, A.D.
Logvinenko, A.D. On derivation of spectral sensitivities of the human cones from trichromatic colour matching functions 38: 3207
LONATI, C.
Orzalesi, N., Miglior, S., Lonati, C. and Rosetti, L. Microperimetry of localized retinal nerve fiber layer defects 38: 763

LÓPEZ-GIL, N.
López-Gil, N., Iglesias, I. and Artal, P. Retinal image quality in the human eye as a function of the accommodation 38: 2897
LORENCEAU, J.
Lorenceau, J. Veridical perception of global motion from disparate component motions 38: 1605
LOSADA, M.A.
Rynders, M.C., Navarro, R. and Losada, M.A. Objective measurement of the off-axis longitudinal chromatic aberration in the human eye 38: 513
LOVASIK, J.V.
Forcier, P., Kergoat, H. and Lovasik, J.V. Macular hemodynamic responses to short-term acute exercise in young healthy adults 38: 181
LU, Z.-L.
Lu, Z.-L. and Dosher, B.A. External noise distinguishes attention mechanisms 38: 1183
LÜDTKE, H.
Lüdtke, H., Wilhelm, B., Adler, M., Schaeffel, F. and Wilhelm, H. Mathematical procedures in data recording and processing of pupillary fatigue waves 38: 2889
LUPIÁÑEZ, J.
Lupiáñez, J. and Weaver, B. On the time course of exogenous cueing effects; a commentary on Tassinari et al. (1994) 38: 1621
LYND, F.M.
Bilotta, J., Lynd, F.M. and Powers, M.K. Effects of mean luminance on goldfish temporal contrast sensitivity 38: 55

MACLEOD, D.I.A
McMahon, M.J. and MacLeod, D.I.A. Dichromatic color vision at high light levels: red/green discrimination using the blue-sensitive mechanism 38: 973
MACLEOD, D.I.A.
He, S. and MacLeod, D.I.A. Contrast-modulation flicker: dynamics and spatial resolution of the light adaptation process 38: 985
He, S. and MacLeod, D.I.A. Local nonlinearity in S-cones and their estimated light-collecting apertures 38: 1001
MADDESS, T.
Davey, M.P., Maddess, T. and Srinivasan, M.V. The spatiotemporal properties of the Craik—O'Brien—Cornsweet effect are consistent with 'filling-in' 38: 2037
Maddess, T., Hemmi, J.M. and James, A.C. Evidence for spatial aliasing effects in the Y-like cells of the magnocellular visual pathway 38: 1843
MADDOCKS, J.D.
Cole, B.L. and Maddocks, J.D. Can clinical colour vision tests be used to predict the results of the Farnsworth lantern test? 38: 3483
MAES, F.W.
Verhulst, S. and Maes, F.W. Scotopic vision in colour-blinds 38: 3387
MAFFIE, L.
Chierzi, S., Cenni, M.C., Maffie, L., Pizzorusso, T., Porciatti, V., Ratto, G.M. and Strettoi, E. Protection of retinal ganglion cells and preservation of function after optic nerve lesion in *bcl*-2 transgenic mice 38: 1537
MAGNUSSEN, S.
Greenlee, M.W. and Magnussen, S. Limited-capacity mechanisms of visual discrimination 38: 375
MAHON, L.E.
Vingrys, A.J. and Mahon, L.E. Color and luminance detection and discrimination asymmetries and interactions 38: 1085

MAMASSIAN, P.
Mamassian, P. and Landy, M.S. Observer biases in the 3D interpretation of line drawings 38: 2817
MANAHILOV, V.
Manahilov, V. and Atanassova, S. Spatiotemporal impulse response and cortical magnification 38: 1119
Manahilov, V. Triphasic temporal impulse responses and Mach bands in time 38: 447
MANSIFIELD, J.S.
Chung, S.T.L., Mansfield, J.S. and Legge, G.E. Psychophysics of reading. XVIII. The effect of print size on reading speed in normal peripheral vision 38: 2949
MÄNTYJÄRVI, M.
Mäntyjärvi, M. and Tuppurainen, K. Colour vision in gyrate atrophy 38: 3409
MAPLE, B.R.
Wu, S.M. and Maple, B.R. Amino acid neurotransmitters in the retina: a functional overview 38: 1371
MAPP, A.P.
Shimono, K., Ono, H., Saida, S. and Mapp, A.P. Methodological caveats for monitoring binocular eye position with Nonius stimuli 38: 591
MARRAN, L.
Marran, L. and Schor, C.M. Lens induced aniso-accommodation 38: 3601
MARSHAK, D.W.
Yamada, E.S., Marshak, D.W., Silveira, L.C.L. and Casagrande, V.A. Morphology of P and M retinal ganglion cells of the bush baby 38: 3345
MASH, C.
Mash, C. and Dobson, V. Long-term reliability and predictive validity of the Teller Acuity Card procedure 38: 619
MATEEFF, S.
Hohnsbein, J. and Mateeff, S. The time it takes to detect changes in speed and direction of visual motion 38: 2569
MCCOLL, S.L.
McColl, S.L. and Mitchell, D.E. Stereodeficient subjects show substantial differences in interocular transfer of two motion adaptation aftereffects 38: 1889
MCGOWAN, J.W.
McGowan, J.W., Kowler, E., Sharma, A. and Chubb, C. Saccadic localization of random dot targets 38: 895
MCGRAW, P.V.
Whitaker, D. and McGraw, P.V. Geometric representation of the mechanisms underlying human curvature detection 38: 3843
Whitaker, D. and McGraw, P.V. The effect of suprathreshold contrast on stimulus centroid and its implications for the perceived location of objects 38: 3591
MCKEE, S.P.
Pettet, M.W., McKee, S.P. and Grzywacz, N.M. Constraints on long range interactions mediating contour detection 38: 865
MCLEAN, T.L.
Carrasco, M., McLean, T.L., Katz, S.M. and Frieder, K.S. Feature asymmetries in visual search: effects of display duration, target eccentricity, orientation and spatial frequency 38: 347
MCLOUGHLIN, N.P.
McLoughlin, N.P. and Grossberg, S. Cortical computation of stereo disparity 38: 91
MCMAHON, M.J.
McMahon, M.J. and MacLeod, D.I.A. Dichromatic color vision at high light levels: red/green discrimination using the blue-sensitive mechanism 38: 973

MEKADA, A.
Mekada, A., Sasahara, M., Yamada, E., Kani, K. and Hazama, F. Platelet-derived growth factor B-chain expression in the rat retina and optic nerve: distribution and changes after transection of the optic nerve 38: 3031
MENEES, S.M.
Menees, S.M. The effect of spatial frequency adaptation on the latency of spatial contrast detection 38: 3933
MERMOUD, C.
Tschopp, C., Safran, A.B., Viviani, P., Bullinger, A., Reicherts, M. and Mermoud, C. Automated visual field examination in children aged 5—8 years: Part I: Experimental validation of a testing procedure 38: 2203
Tschopp, C., Safran, A.B., Viviani, P., Reicherts, M., Bullinger, A. and Mermoud, C. Automated visual field examination in children aged 5—8 years: Part II: Normative values 38: 2211
MEYER, G.E.
Meyer, G.E. and Stonecypher, S.M. Motion after-effects and word contingency 38: 3583
MICHEL, F.
D'Zmura, M., Knoblauch, K., Henaff, M.-A. and Michel, F. Dependence of color on context in a case of cortical color vision deficiency 38: 3455
MIGLIOR, S.
Orzalesi, N., Miglior, S., Lonati, C. and Rosetti, L. Microperimetry of localized retinal nerve fiber layer defects 38: 763
MINGOLLA, E.
Chey, J., Grossberg, S. and Mingolla, E. Neural dynamics of motion processing and speed discrimination 38: 2769
Grunewald, A. and Mingolla, E. Motion after-effect due to binocular sum of adaptation to linear motion 38: 2963
Lidén, L. and Mingolla, E. Monocular occlusion cues alter the influence of terminator motion in the barber pole phenomenon 38: 3883
Pack, C. and Mingolla, E. Global induced motion and visual stability in an optic flow illusion 38: 3083
MITCHELL, D.E.
McColl, S.L. and Mitchell, D.E. Stereodeficient subjects show substantial differences in interocular transfer of two motion adaptation aftereffects 38: 1889
MIYAHARA, E.
Miyahara, E., Pokorny, J., Smith, V.C., Baron, R. and Baron, E. Color vision in two observers with highly based LWS/MWS cone ratios 38: 601
MIYOSHI, T.
Fukuda, Y., Watanabe, M., Sawai, H. and Miyoshi, T. Functional recovery of vision in regenerated optic nerve fibers 38: 1545
MOLDAY, L.L.
Molday, R.S. and Molday, L.L. Molecular properties of the cGMP-gated channel of rod photoreceptors 38: 1315
MOLDAY, R.S.
Molday, R.S. and Molday, L.L. Molecular properties of the cGMP-gated channel of rod photoreceptors 38: 1315
MOLLON, J.D.
Hunt, D.M., Dulai, K.S., Cowing, J.A., Julliot, C., Mollon, J.D., Bowmaker, J.K., Li, W.-H. and Hewett-Emmett, D. Molecular evolution of trichromacy in primates 38: 3299
Jordan, G. and Mollon, J.D. Shift in Rayleigh matches after adaptation to monochromatic light of various intensities 38: 3253

Regan, B.C., Freudenthaler, N., Kolle, R., Mollon, J.D. and Paulus, W. Colour discrimination thresholds in Parkinson's disease: results obtained with a rapid computer-controlled colour vision test 38: 3427
Regan, B.C., Julliot, C., Simmen, B., Viénot, F., Charles-Dominique, P. and Mollon, J.D. Frugivory and colour vision in *Alouatta seniculus*, a trichromatic platyrrhine monkey 38: 3321
Simunovic, M.P., Votruba, M., Regan, B.C. and Mollon, J.D. Colour discrimination ellipses in patients with dominant optic atrophy 38: 3413
MOLLOY, R.
Lo, W., Molloy, R. and Hughes, T.E. Ionotropic glutamate receptors in the retina: moving from molecules to circuits 38: 1399
MON-WILLIAMS, M.
Langaas, T., Mon-Williams, M., Wann, J.P., Pascal, E. and Thompson, C. Eye movements, prematurity and developmental co-ordination disorder 38: 1817
MORDI, J.A.
Mordi, J.A. and Ciuffreda, K.J. Static aspects of accommodation: age and presbyopia 38: 1643
MORELAND, J.D.
Moreland, J.D. Interference filter calibration for vision research 38: 3493
Moreland, J.D., Robson, A.G., Soto-Leon, N. and Kulikowski, J.J. Macular pigment and the colour-specificity of visual evoked potentials 38: 3241
MORIGIWA, K.
Vardi, N., Morigiwa, K., Wang, T.-L., Shi, Y.-J. and Sterling, P. Neurochemistry of the mammalian cone 'synaptic complex' 38: 1359
MORRONE, C.
Burr, D.C., Fiorentini, A. and Morrone, C. Reaction time to motion onset of luminance and chromatic gratings is determined by perceived speed 38: 3681
MORRONE, M.C.
Burr, D.C., Morrone, M.C. and Vaina, L.M. Large receptive fields for optic flow detection in humans 38: 1731
Del Viva, M.M. and Morrone, M.C. Motion analysis by feature tracking 38: 3633
MOTTER, B.C
Motter, B.C. and Belky, E.J. The guidance of eye movements during active visual search 38: 1805
MOTTER, B.C.
Motter, B.C. and Belky, E.J. The zone of focal attention during active visual search 38: 1007
MOTULSKY, A.G.
Crognale, M.A., Teller, D.Y., Motulsky, A.G. and Deeb, S.S. Severity of color vision defects: electroretinographic (ERG), molecular and behavioral studies 38: 3377
MOVSHON, J.A.
Kiorpes, L. and Movshon, J.A. Peripheral and central factors limiting the development of contrast sensitivity in macaque monkeys 38: 61
MOYA, F.J.
Moya, F.J., De Juan, J.A., Ripodas, A., Bernal, R., Fernandez-Cruz, A. and Fernandez-Durango, R. Higher proportions of type C than of types A and B natriuretic peptide receptors exist in the rat ciliary body 38: 3833
MULLEN, K.T.
Baker, C.L. Jr., Boulton, J.C. and Mullen, K.T. A nonlinear chromatic motion mechanism 38: 291
MUMFORD, D.
Lee, T.S., Mumford, D., Romero, R. and Lamme, V.A.F. The role of the primary visual cortex in higher level vision 38: 2429

MUNNICH, A.
Souied, E.H., Benlian, P., Rozet, J.-M., Gerber, S., Lagarde, J.-P., Coscas, G., Soubrane, G., Duffier, J.-L., Munnich, A. and Kaplan, J. Exclusion of the apoE gene in autosomal dominant pigmentosa 38: 3829
MURRAY, I.J.
Charman, W.N., Murray, I.J., Nacer, M. and O'Donoghue, E.P. Theoretical and practical performance of a concentric bifocal intraocular implant lens 38: 2841
MUSSAP, A.J.
Mussap, A.J., Crassini, B. and Flanagan, P.R. Directions of motion after-effects induced by gratings and plaids 38: 2087

NABEE, M.
Evans, B.J.W., Evans, B.V., Jordahl-Moroz, J. and Nabee, M. Randomised double-masked placebo-controlled trial of a treatment for congenital nystagmus 38: 2193
NACER, M.
Charman, W.N., Murray, I.J., Nacer, M. and O'Donoghue, E.P. Theoretical and practical performance of a concentric bifocal intraocular implant lens 38: 2841
NARTER, D.B.
Dobson, V., Brown, A.M., Harvey, E.M. and Narter, D.B. Visual field extent in children 3.5—30 months of age tested with a double-arc LED perimeter 38: 2743
NÄSÄNEN, R.
Näsänen, R. and O'Leary, C. Recognition of band-pass filtered hand-written numerals in foveal and peripheral vision 38: 3691
NAVARRO, R.
Rynders, M.C., Navarro, R. and Losada, M.A. Objective measurement of the off-axis longitudinal chromatic aberration in the human eye 38: 513
NAWROT, M.
Nawrot, M. and Rizzo, M. Chronic motion perception deficits from midline cerebellar lesions in human 38: 2219
NEITZ, J.
Balding, S.D., Sjoberg, S.A., Neitz, J. and Neitz, M. Pigment gene expression in protan color vision defects 38: 3359
Bieber, M.L., Werner, J.S., Knoblauch, K., Neitz, J. and Neitz, M. M- and L-cones in early infancy: III. Comparison of genotypic and phenotypic markers of color vision in infants and adults 38: 3293
Kainz, P.M., Neitz, J. and Neitz, M. Recent evolution of uniform trichromacy in a New World monkey 38: 3315
Kainz, P.M., Neitz, M. and Neitz, J. Molecular genetic detection of female carriers of protan defects 38: 3365
Kraft, T.W., Neitz, J. and Neitz, M. Specra of human L cones 38: 3663
Neitz, M., Kraft, T.W. and Neitz, J. Expression of L cone pigment gene subtypes in females 38: 3221
Shevell, S.K., He, J.C., Kainz, P., Neitz, J. and Neitz, M. Relating color discrimination to photopigment genes in deutan observers 38: 3371
Sjoberg, S.A., Neitz, M., Balding, S.D. and Neitz, J. L-cone pigment genes expressed in normal colour vision 38: 3213
NEITZ, M.
Balding, S.D., Sjoberg, S.A., Neitz, J. and Neitz, M. Pigment gene expression in protan color vision defects 38: 3359
Bieber, M.L., Werner, J.S., Knoblauch, K., Neitz, J. and Neitz, M. M- and L-cones in early infancy: III. Comparison of genotypic and phenotypic markers of color vision in infants and adults 38: 3293
Kainz, P.M., Neitz, J. and Neitz, M. Recent evolution of uniform trichromacy in a New World monkey 38: 3315

Kainz, P.M., Neitz, M. and Neitz, J. Molecular genetic detection of female carriers of protan defects 38: 3365
Kraft, T.W., Neitz, J. and Neitz, M. Specra of human L cones 38: 3663
Neitz, M., Kraft, T.W. and Neitz, J. Expression of L cone pigment gene subtypes in females 38: 3221
Shevell, S.K., He, J.C., Kainz, P., Neitz, J. and Neitz, M. Relating color discrimination to photopigment genes in deutan observers 38: 3371
Sjoberg, S.A., Neitz, M., Balding, S.D. and Neitz, J. L-cone pigment genes expressed in normal colour vision 38: 3213
NELSON, M.D.
Hughes, H.C., Nelson, M.D. and Aronchick, D.M. Spatial characteristics of visual-auditory summation in human saccades 38: 3955
NELSON, R.C.
Nelson, R.C. and Selinger, A. Large-scale tests of a keyed, appearance-based 3-D object recognition system 38: 2469
NEWMAN, A.
Simpson, W.A. and Newman, A. Motion detection and directional tuning 38: 1593
NGUYEN, A.
Knight, R., Buck, S.L., Fowler, G.A. and Nguyen, A. Rods affect S-cone discrimination on the Farnsworth—Munsell 100-hue test 38: 3477
NICOLLE, D.
Somani, R.A.B., Hutnik, C., DeSouza, J.F.X., Tweed, D., Nicolle, D. and Vilis, T. Using a synoptophore to test Listing's law during vergence in normal subjects and strabismic patients 38: 3621
NIE, F.
Wong-Riley, M.T.T., Huang, Z., Liebl, W., Nie, F., Xu, H. and Zhang, C. Neurochemical organization of the macaque retina: effect of TTX on levels and gene expression of cytochrome oxidase and nitric oxide synthase and on the immunoreactivity of Na+K+ATPase and NMDA receptor subunit I 38: 1455
NIEMI, G.A.
Hurley, J.B., Spencer, M. and Niemi, G.A. Rhodopsin phosphorylation and its role in photoreceptor function 38: 1341
NILSSON, D-E.
Warrant, E.J. and Nilsson, D-E. Absorption of white light in photoreceptors 38: 195
NORCIA, A.M.
Brown, R.J., Wilson, J.R., Norcia, A.M. and Boothe, R.G. Development of directional motion symmetry in the monocular visually evoked potential of infant monkeys 38: 1253
Kasamatsu, T., Kitano, M., Sutter, E.E. and Norcia, A.M. Lack of lateral inhibitory interactions in visual cortex of monocularly deprived cats 38: 1
Polat, U. and Norcia, A.M. Elongated physiological summation pools in the human visual cortex 38: 3735
NORDBY, K.
Allen, D., Hess, R.F. and Nordby, K. Is the rod visual field temporally homogeneous? 38: 3927
NORICA, A.M.
Brosnahan, D., Norcia, A.M., Schor, C.M. and Taylor, D.G. OKN, perceptual and VEP direction biases in strabismus 38: 2833
VAN NORREN, D.
Delint, P.J., Weissenbruch, C., Berendschot, T.T.J.M. and van Norren, D. Photoreceptor function in unilateral amblyopia 38: 613
NORTON, T.T.
Siegwart, J.T. Jr. and Norton, T.T. The susceptible period for deprivation-induced myopia in tree shrew 38: 3505

NOZAWA, G.
Johnson, B., Nozawa, G. and Bourassa, C.M. Differences in the luminance of the first and second displays affects visible persistence in opposite ways 38: 1233
VAN NUNEN, A.
Vleugels, L., van Nunen, A., Lafosse, C., Ketelaer, P. and Vandenbussche, E. Temporal and spatial resolution in foveal vision of multiple sclerosis patients 38: 2987
NUSINOWITZ, S.
Nusinowitz, S., Birch, D.G. and Birch, E.E. Rod photoresponses in 6-week and 4-month-old human infants 38: 627
NYMAN, G.
Häkkinen, J., Liinasuo, M., Kojo, I. and Nyman, G. Three-dimensionally slanted illusory contours capture stereopsis 38: 3109

O'DONNELL, H.L.
Raymond, J.E., O'Donnell, H.L. and Tipper, S.P. Priming reveals attentional modulation of human motion sensitivity 38: 2863
O'DONOGHUE, E.P.
Charman, W.N., Murray, I.J., Nacer, M. and O'Donoghue, E.P. Theoretical and practical performance of a concentric bifocal intraocular implant lens 38: 2841
ÖÈMEN, H.
Purushothaman, G., ÖÈmen, H., Chen, S. and Bedell, H.E. Motion deblurring in a neural network model of retino-cortical dynamics 38: 1827
OHTANI, Y.
Ohtani, Y., Tanigawa, M. and Ejima, Y. Motion assimilation for expansion/contraction and rotation and its spatial properties 38: 429
OLDS, E.S.
Olds, E.S. and Engel, S.A. Linearity across spatial frequency in object recognition 38: 2109
O'LEARY, C.
Näsänen, R. and O'Leary, C. Recognition of band-pass filtered hand-written numerals in foveal and peripheral vision 38: 3691
OLIPHANT, D.
Hovis, J.K. and Oliphant, D. Validity of the Holmes—Wright lantern as a color vision test for the rail industry 38: 3487
Oliphant, D. and Hovis, J.K. Comparison of the D-15 and City University (second) color vision tests 38: 3461
OLSON, J.D.
Anand, S., Olson, J.D. and Hotson, J.R. Tracing the timing of human analysis of motion and chromatic signals from occipital to temporo-parieto-occipital cortex: a transcranial magnetic stimulation study 38: 2619
ONO, H.
Dengis, C.A., Simpson, T.L., Steinbach, M.J. and Ono, H. The *Cyclops effect* in adults: sighting without visual feedback 38: 327
Shimono, K., Ono, H., Saida, S. and Mapp, A.P. Methodological caveats for monitoring binocular eye position with Nonius stimuli 38: 591
O'REGAN, J.K.
Reilly, R.G. and O'Regan, J.K. Eye movement control during reading: a simulation of some word-targeting strategies 38: 303
ORZALESI, N.
Orzalesi, N., Miglior, S., Lonati, C. and Rosetti, L. Microperimetry of localized retinal nerve fiber layer defects 38: 763
O'TOOLE, A.J.
O'Toole, A.J., Edelman, S. and Bülthoff, H.H. Stimulus-specific effects in face recognition over changes in viewpoint 38: 2351

OWSLEY, C.
Jackson, G.R., Owsley, C., Cordle, E.P. and Finley, C.D. Aging and scotopic sensitivity 38: 3655

PACK, C.
Pack, C. and Mingolla, E. Global induced motion and visual stability in an optic flow illusion 38: 3083
PALACIOS, A.G.
Palacios, A.G., Varela, F.J., Srivastava, R. and Goldsmith, T.H. Spectral sensitivity of cones in the goldfish, *Carassius auratus* 38: 2135
PALCZEWSKI, K.
Saari, J.C., Garwin, G.G., Van Hooser, J.P. and Palczewski, K. Reduction of all-*trans*-retinal limits regeneration of visual pigment in mice 38: 1325
PALMEN, M.
Lankheet, M.J.M. and Palmen, M. Stereoscopic segregation of transparent surfaces and the effect of motion contrast 38: 659
PANTHRADIL, J.T.
Webster, W.R., Panthradil, J.T. and Conway, D.M. A rotational stereoscopic 3-dimensional movement aftereffect 38: 1745
PAPASTERGIOU, G.I.
Papastergiou, G.I., Schmid, G.F., Laties, A.M., Pendrak, K., Lin, T. and Stone, R.A. Induction of axial eye elongation and myopic refractive shift in one-year-old chickens 38: 1883
PARAMEI, G.V.
Paramei, G.V., Bimler, D.L. and Cavonius, C.R. Effect of luminance on color perception of protanopes 38: 3397
PASCAL, E.
Langaas, T., Mon-Williams, M., Wann, J.P., Pascal, E. and Thompson, C. Eye movements, prematurity and developmental co-ordination disorder 38: 1817
PASK, C.
Pask, C. and Stacey, A. Optical properties of retinal photoreceptors and the Campbell effect 38: 953
PATTERSON, R.
Patterson, R., Bowd, C. and Donnelly, M. The cyclopean (stereoscopic) barber pole illusion 38: 2119
PAULUS, W.
Birch, J., Kolle, R.U., Kunkel, M., Paulus, W. and Upadhyay, P. Acquired colour deficiency in patients with Parkinson's disease 38: 3421
Regan, B.C., Freudenthaler, N., Kolle, R., Mollon, J.D. and Paulus, W. Colour discrimination thresholds in Parkinson's disease: results obtained with a rapid computer-controlled colour vision test 38: 3427
PELI, E.
Peli, E. The visual effects of head-mounted display (HMD) are not distinguishable from those of desk-top computer display 38: 2053
PELIZZONE, M.
Sommerhalder, J., Baglivo, E., Barbey, C., Hirschel, B., Roth, A. and Pelizzone, M. Colour vision in AIDS patients without HIV retinopathy 38: 3441
PENDRAK, K.
Papastergiou, G.I., Schmid, G.F., Laties, A.M., Pendrak, K., Lin, T. and Stone, R.A. Induction of axial eye elongation and myopic refractive shift in one-year-old chickens 38: 1883
PERU, A.
Tassinari, G., Aglioti, S., Chelazzi, L., Peru, A. and Berlucchi, G. On the time course of exogenous cueing effects: a response to Lupiáñez and Weaver 38: 1625

PESSOA, L.
Grossberg, S. and Pessoa, L. Texture segregation, surface representation and figure—ground separation 38: 2657
PETERSEN, D.
Schiefer, U., Skalej, M., Kolb, M., Dietrich, T.J., Kolb, R., Braun, C. and Petersen, D. Lesion location influences perception of homonymous scotomata during flickering random dot pattern stimulation 38: 1303
PETTET, M.W.
Pettet, M.W., McKee, S.P. and Grzywacz, N.M. Constraints on long range interactions mediating contour detection 38: 865
PETZOLD, A.
Petzold, A. and Sharpe, L.T. Hue memory and discrimination in young children 38: 3759
PIZZORUSSO, T.
Chierzi, S., Cenni, M.C., Maffie, L., Pizzorusso, T., Porciatti, V., Ratto, G.M. and Strettoi, E. Protection of retinal ganglion cells and preservation of function after optic nerve lesion in *bcl*-2 transgenic mice 38: 1537
PLASS, R.
Yager, D., Aquilante, K. and Plass, R. High and low luminance letters, acuity reserve, and font effects on reading speed 38: 2527
PLUMMER, D.J.
Stockman, A. and Plummer, D.J. Color from invisible flicker: a failure of the Talbot—Plateau law caused by an early 'hard' saturating nonlinearity used to partition the human short-wave cone pathway 38: 3703
PODLADCHIKOVA, L.N.
Rybak, I.A., Gusakova, V.I., Golovan, A.V., Podladchikova, L.N. and Shevtsova, N.A. A model of attention-guided visual perception and recognition 38: 2387
POKORNY, J.
Miyahara, E., Pokorny, J., Smith, V.C., Baron, R. and Baron, E. Color vision in two observers with highly based LWS/MWS cone ratios 38: 601
Smith, V.C., Jin, Q. and Pokorny, J. Color appearance: neutral surrounds and spatial contrast 38: 3265
Watanabe, A., Pokorny, J. and Smith, V.C. Red-green chromatic discrimination with variegated and homogeneous stimuli 38: 3271
POLAT, U.
Polat, U. and Norcia, A.M. Elongated physiological summation pools in the human visual cortex 38: 3735
POLLATSEK, A.
Rayner, K., Fischer, M.H. and Pollatsek, A. Unspaced text interferes with both word identification and eye movement control 38: 1129
POPE, D.R.
Edwards, M., Pope, D.R. and Schor, C.M. Luminance contrast and spatial-frequency tuning of the transient-vergence system 38: 705
Schor, C.M., Edwards, M. and Pope, D.R. Spatial-frequency and contrast tuning of the transient-stereopsis system 38: 3057
POPPLE, A.V.
Popple, A.V., Smallman, H.S. and Findlay, J.M. The area of spatial integration for initial horizontal disparity vergence 38: 319
PORCIATTI, V.
Chierzi, S., Cenni, M.C., Maffie, L., Pizzorusso, T., Porciatti, V., Ratto, G.M. and Strettoi, E. Protection of retinal ganglion cells and preservation of function after optic nerve lesion in *bcl*-2 transgenic mice 38: 1537
PORTER, J.D.
Abell, K.M., Baker, R.S., Cowen, D.E. and Porter, J.D. Efficacy of gold weight implants in facial nerve palsy: quantitative alterations in blinking 38: 3019

POTECHIN, C.
Gurnsey, R., Fleet, D. and Potechin, C. Second-order motions contribute to vection 38: 2801
POWERS, M.K.
Bilotta, J., Lynd, F.M. and Powers, M.K. Effects of mean luminance on goldfish temporal contrast sensitivity 38: 55
PRINCE, S.J.D.
Prince, S.J.D. and Rogers, B.J. Sensitivity to disparity corrugations in peripheral vision 38: 2533
PROFFITT, F.
Rhodes, G., Carey, S., Byatt, G. and Proffitt, F. Coding spatial variations in faces and simple shapes: a test of two models 38: 2307
PURUSHOTHAMAN, G.
Purushothaman, G., ÖÈmen, H., Chen, S. and Bedell, H.E. Motion deblurring in a neural network model of retino-cortical dynamics 38: 1827

QI, X.-L.
Wu, X.-N., Zhou, Q., Qi, X.-L. and Wang, Y.-J. Stereo capture: local rematching driven by binocularly attended 3-D configuration rather than retinal images 38: 2081
QIAN, N.
Geesaman, B.J. and Qian, N. The effect of complex motion pattern on speed perception 38: 1223
Qian, N. and Anderson, R.A. (1997). A physiological model for motion-stereo integration and a unified explanation of Pulfrich-like phenomena. *Vision Research* 37:1683 Errata 38: 773

RAMACHANDRA, V.S.
Rogers-Ramachandran, D.C. and Ramachandran, V.S. Psychophysical evidence for boundary and surface systems in human vision 38: 71
RATTO, G.M.
Chierzi, S., Cenni, M.C., Maffie, L., Pizzorusso, T., Porciatti, V., Ratto, G.M. and Strettoi, E. Protection of retinal ganglion cells and preservation of function after optic nerve lesion in *bcl*-2 transgenic mice 38: 1537
RAYMOND, J.E.
Raymond, J.E. and Isaak, M. Successive episodes produce direction contrast effects in motion perception 38: 579
Raymond, J.E., O'Donnell, H.L. and Tipper, S.P. Priming reveals attentional modulation of human motion sensitivity 38: 2863
RAYNER, K.
Rayner, K., Fischer, M.H. and Pollatsek, A. Unspaced text interferes with both word identification and eye movement control 38: 1129
REEVES, A.
Reeves, A., Wu, S. and Schirillo, J. The effect of photon noise on the detection of white flashes 38: 691
REGAN, B.C
Regan, B.C., Julliot, C., Simmen, B., Viénot, F., Charles-Dominique, P. and Mollon, J.D. Frugivory and colour vision in *Alouatta seniculus*, a trichromatic platyrrhine monkey 38: 3321
REGAN, B.C.
Regan, B.C., Freudenthaler, N., Kolle, R., Mollon, J.D. and Paulus, W. Colour discrimination thresholds in Parkinson's disease: results obtained with a rapid computer-controlled colour vision test 38: 3427
Simunovic, M.P., Votruba, M., Regan, B.C. and Mollon, J.D. Colour discrimination ellipses in patients with dominant optic atrophy 38: 3413

REGAN, D.
Gray, R. and Regan, D. Accuracy of estimating time to collision using binocular and monocular information 38: 499
Gray, R. and Regan, D. Spatial frequency discrimination and detection characteristics for gratings defined by orientation texture 38: 2601
Kwan, L. and Regan, D. Orientation-tuned spatial filters for texture-defined form 38: 3849
REICHERTS, M.
Tschopp, C., Safran, A.B., Viviani, P., Bullinger, A., Reicherts, M. and Mermoud, C. Automated visual field examination in children aged 5—8 years: Part I: Experimental validation of a testing procedure 38: 2203
Tschopp, C., Safran, A.B., Viviani, P., Reicherts, M., Bullinger, A. and Mermoud, C. Automated visual field examination in children aged 5—8 years: Part II: Normative values 38: 2211
REILLY, R.G.
Reilly, R.G. and O'Regan, J.K. Eye movement control during reading: a simulation of some word-targeting strategies 38: 303
REISBECK, T.E.
Reisbeck, T.E. and Gegenfurtner, K.R. Effects of contrast and temporal frequency on orientation discrimination for luminance and isoluminant stimuli 38: 1105
RENSINK, R.A.
Rensink, R.A. and Enns, J.T. Early completion of occluded objects 38: 2489
RENTSCHLER, I.
Unzicker, A., Jüttner, M. and Rentschler, I. Similarity-based models of human visual recogition 38: 2289
REUTER, T.
Fyhrquist, N., Govardovskii, V., Leibrock, C. and Reuter, T. Rod pigment and rod noise in the European toad *Bufo bufoi* 38: 483
RHODES, G.
Byatt, G. and Rhodes, G. Recognition of own-race and other-race caricatures: implications for models of face recognition 38: 2455
Rhodes, G., Carey, S., Byatt, G. and Proffitt, F. Coding spatial variations in faces and simple shapes: a test of two models 38: 2307
RICHER, S.P.
Richer, S.P. and Rose, R.C. Water soluble antioxidants in mammalian aqueous humor: interaction with UV B and hydrogen peroxide 38: 2881
VAN RIJN, L.J.
van Rijn, L.J., ten Tusscher, M.P.M., de Jong, I. and Hendrikse, F. Asymmetrical vertical phorias indicating dissociated vertical deviation in subjects with normal binocular vision 38: 2973
RINGACH, D.L.
Ringach, D.L. Tuning of orientation detectors in human vision 38: 963
RIPODAS, A.
Moya, F.J., De Juan, J.A., Ripodas, A., Bernal, R., Fernandez-Cruz, A. and Fernandez-Durango, R. Higher proportions of type C than of types A and B natriuretic peptide receptors exist in the rat ciliary body 38: 3833
RITCH, R.
Greenstein, V.C., Seliger, S., Zemon, V. and Ritch, R. Visual evoked potential assessment of the effects of glaucoma on visual subsystems 38: 1901
RIZZO, M.
Nawrot, M. and Rizzo, M. Chronic motion perception deficits from midline cerebellar lesions in human 38: 2219

ROBSON, A.G.
Moreland, J.D., Robson, A.G., Soto-Leon, N. and Kulikowski, J.J. Macular pigment and the colour-specificity of visual evoked potentials 38: 3241
Robson, A.G. and Kulikowski, J.J. Objective specification of tritanopic confusion lines using visual evoked potentials 38: 3499
RODRIGUEZ, C.
Stromeyer, C.F. III, Chaparro, A., Rodriguez, C., Chen, D., Hu, E. and Kronauer, R.E. Short-wave cone signal in the red-green detection mechanism 38: 813
ROGERS, B.J.
Prince, S.J.D. and Rogers, B.J. Sensitivity to disparity corrugations in peripheral vision 38: 2533
ROGERS-RAMACHANDRAN, D.C.
Rogers-Ramachandran, D.C. and Ramachandran, V.S. Psychophysical evidence for boundary and surface systems in human vision 38: 71
ROMERO, R.
Lee, T.S., Mumford, D., Romero, R. and Lamme, V.A.F. The role of the primary visual cortex in higher level vision 38: 2429
ROORDA, A.
Roorda, A., Bobier, W.R. and Campbell, M.C.W. An infrared eccentric photo-optometer 38: 1913
ROSE, R.C.
Richer, S.P. and Rose, R.C. Water soluble antioxidants in mammalian aqueous humor: interaction with UV B and hydrogen peroxide 38: 2881
ROSETTI, L.
Orzalesi, N., Miglior, S., Lonati, C. and Rosetti, L. Microperimetry of localized retinal nerve fiber layer defects 38: 763
ROTH, A.
Sommerhalder, J., Baglivo, E., Barbey, C., Hirschel, B., Roth, A. and Pelizzone, M. Colour vision in AIDS patients without HIV retinopathy 38: 3441
ROY, J.-P.
Ziegler, L.R. and Roy, J.-P. Large scale stereopsis and optic flow: depth enhanced by speed and opponent-motion 38: 1199
ROZET, J.-M.
Souied, E.H., Benlian, P., Rozet, J.-M., Gerber, S., Lagarde, J.-P., Coscas, G., Soubrane, G., Duffier, J.-L., Munnich, A. and Kaplan, J. Exclusion of the apoE gene in autosomal dominant pigmentosa 38: 3829
RUDD, M.E.
Brown, L.G. and Rudd, M.E. Evidence for a noise gain control mechanism in human vision 38: 1925
RUETHER, M.
Kretschmann, U., Seeliger, M., Ruether, K., Usui, T. and Zrenner, E. Spatial cone activity distribution in diseases of the posterior pole determined by multifocal electroretinography 38: 3817
RUIJTER, J.M.
Hollants-Gilhuijs, M.A.M., Ruijter, J.M. and Spekreijse, H. Visual half-field development in children: detection of colour-contrast-defined forms 38: 645
Hollants-Gilhuijs, M.A.M., Ruijter, J.M. and Spekreijse, H. Visual half-field development in children: detection of motion-defined forms 38: 651
RYBAK, I.A.
Rybak, I.A., Gusakova, V.I., Golovan, A.V., Podladchikova, L.N. and Shevtsova, N.A. A model of attention-guided visual perception and recognition 38: 2387
RYNDERS, M.C.
Rynders, M.C., Navarro, R. and Losada, M.A. Objective measurement of the off-axis longitudinal chromatic aberration in the human eye 38: 513

SAARI, J.C.
Saari, J.C., Garwin, G.G., Van Hooser, J.P. and Palczewski, K. Reduction of all-*trans*-retinal limits regeneration of visual pigment in mice 38: 1325
SADUN, A.A.
Lawton, T.A., Sebag, J., Sadun, A.A. and Castleman, K.R. Image enhancement improves reading performance in age-related macular degeneration patients 38: 153
SAFRAN, A.B.
Tschopp, C., Safran, A.B., Viviani, P., Bullinger, A., Reicherts, M. and Mermoud, C. Automated visual field examination in children aged 5—8 years: Part I: Experimental validation of a testing procedure 38: 2203
Tschopp, C., Safran, A.B., Viviani, P., Reicherts, M., Bullinger, A. and Mermoud, C. Automated visual field examination in children aged 5—8 years: Part II: Normative values 38: 2211
SAGI, D.
Bonneh, Y. and Sagi, D. Effects of spatial configuration on contrast detection 38: 3541
Tanaka, Y. and Sagi, D. Long-lasting, long-range detection facilitation 38: 2591
SAHRAIE, A.
Barbur, J.L., Sahraie, A., Simmons, A., Weiskrantz, L. and Williams, S.C.R. Residual processing of chromatic signals in the absence of a geniculostriate projection 38: 3447
SAIDA, S.
Shimono, K., Ono, H., Saida, S. and Mapp, A.P. Methodological caveats for monitoring binocular eye position with Nonius stimuli 38: 591
SAIDEL, W.M.
Saidel, W.M. and Fabiane, R.S. Optomotor response of *Anableps anableps* depends on the field of view 38: 2001
SALVANO-PARDIEU, V.
Wade, N.J. and Salvano-Pardieu, V. Visual motion aftereffects: differential adaptation and test stimulation 38: 573
SASAHARA, M.
Mekada, A., Sasahara, M., Yamada, E., Kani, K. and Hazama, F. Platelet-derived growth factor B-chain expression in the rat retina and optic nerve: distribution and changes after transection of the optic nerve 38: 3031
SATO, T.
Seyama, J. and Sato, T. Shape from shading: estimation of reflectance map 38: 3805
SAWAI, H.
Fukuda, Y., Watanabe, M., Sawai, H. and Miyoshi, T. Functional recovery of vision in regenerated optic nerve fibers 38: 1545
SCHAEFFEL, F.
Lüdtke, H., Wilhelm, B., Adler, M., Schaeffel, F. and Wilhelm, H. Mathematical procedures in data recording and processing of pupillary fatigue waves 38: 2889
SCHEIBNER, H.
Scheibner, H. and Cleveland, S. Dichromacy characterized by chrominance planes 38: 3403
SCHIEFER, U.
Schiefer, U., Skalej, M., Kolb, M., Dietrich, T.J., Kolb, R., Braun, C. and Petersen, D. Lesion location influences perception of homonymous scotomata during flickering random dot pattern stimulation 38: 1303
SCHIRILLO, J.
Reeves, A., Wu, S. and Schirillo, J. The effect of photon noise on the detection of white flashes 38: 691

SCHMID, G.F.
Papastergiou, G.I., Schmid, G.F., Laties, A.M., Pendrak, K., Lin, T. and Stone, R.A. Induction of axial eye elongation and myopic refractive shift in one-year-old chickens 38: 1883
SCHMID, K.L.
Schmid, K.L. and Wildsoet, C.F. Assessment of visual acuity and contrast sensitivity in the chick using an optokinetic nystagmus paradigm 38: 2629
SCHNEIDER, W.X.
Deubel, H., Bridgeman, B. and Schneider, W.X. Immediate post-saccadic information mediates space constancy 38: 3147
SCHOR, C.M.
Brosnahan, D., Norcia, A.M., Schor, C.M. and Taylor, D.G. OKN, perceptual and VEP direction biases in strabismus 38: 2833
Edwards, M., Pope, D.R. and Schor, C.M. Luminance contrast and spatial-frequency tuning of the transient-vergence system 38: 705
Marran, L. and Schor, C.M. Lens induced aniso-accommodation 38: 3601
Schor, C.M., Edwards, M. and Pope, D.R. Spatial-frequency and contrast tuning of the transient-stereopsis system 38: 3057
SCHRATER, P.R.
Schrater, P.R. and Simoncelli, E.P. Local velocity representation: evidence from motion adaptation 38: 3899
SEBAG, J.
Lawton, T.A., Sebag, J., Sadun, A.A. and Castleman, K.R. Image enhancement improves reading performance in age-related macular degeneration patients 38: 153
SEELIGER, M.
Kretschmann, U., Seeliger, M., Ruether, K., Usui, T. and Zrenner, E. Spatial cone activity distribution in diseases of the posterior pole determined by multifocal electroretinography 38: 3817
SEIFFERT, A.E.
Seiffert, A.E. and Cavanagh, P. Position displacement, not velocity, is the cue to motion detection of second-order stimuli 38: 3569
SEIPLE, W.
Hood, D.C., Holopigian, K., Greenstein, V., Seiple, W., Li, J., Sutter, E.E. and Carr, R.E. Assessment of local retinal function in patients with retinitis pigmentosa using the multi-focal ERG technique 38: 163
SELIGER, S.
Greenstein, V.C., Seliger, S., Zemon, V. and Ritch, R. Visual evoked potential assessment of the effects of glaucoma on visual subsystems 38: 1901
SELINGER, A.
Nelson, R.C. and Selinger, A. Large-scale tests of a keyed, appearance-based 3-D object recognition system 38: 2469
SEMMLOW, J.L.
Horng, J.-L., Semmlow, J.L., Hung, G.K. and Ciuffreda, K.J. Dynamic asymmetries in disparity convergence eye movements 38: 2761
Semmlow, J.L., Yuan, W. and Alvarez, T.L. Evidence for separate control of slow version and vergence eye movements: support for Hering's Law 38: 1145
SENGPIEL, F.
Sengpiel, F., Baddeley, R.J., Freeman, T.C.B., Harrad, R. and Blakemore, C. Different mechanisms underlie three inhibitory phenomena in cat area 17 38: 2067
SEYAMA, J.
Seyama, J. and Sato, T. Shape from shading: estimation of reflectance map 38: 3805
SHARMA, A.
McGowan, J.W., Kowler, E., Sharma, A. and Chubb, C. Saccadic localization of random dot targets 38: 895

SHARMA, V.
Levi, D.M. and Sharma, V. Integration of local orientation in strabismic amblyopia 38: 775
SHARPE, L.T.
Gegenfurtner, K.R., Wichmann, F.A. and Sharpe, L.T. The contribution of color to visual memory in X-chromosome-linked diachromats 38: 1041
Petzold, A. and Sharpe, L.T. Hue memory and discrimination in young children 38: 3759
Sharpe, L.T., Stockman, A., Knau, H. and Jägle, H. Macular pigment densities derived from central and peripheral spectral sensitivity differences 38: 3233
Stockman, A. and Sharpe, L.T. Human cone spectral sensitivities: a progress report 38: 3193
Usui, T., Kremers, J., Sharpe, L.T. and Zrenner, E. Flicker cone electroretinogram in dichromats and trichromats 38: 3391
Usui, T., Kremers, J., Sharpe, L.T. and Zrenner, E. Response phase of the flicker electroretinogram (ERG) is influenced by cone excitation strength 38: 3247
Wolf, S., Sharpe, L.T., Knau, H. and Wissinger, B. Numbers and ratios of X-chromosomal-linked opsin genes 38: 3227
SHEVELL, S.K.
Shevell, S.K. and Wei, J. Chromatic induction: border contrast or adaptation to surrounding light? 38: 1561
Shevell, S.K., He, J.C., Kainz, P., Neitz, J. and Neitz, M. Relating color discrimination to photopigment genes in deutan observers 38: 3371
SHEVTSOVA, N.A.
Rybak, I.A., Gusakova, V.I., Golovan, A.V., Podladchikova, L.N. and Shevtsova, N.A. A model of attention-guided visual perception and recognition 38: 2387
SHI, Y.-J.
Vardi, N., Morigiwa, K., Wang, T.-L., Shi, Y.-J. and Sterling, P. Neurochemistry of the mammalian cone 'synaptic complex' 38: 1359
SHIMONO, K.
Shimono, K., Ono, H., Saida, S. and Mapp, A.P. Methodological caveats for monitoring binocular eye position with Nonius stimuli 38: 591
SIEGWART, J.T. JR.
Siegwart, J.T. Jr. and Norton, T.T. The susceptible period for deprivation-induced myopia in tree shrew 38: 3505
SIERRA-VÁZQUEZ, V.
García-Pérez, M.A. and Sierra-Vázquez, V. The optimal motion stimulus: comments on Watson and Turano (1995) 38: 1611
SILLMAN, A.J.
Loew, E.R. and Sillman, A.J. An action spectrum for the light-dependent inhibition of swimming behavior in newly hatched white sturgeon, *Acipenser transmontanus* 38: 111
SILVEIRA, L.C.L.
Silveira, L.C.L., Lee, B.B., Yamada, E.S., Kremers, J. and Hunt, D.M. Post-receptoral mechanisms of colour vision in new world primates 38: 3329
Yamada, E.S., Marshak, D.W., Silveira, L.C.L. and Casagrande, V.A. Morphology of P and M retinal ganglion cells of the bush baby 38: 3345
SIMMEN, B.
Regan, B.C., Julliot, C., Simmen, B., Viénot, F., Charles-Dominique, P. and Mollon, J.D. Frugivory and colour vision in *Alouatta seniculus*, a trichromatic platyrrhine monkey 38: 3321
SIMMONS, A.
Barbur, J.L., Sahraie, A., Simmons, A., Weiskrantz, L. and Williams, S.C.R. Residual processing of chromatic signals in the absence of a geniculostriate projection 38: 3447

SIMMONS, D.R.
Simmons, D.R. and Kingdom, F.A.A. On the binocular summation of chromatic contrast 38: 1063
SIMONCELLI, E.P.
Schrater, P.R. and Simoncelli, E.P. Local velocity representation: evidence from motion adaptation 38: 3899
Simoncelli, E.P. and Heeger, D.J. A model of neuronal responses in visual area MT 38: 743
SIMPSON, T.L.
Dengis, C.A., Simpson, T.L., Steinbach, M.J. and Ono, H. The *Cyclops effect* in adults: sighting without visual feedback 38: 327
SIMPSON, W.A.
Simpson, W.A. and Newman, A. Motion detection and directional tuning 38: 1593
SIMUNOVIC, M.P.
Simunovic, M.P., Votruba, M., Regan, B.C. and Mollon, J.D. Colour discrimination ellipses in patients with dominant optic atrophy 38: 3413
SINGER, W.
Leonards, U. and Singer, W. Two segmentation mechanisms with differential sensitivity for colour and luminance contrast 38: 101
SITU, P.
Elliott, D.B. and Situ, P. Visual acuity versus letter contrast sensitivity in early cataract 38: 2047
SJOBERG, S.A.
Balding, S.D., Sjoberg, S.A., Neitz, J. and Neitz, M. Pigment gene expression in protan color vision defects 38: 3359
Sjoberg, S.A., Neitz, M., Balding, S.D. and Neitz, J. L-cone pigment genes expressed in normal colour vision 38: 3213
SKALEJ, M.
Schiefer, U., Skalej, M., Kolb, M., Dietrich, T.J., Kolb, R., Braun, C. and Petersen, D. Lesion location influences perception of homonymous scotomata during flickering random dot pattern stimulation 38: 1303
SKOTTUN, B.C.
Skottun, B.C. A model for end-stopping in the visual cortex 38: 2023
VAN DER SMAGT, M.J.
Alais, D., van der Smagt, M.J., van den Berg, A.V. and van de Grind, W.A. Local and global factors affecting the coherent motion of gratings presented in multiple apertures 38: 1581
SMALLMAN, H.S.
Popple, A.V., Smallman, H.S. and Findlay, J.M. The area of spatial integration for initial horizontal disparity vergence 38: 319
SMITH, A.T.
Edwards, M., Badcock, D.R. and Smith, A.T. Independent speed-tuned global-motion systems 38: 1573
Smith, A.T. and Ledgeway, T. Sensitivity to second-order motion as a function of temporal frequency and eccentricity 38: 403
SMITH, R.G.
Hsu, A., Tsukamoto, Y., Smith, R.G. and Sterling, P. Functional architecture of primate cone and rod axons 38: 2539
SMITH, S.A.
Smith, S.A. and Bedi, K.S. Unilateral enucleation of adult rats does not effect the synapse-to-neuron ratio within the stratum griseum superficiale of the superior colliculi 38: 3041
SMITH, V.C.
Miyahara, E., Pokorny, J., Smith, V.C., Baron, R. and Baron, E. Color vision in two observers with highly based LWS/MWS cone ratios 38: 601

Smith, V.C., Jin, Q. and Pokorny, J. Color appearance: neutral surrounds and spatial contrast 38: 3265
Watanabe, A., Pokorny, J. and Smith, V.C. Red-green chromatic discrimination with variegated and homogeneous stimuli 38: 3271
SMOLLON, W.
Hock, H.S., Balz, G.W. and Smollon, W. Attentional control of spatial scale: effects on self-organized motion patterns 38: 3743
SNOWDEN, R.J.
Snowden, R.J. and Hammett, S.T. The effects of surround contrast on contrast thresholds, perceived contrast and contrast discrimination 38: 1935
SO, K.-F.
So, K.-F. and Yip, H.K. Regenerative capacity of retinal ganglion cells in mammals 38: 1525
SOLESSIO, E.C.
Finn, J.T., Xiong, W.-H., Solessio, E.C. and Yau, K.-W. A cGMP-gated cation channel and phototransduction in depolarizing photoreceptors of the lizard parietal eye 38: 1353
SOMANI, R.A.B.
Somani, R.A.B., Desouza, J.F.X., Tweed, D. and Vilis, T. Visual test of Listing's law during vergence 38: 911
Somani, R.A.B., Hutnik, C., DeSouza, J.F.X., Tweed, D., Nicolle, D. and Vilis, T. Using a synoptophore to test Listing's law during vergence in normal subjects and strabismic patients 38: 3621
SOMMERHALDER, J.
Sommerhalder, J., Baglivo, E., Barbey, C., Hirschel, B., Roth, A. and Pelizzone, M. Colour vision in AIDS patients without HIV retinopathy 38: 3441
SOTO-LEON, N.
Moreland, J.D., Robson, A.G., Soto-Leon, N. and Kulikowski, J.J. Macular pigment and the colour-specificity of visual evoked potentials 38: 3241
SOUBRANE, G.
Souied, E.H., Benlian, P., Rozet, J.-M., Gerber, S., Lagarde, J.-P., Coscas, G., Soubrane, G., Duffier, J.-L., Munnich, A. and Kaplan, J. Exclusion of the apoE gene in autosomal dominant pigmentosa 38: 3829
SOUIED, E.H.
Souied, E.H., Benlian, P., Rozet, J.-M., Gerber, S., Lagarde, J.-P., Coscas, G., Soubrane, G., Duffier, J.-L., Munnich, A. and Kaplan, J. Exclusion of the apoE gene in autosomal dominant pigmentosa 38: 3829
SPARRO, J.E.
Sparrow, J.E. and Stine, W.W. The perceived rigidity of rotating eight-vertex geometric forms: extracting nonrigid structure from rigid motion 38: 541
SPEKREIJSE, H.
Hollants-Gilhuijs, M.A.M., Ruijter, J.M. and Spekreijse, H. Visual half-field development in children: detection of colour-contrast-defined forms 38: 645
Hollants-Gilhuijs, M.A.M., Ruijter, J.M. and Spekreijse, H. Visual half-field development in children: detection of motion-defined forms 38: 651
Wollner, I.B., Fukuda, Y., Spekreijse, H. and Wu, S.M. Editorial 38: 1313
SPENCER, M.
Hurley, J.B., Spencer, M. and Niemi, G.A. Rhodopsin phosphorylation and its role in photoreceptor function 38: 1341
SRINIVASAN, M.V.
Davey, M.P., Maddess, T. and Srinivasan, M.V. The spatiotemporal properties of the Craik—O'Brien—Cornsweet effect are consistent with 'filling-in' 38: 2037

SRIVASTAVA, R.
Palacios, A.G., Varela, F.J., Srivastava, R. and Goldsmith, T.H. Spectral sensitivity of cones in the goldfish, *Carassius auratus* 38: 2135
STACEY, A.
Pask, C. and Stacey, A. Optical properties of retinal photoreceptors and the Campbell effect 38: 953
STEBEL, J.
Thoss, F., Bartsch, B. and Stebel, J. Analysis of oscillations of the visual sensitivity 38: 139
STEIN, J.F.
Cornelissen, P.L., Hansen, P.C., Hutton, J.L., Evangelinou, V. and Stein, J.F. Magnocellular visual function and children's single word reading 38: 471
STEINBACH, M.J.
Dengis, C.A., Simpson, T.L., Steinbach, M.J. and Ono, H. The *Cyclops effect* in adults: sighting without visual feedback 38: 327
STERLING, P.
Hsu, A., Tsukamoto, Y., Smith, R.G. and Sterling, P. Functional architecture of primate cone and rod axons 38: 2539
Vardi, N., Morigiwa, K., Wang, T.-L., Shi, Y.-J. and Sterling, P. Neurochemistry of the mammalian cone 'synaptic complex' 38: 1359
STEWART, T.M.
Beazley, L.D., Tennant, M., Stewart, T.M. and Anstee, S.D. The primary visual system of adult lizards demonstrates that neurogenesis is not obligatorily linked to central nerve regeneration but may be a prerequisite for the restoration of maps in the brain 38: 789
STINE, W.W.
Sparrow, J.E. and Stine, W.W. The perceived rigidity of rotating eight-vertex geometric forms: extracting nonrigid structure from rigid motion 38: 541
STOCKMAN, A.
Sharpe, L.T., Stockman, A., Knau, H. and Jägle, H. Macular pigment densities derived from central and peripheral spectral sensitivity differences 38: 3233
Stockman, A. and Plummer, D.J. Color from invisible flicker: a failure of the Talbot—Plateau law caused by an early 'hard' saturating nonlinearity used to partition the human short-wave cone pathway 38: 3703
STOCKMAN,A.
Stockman, A. and Sharpe, L.T. Human cone spectral sensitivities: a progress report 38: 3193
STONE, J.V.
Stone, J.V. Object recognition using spatiotemporal signatures 38: 947
STONE, L.S.
Beutter, B.R. and Stone, L.S. Human motion perception and smooth eye movements show similar directional biases for elongated apertures 38: 1273
STONE, R.A.
Papastergiou, G.I., Schmid, G.F., Laties, A.M., Pendrak, K., Lin, T. and Stone, R.A. Induction of axial eye elongation and myopic refractive shift in one-year-old chickens 38: 1883
STONECYPHER, S.M.
Meyer, G.E. and Stonecypher, S.M. Motion after-effects and word contingency 38: 3583
STONER, G.R.
Stoner, G.R. and Albright, T.D. Luminance contrast affects motion coherency in plaid patterns by acting as a depth-from-occlusion cue 38: 387
STRANG, N.C.
Strang, N.C., Winn, B. and Bradley, A. The role of neural and optical factors in limiting visual resolution in myopia 38: 1713

STRETTOI, E.
Chierzi, S., Cenni, M.C., Maffie, L., Pizzorusso, T., Porciatti, V., Ratto, G.M. and Strettoi, E. Protection of retinal ganglion cells and preservation of function after optic nerve lesion in *bcl*-2 transgenic mice 38: 1537
STROMEYER, C.F. III
Stromeyer, C.F. III, Chaparro, A., Rodriguez, C., Chen, D., Hu, E. and Kronauer, R.E. Short-wave cone signal in the red-green detection mechanism 38: 813
Zemany, L., Stromeyer, C.F. III, Chaparro, A. and Kronauer, R.E. Motion detection on flashed, stationary pedestal gratings: evidence for an opponent-motion mechanism 38: 795
STÜBIGER, N.
Erb, C., Adler, M., Stübiger, N., Wohlrab, M., Zrenner, E. and Thiel, H.-J. Colour vision in normal subjects tested by the colour arrangement test 'Roth 28-hue desaturated' 38: 3467
SUTTER, A.
Graham, N. and Sutter, A. Spatial summation in simple (Fourier) and complex (non-Fourier) texture channels 38: 231
SUTTER, E.E.
Hood, D.C., Holopigian, K., Greenstein, V., Seiple, W., Li, J., Sutter, E.E. and Carr, R.E. Assessment of local retinal function in patients with retinitis pigmentosa using the multi-focal ERG technique 38: 163
Kasamatsu, T., Kitano, M., Sutter, E.E. and Norcia, A.M. Lack of lateral inhibitory interactions in visual cortex of monocularly deprived cats 38: 1
SZLYK, J.P.
Alexander, K.R., Derlacki, D.J., Xie, W., Fishman, G.A. and Szlyk, J.P. Discrimination of spatial displacements by patients with retinitis pigmentosa 38: 1171

TAKEUCHI, T.
Takeuchi, T. Effect of contrast on the perception of moving multiple Gabor patterns 38: 3069
TANAKA, J.
Gauthier, I., Williams, P., Tarr, M.J. and Tanaka, J. Training 'greeble' experts: a framework for studying expert object recognition processes 38: 2401
TANAKA, Y.
Tanaka, Y. and Sagi, D. Long-lasting, long-range detection facilitation 38: 2591
TANIGAWA, M.
Ohtani, Y., Tanigawa, M. and Ejima, Y. Motion assimilation for expansion/contraction and rotation and its spatial properties 38: 429
TARR, M.J.
Gauthier, I., Williams, P., Tarr, M.J. and Tanaka, J. Training 'greeble' experts: a framework for studying expert object recognition processes 38: 2401
Tarr, M.J., Kersten, D. and Bülthoff, H.H. Why the visual recognition system might encode the effects of illumination 38: 2259
TASSINARI, G.
Tassinari, G., Aglioti, S., Chelazzi, L., Peru, A. and Berlucchi, G. On the time course of exogenous cueing effects: a response to Lupiáñez and Weaver 38: 1625
TAYLOR, D.G.
Brosnahan, D., Norcia, A.M., Schor, C.M. and Taylor, D.G. OKN, perceptual and VEP direction biases in strabismus 38: 2833
TELLER, D.Y.
Crognale, M.A., Kelly, J.P., Weiss, A.H. and Teller, D.Y. Development of the spatio-chromatic visual evoked potential (VEP): a longitudinal study 38: 3283
Crognale, M.A., Teller, D.Y., Motulsky, A.G. and Deeb, S.S. Severity of color vision defects: electroretinographic (ERG), molecular and behavioral studies 38: 3377

Teller, D.Y. Spatial and temporal aspects of infant color vision 38: 3275
TENNANT, M.
Beazley, L.D., Tennant, M., Stewart, T.M. and Anstee, S.D. The primary visual system of adult lizards demonstrates that neurogenesis is not obligatorily linked to central nerve regeneration but may be a prerequisite for the restoration of maps in the brain 38: 789
THIBOS, L.N.
Bradley, A., Zhang, H., Applegate, R.A., Thibos, L.N. and Elsner, A.E. Entoptic image quality of the retinal vasculature 38: 2685
THIEL, H.-J.
Erb, C., Adler, M., Stübiger, N., Wohlrab, M., Zrenner, E. and Thiel, H.-J. Colour vision in normal subjects tested by the colour arrangement test 'Roth 28-hue desaturated' 38: 3467
THOMPSON, C.
Langaas, T., Mon-Williams, M., Wann, J.P., Pascal, E. and Thompson, C. Eye movements, prematurity and developmental co-ordination disorder 38: 1817
THOSS, F.
Thoss, F., Bartsch, B. and Stebel, J. Analysis of oscillations of the visual sensitivity 38: 139
TIPPER, S.P.
Raymond, J.E., O'Donnell, H.L. and Tipper, S.P. Priming reveals attentional modulation of human motion sensitivity 38: 2863
TJAN, B.S.
Tjan, B.S. and Legge, G.E. The viewpoint complexity of an object-recognition task 38: 2335
TORNOW, R.-P.
Kretschmann, U., Tornow, R.-P. and Zrenner, E. Multifocal ERG reveals long distance effects of a local bleach in the retina 38: 1567
TREISMAN, M.
Lages, M. and Treisman, M. Spatial frequency discrimination: visual long-term memory or criterion setting? 38: 557
TROJE, N.F.
Troje, N.F. and Bülthoff, H.H. How is bilateral symmetry of human faces used for recognition of novel views? 38: 79
TSANG, Y.
Arden, G.B., Wolf, J.E. and Tsang, Y. Does dark adaptation exacerbate diabetic retinopathy? Evidence and a linking hypothesis 38: 1723
TSCHOPP, C.
Tschopp, C., Safran, A.B., Viviani, P., Bullinger, A., Reicherts, M. and Mermoud, C. Automated visual field examination in children aged 5—8 years: Part I: Experimental validation of a testing procedure 38: 2203
Tschopp, C., Safran, A.B., Viviani, P., Reicherts, M., Bullinger, A. and Mermoud, C. Automated visual field examination in children aged 5—8 years: Part II: Normative values 38: 2211
TSUKAMOTO, Y.
Hsu, A., Tsukamoto, Y., Smith, R.G. and Sterling, P. Functional architecture of primate cone and rod axons 38: 2539
TUPPURAINEN, K.
Mäntyjärvi, M. and Tuppurainen, K. Colour vision in gyrate atrophy 38: 3409
TEN TUSSCHER, M.P.M.
van Rijn, L.J., ten Tusscher, M.P.M., de Jong, I. and Hendrikse, F. Asymmetrical vertical phorias indicating dissociated vertical deviation in subjects with normal binocular vision 38: 2973

TWEED, D.
Somani, R.A.B., Desouza, J.F.X., Tweed, D. and Vilis, T. Visual test of Listing's law during vergence 38: 911
Somani, R.A.B., Hutnik, C., DeSouza, J.F.X., Tweed, D., Nicolle, D. and Vilis, T. Using a synoptophore to test Listing's law during vergence in normal subjects and strabismic patients 38: 3621
TYLER, C.W.
Kontsevich, L.L. and Tyler, C.W. How much of the visual object is used in estimating its position? 38: 3025
TZELEPI, A.
Bodis-Wollner, I. and Tzelepi, A. The push—pull action of dopamine on spatial tuning of the monkey retina: the effects of dopaminergic deficiency and selective D1 and D2 receptor ligands on the pattern electroretinogram 38: 1479

UNGERLEIDER, L.G.
De Weerd, P., Desimone, R. and Ungerleider, L.G. Percepetual filling-in: a parametric study 38: 2721
UNZICKER, A.
Unzicker, A., Jüttner, M. and Rentschler, I. Similarity-based models of human visual recogition 38: 2289
UPADHYAY, P.
Birch, J., Kolle, R.U., Kunkel, M., Paulus, W. and Upadhyay, P. Acquired colour deficiency in patients with Parkinson's disease 38: 3421
USUI, T.
Kretschmann, U., Seeliger, M., Ruether, K., Usui, T. and Zrenner, E. Spatial cone activity distribution in diseases of the posterior pole determined by multifocal electroretinography 38: 3817
Usui, T., Kremers, J., Sharpe, L.T. and Zrenner, E. Flicker cone electroretinogram in dichromats and trichromats 38: 3391
Usui, T., Kremers, J., Sharpe, L.T. and Zrenner, E. Response phase of the flicker electroretinogram (ERG) is influenced by cone excitation strength 38: 3247

VAINA, L.M.
Burr, D.C., Morrone, M.C. and Vaina, L.M. Large receptive fields for optic flow detection in humans 38: 1731
VANDENBUSSCHE, E.
Vleugels, L., van Nunen, A., Lafosse, C., Ketelaer, P. and Vandenbussche, E. Temporal and spatial resolution in foveal vision of multiple sclerosis patients 38: 2987
VARDI, N.
Vardi, N., Morigiwa, K., Wang, T.-L., Shi, Y.-J. and Sterling, P. Neurochemistry of the mammalian cone 'synaptic complex' 38: 1359
VARELA, F.J.
Palacios, A.G., Varela, F.J., Srivastava, R. and Goldsmith, T.H. Spectral sensitivity of cones in the goldfish, *Carassius auratus* 38: 2135
VERHULST, S.
Verhulst, S. and Maes, F.W. Scotopic vision in colour-blinds 38: 3387
VIÉNOT, F.
Regan, B.C., Julliot, C., Simmen, B., Viénot, F., Charles-Dominique, P. and Mollon, J.D. Frugivory and colour vision in *Alouatta seniculus*, a trichromatic platyrrhine monkey 38: 3321
VILIS, T.
Somani, R.A.B., Desouza, J.F.X., Tweed, D. and Vilis, T. Visual test of Listing's law during vergence 38: 911

Somani, R.A.B., Hutnik, C., DeSouza, J.F.X., Tweed, D., Nicolle, D. and Vilis, T. Using a synoptophore to test Listing's law during vergence in normal subjects and strabismic patients 38: 3621

VINGRYS, A.J.

Vingrys, A.J. and Mahon, L.E. Color and luminance detection and discrimination asymmetries and interactions 38: 1085

VIVIANI, P.

Tschopp, C., Safran, A.B., Viviani, P., Bullinger, A., Reicherts, M. and Mermoud, C. Automated visual field examination in children aged 5—8 years: Part I: Experimental validation of a testing procedure 38: 2203

Tschopp, C., Safran, A.B., Viviani, P., Reicherts, M., Bullinger, A. and Mermoud, C. Automated visual field examination in children aged 5—8 years: Part II: Normative values 38: 2211

VLEUGELS, L.

Vleugels, L., van Nunen, A., Lafosse, C., Ketelaer, P. and Vandenbussche, E. Temporal and spatial resolution in foveal vision of multiple sclerosis patients 38: 2987

VOLA, J.L.

Hubschman, J.P., Vola, J.L., Conrath, J., Berros, P. and Hougrand, F. The short-wavelength mechanisms of Stiles in age-related macular degeneration 38: 3433

VORWERK, C.K.

Zurakowski, D., Vorwerk, C.K., Gorla, M., Kanellopoulos, A.J., Chaturvedi, N., Grosskreutz, C.L., Lipton, S.A. and Dreyer, E.B. Nitrate therapy may retard glaucomatous optic neuropathy, perhaps through modulation of glutamate receptors 38: 1489

VOTRUBA, M.

Simunovic, M.P., Votruba, M., Regan, B.C. and Mollon, J.D. Colour discrimination ellipses in patients with dominant optic atrophy 38: 3413

WADE, N.J.

Wade, N.J. and Salvano-Pardieu, V. Visual motion aftereffects: differential adaptation and test stimulation 38: 573

WALSH, V.

Ellison, A. and Walsh, V. Perceptual learning in visual search: some evidence of specificities 38: 333

WANG, H.

Wang, H., Levi, D.M. and Klein, S.A. Spatial uncertainty and sampling efficiency in amblyopic position acuity 38: 1239

WANG, T.-L.

Vardi, N., Morigiwa, K., Wang, T.-L., Shi, Y.-J. and Sterling, P. Neurochemistry of the mammalian cone 'synaptic complex' 38: 1359

WANG, X.

Wang, X. and Burbeck, C.A. Scaled medial axis representation: evidence from position discrimination task 38: 1947

WANG, Y.-J.

Wu, X.-N., Zhou, Q., Qi, X.-L. and Wang, Y.-J. Stereo capture: local rematching driven by binocularly attended 3-D configuration rather than retinal images 38: 2081

WANN, J.P.

Langaas, T., Mon-Williams, M., Wann, J.P., Pascal, E. and Thompson, C. Eye movements, prematurity and developmental co-ordination disorder 38: 1817

WARRANT, E.J.

Warrant, E.J. and Nilsson, D-E. Absorption of white light in photoreceptors 38: 195

WÄSSLE, H.

Brandstätter, J.H., Koulen, P. and Wässle, H. Diversity of glutamate receptors in the mammalian retina 38: 1385

Wässle, H., Koulen, P., Brandstätter, J.H., Fletcher, E.L. and Becker, C.-M. Glycine and GABA receptors in the mammalian retina 38: 1411
WATAMANIUK, S.N.J.
Heinen, S.J. and Watamaniuk, S.N.J. Spatial integration in human smooth pursuit 38: 3785
WATANABE, A.
Watanabe, A., Pokorny, J. and Smith, V.C. Red-green chromatic discrimination with variegated and homogeneous stimuli 38: 3271
WATANABE, M.
Fukuda, Y., Watanabe, M., Sawai, H. and Miyoshi, T. Functional recovery of vision in regenerated optic nerve fibers 38: 1545
WATSON, A.B.
Watson, A.B. The search for optimal visual stimuli 38: 1619
WEAVER, B.
Lupiáñez, J. and Weaver, B. On the time course of exogenous cueing effects; a commentary on Tassinari et al. (1994) 38: 1621
WEBSTER, W.R.
Webster, W.R., Panthradil, J.T. and Conway, D.M. A rotational stereoscopic 3-dimensional movement aftereffect 38: 1745
WEHRHAHN, C.
Wehrhahn, C. and Dresp, B. Detection facilitation by collinear stimuli in humans: dependence on strength and sign of contrast 38: 423
WEI, J.
Shevell, S.K. and Wei, J. Chromatic induction: border contrast or adaptation to surrounding light? 38: 1561
WEISKRANTZ, L.
Barbur, J.L., Sahraie, A., Simmons, A., Weiskrantz, L. and Williams, S.C.R. Residual processing of chromatic signals in the absence of a geniculostriate projection 38: 3447
WEISS, A.H.
Crognale, M.A., Kelly, J.P., Weiss, A.H. and Teller, D.Y. Development of the spatio-chromatic visual evoked potential (VEP): a longitudinal study 38: 3283
WEISSENBRUCH, C.
Delint, P.J., Weissenbruch, C., Berendschot, T.T.J.M. and van Norren, D. Photoreceptor function in unilateral amblyopia 38: 613
WERNER, J.S.
Bieber, M.L., Knoblauch, K. and Werner, J.S. M- and L-cones in early infancy: II. action spectra at 8 weeks of age 38: 1765
Bieber, M.L., Kraft, J.M. and Werner, J.S. Effects of known variations in photopigments on *L/M* cone ratios estimated from luminous efficiency functions 38: 1961
Bieber, M.L., Werner, J.S., Knoblauch, K., Neitz, J. and Neitz, M. M- and L-cones in early infancy: III. Comparison of genotypic and phenotypic markers of color vision in infants and adults 38: 3293
Knoblauch, K., Bieber, M.L. and Werner, J.S. M- and L-cones in early infancy: I. VEP responses to receptor-isolating stimuli at 4- and 8-weeks of age 38: 1753
WESTCOTT, M.C.
Westcott, M.C., Fitzke, F.W. and Hitchings, R.A. Abnormal motion displacement thresholds are associated with fine scale luminance sensitivity loss in glaucoma 38: 3171
WESTHEIMER, G.
Westheimer, G. and Beard, B.L. Orientation dependency for foveal line stimuli: detection and intentsity discrimination, resolution, orientation discrimination and vernier acuity 38: 1097
Westheimer, G. Lines and Gabor functions compared as spatial visual stimuli 38: 487

WHITAKER, D.
Whitaker, D. and McGraw, P.V. Geometric representation of the mechanisms underlying human curvature detection 38: 3843
Whitaker, D. and McGraw, P.V. The effect of suprathreshold contrast on stimulus centroid and its implications for the perceived location of objects 38: 3591
WHITE, O.B.
Zivotofsky, A.Z., White, O.B., Das, V.E. and Leigh, R.J. Saccades to remembered targets: the effects of saccades and illusory stimulus motion 38: 1287
WICHMANN, F.A.
Gegenfurtner, K.R., Wichmann, F.A. and Sharpe, L.T. The contribution of color to visual memory in X-chromosome-linked diachromats 38: 1041
WILCOX, L.M.
Wilcox, L.M. and Hess, R.F. When stereopsis does not improve with increasing contrast 38: 3671
WILDSOET, C.F.
Schmid, K.L. and Wildsoet, C.F. Assessment of visual acuity and contrast sensitivity in the chick using an optokinetic nystagmus paradigm 38: 2629
WILHELM, B.
Lüdtke, H., Wilhelm, B., Adler, M., Schaeffel, F. and Wilhelm, H. Mathematical procedures in data recording and processing of pupillary fatigue waves 38: 2889
WILHELM, H.
Lüdtke, H., Wilhelm, B., Adler, M., Schaeffel, F. and Wilhelm, H. Mathematical procedures in data recording and processing of pupillary fatigue waves 38: 2889
WILKINSON, F.
Wilkinson, F., Wilson, H.R. and Habak, C. Detection and recognition of radial frequency patterns 38: 3555
Wilson, H.R. and Wilkinson, F. Detection of global structure in Glass patterns: implications for form vision 38: 2933
WILLIAMS, P.
Gauthier, I., Williams, P., Tarr, M.J. and Tanaka, J. Training 'greeble' experts: a framework for studying expert object recognition processes 38: 2401
WILLIAMS, R.W.
Dell'Osso, L.F., Williams, R.W., Jacobs, J.B. and Erchul, D.M. The congenital and see-saw nystagmus in the prototypical achiasma of canines: comparison to the human achiasmatic prototype 38: 1629
WILLIAMS, S.C.R.
Barbur, J.L., Sahraie, A., Simmons, A., Weiskrantz, L. and Williams, S.C.R. Residual processing of chromatic signals in the absence of a geniculostriate projection 38: 3447
WILSON, H.R.
Wilkinson, F., Wilson, H.R. and Habak, C. Detection and recognition of radial frequency patterns 38: 3555
Wilson, H.R. and Kim, J. Dynamics of a divisive gain control in human vision 38: 2735
Wilson, H.R. and Wilkinson, F. Detection of global structure in Glass patterns: implications for form vision 38: 2933
WILSON, J.R.
Brown, R.J., Wilson, J.R., Norcia, A.M. and Boothe, R.G. Development of directional motion symmetry in the monocular visually evoked potential of infant monkeys 38: 1253
WINN, B.
Strang, N.C., Winn, B. and Bradley, A. The role of neural and optical factors in limiting visual resolution in myopia 38: 1713

WISSINGER, B.
Wolf, S., Sharpe, L.T., Knau, H. and Wissinger, B. Numbers and ratios of X-chromosomal-linked opsin genes 38: 3227
WOHLRAB, M.
Erb, C., Adler, M., Stübiger, N., Wohlrab, M., Zrenner, E. and Thiel, H.-J. Colour vision in normal subjects tested by the colour arrangement test 'Roth 28-hue desaturated' 38: 3467
WOLF, J.E.
Arden, G.B., Wolf, J.E. and Tsang, Y. Does dark adaptation exacerbate diabetic retinopathy? Evidence and a linking hypothesis 38: 1723
WOLF, S.
Wolf, S., Sharpe, L.T., Knau, H. and Wissinger, B. Numbers and ratios of X-chromosomal-linked opsin genes 38: 3227
WOLFSON, S.S.
Wolfson, S.S. and Landy, M.S. Examining edge- and region-based texture analysis mechanisms 38: 439
WOLLNER, I.B.
Wollner, I.B., Fukuda, Y., Spekreijse, H. and Wu, S.M. Editorial 38: 1313
WONG-RILEY, M.T.T.
Wong-Riley, M.T.T., Huang, Z., Liebl, W., Nie, F., Xu, H. and Zhang, C. Neurochemical organization of the macaque retina: effect of TTX on levels and gene expression of cytochrome oxidase and nitric oxide synthase and on the immunoreactivity of Na+K+ATPase and NMDA receptor subunit I 38: 1455
WU, S.
Reeves, A., Wu, S. and Schirillo, J. The effect of photon noise on the detection of white flashes 38: 691
WU, S.M.
Wollner, I.B., Fukuda, Y., Spekreijse, H. and Wu, S.M. Editorial 38: 1313
Wu, S.M. and Maple, B.R. Amino acid neurotransmitters in the retina: a functional overview 38: 1371
WU, X.-N.
Wu, X.-N., Zhou, Q., Qi, X.-L. and Wang, Y.-J. Stereo capture: local rematching driven by binocularly attended 3-D configuration rather than retinal images 38: 2081
WYATT, H.J.
Wyatt, H.J. Detecting saccades with jerk 38: 2147

XIE, W.
Alexander, K.R., Derlacki, D.J., Xie, W., Fishman, G.A. and Szlyk, J.P. Discrimination of spatial displacements by patients with retinitis pigmentosa 38: 1171
XIONG, W.-H.
Finn, J.T., Xiong, W.-H., Solessio, E.C. and Yau, K.-W. A cGMP-gated cation channel and phototransduction in depolarizing photoreceptors of the lizard parietal eye 38: 1353
XU, H.
Wong-Riley, M.T.T., Huang, Z., Liebl, W., Nie, F., Xu, H. and Zhang, C. Neurochemical organization of the macaque retina: effect of TTX on levels and gene expression of cytochrome oxidase and nitric oxide synthase and on the immunoreactivity of Na+K+ATPase and NMDA receptor subunit I 38: 1455

YAGER, D.
Yager, D., Aquilante, K. and Plass, R. High and low luminance letters, acuity reserve, and font effects on reading speed 38: 2527

YAMADA, E.
Mekada, A., Sasahara, M., Yamada, E., Kani, K. and Hazama, F. Platelet-derived growth factor B-chain expression in the rat retina and optic nerve: distribution and changes after transection of the optic nerve 38: 3031
YAMADA, E.S.
Silveira, L.C.L., Lee, B.B., Yamada, E.S., Kremers, J. and Hunt, D.M. Post-receptoral mechanisms of colour vision in new world primates 38: 3329
Yamada, E.S., Marshak, D.W., Silveira, L.C.L. and Casagrande, V.A. Morphology of P and M retinal ganglion cells of the bush baby 38: 3345
YANG, C.-Y.
Yang, C.-Y. γ-Aminobutyric acid transporter-mediated current from bipolar cells in tiger salamander retinal slices 38: 2521
YAU, K.-W.
Finn, J.T., Xiong, W.-H., Solessio, E.C. and Yau, K.-W. A cGMP-gated cation channel and phototransduction in depolarizing photoreceptors of the lizard parietal eye 38: 1353
YEN, S.-C.
Yen, S.-C. and Finkel, L.H. Extraction of perceptually salient contours by striate cortical networks 38: 719
YIP, H.K.
So, K.-F. and Yip, H.K. Regenerative capacity of retinal ganglion cells in mammals 38: 1525
YOKOYAMA, S.
Kawamura, S. and Yokoyama, S. Functional characterization of visual and nonvisual pigments of American chemeleon *(Anolis carolinensis)* 38: 37
YU, C.
Yu, C. and Levi, D.M. Rectification nonlinearity in cortical end-stopped perceptive fields 38: 3517
YUAN, W.
Semmlow, J.L., Yuan, W. and Alvarez, T.L. Evidence for separate control of slow version and vergence eye movements: support for Hering's Law 38: 1145

ZEMANY, L.
Zemany, L., Stromeyer, C.F. III, Chaparro, A. and Kronauer, R.E. Motion detection on flashed, stationary pedestal gratings: evidence for an opponent-motion mechanism 38: 795
ZEMON, V.
Greenstein, V.C., Seliger, S., Zemon, V. and Ritch, R. Visual evoked potential assessment of the effects of glaucoma on visual subsystems 38: 1901
ZHANG, C.
Wong-Riley, M.T.T., Huang, Z., Liebl, W., Nie, F., Xu, H. and Zhang, C. Neurochemical organization of the macaque retina: effect of TTX on levels and gene expression of cytochrome oxidase and nitric oxide synthase and on the immunoreactivity of Na+K+ATPase and NMDA receptor subunit I 38: 1455
ZHANG, H.
Bradley, A., Zhang, H., Applegate, R.A., Thibos, L.N. and Elsner, A.E. Entoptic image quality of the retinal vasculature 38: 2685
Gamlin, P.D.R., Zhang, H., Harlow, A. and Barbur, J.L. Pupil responses to stimulus color, structure and light flux increments in the rhesus monkey 38: 3353
ZHOU, Q.
Wu, X.-N., Zhou, Q., Qi, X.-L. and Wang, Y.-J. Stereo capture: local rematching driven by binocularly attended 3-D configuration rather than retinal images 38: 2081

ZIEGLER, L.R.
Ziegler, L.R. and Roy, J.-P. Large scale stereopsis and optic flow: depth enhanced by speed and opponent-motion 38: 1199
ZIVOTOFSKY, A.Z.
Kori, A.A., Das, V.E., Zivotofsky, A.Z. and Leigh, R.J. Memory-guided saccadic eye movements; effects of cerebellar disease 38: 3181
Zivotofsky, A.Z., White, O.B., Das, V.E. and Leigh, R.J. Saccades to remembered targets: the effects of saccades and illusory stimulus motion 38: 1287
ZRENNER, E.
Erb, C., Adler, M., Stübiger, N., Wohlrab, M., Zrenner, E. and Thiel, H.-J. Colour vision in normal subjects tested by the colour arrangement test 'Roth 28-hue desaturated' 38: 3467
Kretschmann, U., Seeliger, M., Ruether, K., Usui, T. and Zrenner, E. Spatial cone activity distribution in diseases of the posterior pole determined by multifocal electroretinography 38: 3817
Kretschmann, U., Tornow, R.-P. and Zrenner, E. Multifocal ERG reveals long distance effects of a local bleach in the retina 38: 1567
Usui, T., Kremers, J., Sharpe, L.T. and Zrenner, E. Flicker cone electroretinogram in dichromats and trichromats 38: 3391
Usui, T., Kremers, J., Sharpe, L.T. and Zrenner, E. Response phase of the flicker electroretinogram (ERG) is influenced by cone excitation strength 38: 3247
ZUCKER, S.W.
Elder, J.H. and Zucker, S.W. Evidence for boundary-specific grouping 38: 143
ZURAKOWSKI, D.
Zurakowski, D., Vorwerk, C.K., Gorla, M., Kanellopoulos, A.J., Chaturvedi, N., Grosskreutz, C.L., Lipton, S.A. and Dreyer, E.B. Nitrate therapy may retard glaucomatous optic neuropathy, perhaps through modulation of glutamate receptors 38: 1489

SUBJECT INDEX

ABERRATION
Presbyopia and the optical changes in the human crystalline lens with age 38: 209
Objective measurement of the off-axis longitudinal chromatic aberration in the human eye 38: 513
Retinal image quality in the human eye as a function of the accommodation 38: 2897

ABSOLUTE THRESHOLD (*see* DETECTION THRESHOLD)

ACCOMMODATION
Presbyopia and the optical changes in the human crystalline lens with age 38: 209
Static aspects of accommodation: age and presbyopia 38: 1643
An infrared eccentric photo-optometer 38: 1913
A model of the contribution of oculomotor and optical factors to emmetropization and myopia 38: 2869
Retinal image quality in the human eye as a function of the accommodation 38: 2897
Lens induced aniso-accommodation 38: 3601

ACUITY (*see also* HYPERACUITY; STEREOPSIS)
Long-term reliability and predictive validity of the Teller Acuity Card procedure 38: 619
Optical properties of retinal photoreceptors and the Campbell effect 38: 953
Discrimination of spatial displacements by patients with retinitis pigmentosa 38: 1171
Spatial uncertainty and sampling efficiency in amblyopic position acuity 38: 1239
The role of neural and optical factors in limiting visual resolution in myopia 38: 1713
Vernier and letter acuities for low-pass filtered moving stimuli 38: 1967
Visual acuity *versus* letter contrast sensitivity in early cataract 38: 2047
High and low luminance letters, acuity reserve, and font effects on reading speed 38: 2527
Sensitivity to disparity corrugations in peripheral vision 38: 2533
Assessment of visual acuity and contrast sensitivity in the chick using an optokinetic nystagmus paradigm 38: 2629
Theoretical and practical performance of a concentric bifocal intraocular implant lens 38: 2841
Temporal and spatial resolution in foveal vision of multiple sclerosis patients 38: 2987
When stereopsis does not improve with increasing contrast 38: 3671
Optical, receptoral, and retinal constraints on foveal and peripheral vision in the human neonate 38: 3857

ADAPTATION
Visual motion aftereffects: differential adaptation and test stimulation 38: 573
Successive episodes produce direction contrast effects in motion perception 38: 579
When is a background equivalent? Sparse chromatic context revisited 38: 1789
Perceptual filling-in: a parametric study 38: 2721
Priming reveals attentional modulation of human motion sensitivity 38: 2863
Shift in Rayleigh matches after adaptation to monochromatic light of various intensities 38: 3253
Motion after-effects and word contingency 38: 3583
Local velocity representation: evidence from motion adaptation 38: 3899

ADAPTATION, CHROMATIC
Chromatic masking in the ($\Delta L/L$, $\Delta M/M$) plane of cone-contrast space reveals only two detection mechanisms 38: 3913

ADAPTATION, DARK (*see also* BLEACHING)
The effect of photon noise on the detection of white flashes 38: 691
Does dark adaptation exacerbate diabetic retinopathy? Evidence and a linking hypothesis 38: 1723
Scotopic vision in colour-blinds 38: 3387
Aging and scotopic sensitivity 38: 3655

ADAPTATION, LIGHT
Light adaptation of cone photoresponses studied at the photoreceptor and ganglion cell levels in the frog retina 38: 19
Contrast-modulation flicker: dynamics and spatial resolution of the light adaptation process 38: 985
Local nonlinearity in S-cones and their estimated light-collecting apertures 38: 1001
Multifocal ERG reveals long distance effects of a local bleach in the retina 38: 1567
Evidence for a noise gain control mechanism in human vision 38: 1925

ADAPTATION, MOTION
Stereodeficient subjects show substantial differences in interocular transfer of two motion adaptation aftereffects 38: 1889

ADAPTATION, OCULOMOTOR
Dynamics of horizontal vergence movements: interaction with horizontal and vertical saccades and relation with monocular preferences 38: 3943

ADAPTATION, POST-RECEPTORAL
Analysis of oscillations of the visual sensitivity 38: 139

ADAPTATION, SPATIAL
Orientation masks 3-Gabor alignment performance 38: 827
The effect of spatial frequency adaptation on the latency of spatial contrast detection 38: 3933

AFTEREFFECTS (*see also* ILLUSION; PERSISTENCE)
Nonlinear combination of luminance excursions during flicker, simultaneous contrast, afterimages and binocular fusion 38: 523
Visual motion aftereffects: differential adaptation and test stimulation 38: 573
A rotational stereoscopic 3-dimensional movement aftereffect 38: 1745
Stereodeficient subjects show substantial differences in interocular transfer of two motion adaptation aftereffects 38: 1889
Directions of motion after-effects induced by gratings and plaids 38: 2087
Randomised double-masked placebo-controlled trial of a treatment for congenital nystagmus 38: 2193
Second-order motions contribute to vection 38: 2801
Motion after-effect due to binocular sum of adaptation to linear motion 38: 2963
Motion after-effects and word contingency 38: 3583
Local velocity representation: evidence from motion adaptation 38: 3899

AFTERIMAGES (*see* AFTEREFFECTS)

AGING
Image enhancement improves reading performance in age-related macular degeneration patients 38: 153
Presbyopia and the optical changes in the human crystalline lens with age 38: 209
Static aspects of accommodation: age and presbyopia 38: 1643
Colour vision in normal subjects tested by the colour arrangement test 'Roth 28-hue desaturated' 38: 3467

Aging and scotopic sensitivity 38: 3655

ALIASING
Evidence for spatial aliasing effects in the Y-like cells of the magnocellular visual pathway 38: 1843

ALIGNMENT (*see* HYPERACUITY)

AMBLYOPIA
Lack of lateral inhibitory interactions in visual cortex of monocularly deprived cats 38: 1
Photoreceptor function in unilateral amblyopia 38: 613
Integration of local orientation in strabismic amblyopia 38: 775
Contour integration in anisometropic amblyopia 38: 889
Spatial uncertainty and sampling efficiency in amblyopic position acuity 38: 1239

ANTIBODIES (*see* IMMUNOCHEMISTRY)

APPARENT MOTION (*see* MOTION PERCEPTION (APPARENT MOTION))

ATTENTION
Feature asymmetries in visual search: effects of display duration, target eccentricity, orientation and spatial frequency 38: 347
Limited-capacity mechanisms of visual discrimination 38: 375
Attentional selection by distractor suppression 38: 669
Saccadic localization of random dot targets 38: 895
The zone of focal attention during active visual search 38: 1007
External noise distinguishes attention mechanisms 38: 1183
On the time course of exogenous cueing effects; a commentary on Tassinari et al. (1994) 38: 1621
On the time course of exogenous cueing effects: a response to Lupiáñez and Weaver 38: 1625
The guidance of eye movements during active visual search 38: 1805
Stereo capture: local rematching driven by binocularly attended 3-D configuration rather than retinal images 38: 2081
A model of attention-guided visual perception and recognition 38: 2387
Priming reveals attentional modulation of human motion sensitivity 38: 2863
Attentional control of spatial scale: effects on self-organized motion patterns 38: 3743

BINOCULAR RIVALRY
Interactions between global motion and local binocular rivalry 38: 637

BINOCULAR VISION
Extra-retinal and perspective cues cause the small range of the induced effect 38: 187
Interaction of stereo vision and optic flow processing revealed by an illusory stimulus 38: 281
The area of spatial integration for initial horizontal disparity vergence 38: 319
Comparison of fixation disparities obtained by objective and subjective methods 38: 411
On the "Cyclopean eye": saccadic asymmetry and the reliability of perceived straight-ahead 38: 459
Accuracy of estimating time to collision using binocular and monocular information 38: 499
Methodological caveats for monitoring binocular eye position with Nonius stimuli 38: 591
A physiological model for motion-stereo integration and a unified explanation of Pulfrich-like phenomena. *Vision Research*, 37:1683 Errata 38: 773

Evidence for separate control of slow version and vergence eye movements: support for Hering's Law 38: 1145
The visual effects of head-mounted display (HMD) are not distinguishable from those of desk-top computer display 38: 2053
Stereo capture: local rematching driven by binocularly attended 3-D configuration rather than retinal images 38: 2081
The effect of forced vergence on retinal correspondence 38: 2711
Stereoscopic transparency: a test for binocular vision's disambiguating power 38: 2913
Asymmetrical vertical phorias indicating dissociated vertical deviation in subjects with normal binocular vision 38: 2973
A computational model of depth perception based on headcentric disparity 38: 2999
Temporal resolution of dichoptic and second-order motion mechanisms 38: 3531
Lens induced aniso-accommodation 38: 3601
Temporal aspects of stereoscopic slant estimation: an evaluation and extension of Howard and Kaneko's theory 38: 3871
Dynamics of horizontal vergence movements: interaction with horizontal and vertical saccades and relation with monocular preferences 38: 3943

BIPOLAR CELLS
Neurochemistry of the mammalian cone 'synaptic complex' 38: 1359
Amino acid neurotransmitters in the retina: a functional overview 38: 1371
Glycine and GABA receptors in the mammalian retina 38: 1411
γ-Aminobutyric acid transporter-mediated current from bipolar cells in tiger salamander retinal slices 38: 2521
Post-receptoral mechanisms of colour vision in new world primates 38: 3329

BLEACHING (*see also* ADAPTATION, DARK)
Multifocal ERG reveals long distance effects of a local bleach in the retina 38: 1567

BLINKING
Efficacy of gold weight implants in facial nerve palsy: quantitative alterations in blinking 38: 3019

BRIGHTNESS PERCEPTION
Nonlinear combination of luminance excursions during flicker, simultaneous contrast, afterimages and binocular fusion 38: 523
Texture brightness filling-in 38: 841
Differences in the luminance of the first and second displays affects visible persistence in opposite ways 38: 1233
The spatiotemporal properties of the Craik—O'Brien—Cornsweet effect are consistent with 'filling-in' 38: 2037

BROCA-SULZER EFFECT (*see* BRIGHTNESS PERCEPTION)

CELLS (*see* BIPOLAR CELLS; CORTEX; GANGLION CELLS; HORIZONTAL CELLS; LATERAL GENICULATE NUCLEUS)

CHANNELS
Spatial summation in simple (Fourier) and complex (non-Fourier) texture channels 38: 231
Is human motion detection subserved by a single or multiple channel mechanism? 38: 259
Molecular properties of the cGMP-gated channel of rod photoreceptors 38: 1315
A cGMP-gated cation channel and phototransduction in depolarizing photoreceptors of the lizard parietal eye 38: 1353
Ionotropic glutamate receptors in the retina: moving from molecules to circuits 38: 1399
Molecular composition of GABAC receptors 38: 1431

A model of cortically induced synchronization in the lateral geniculate nucleus of the cat: a role for low-threshold calcium channels 38: 2007
The effect of spatial frequency adaptation on the latency of spatial contrast detection 38: 3933

CHROMATIC ABERRATION (*see* ABERRATION)

CHROMATIC ADAPTATION (*see* ADAPTATION)

CHROMATIC CONTRAST (*see* COLOR CONTRAST)

CHROMATIC INDUCTION (*see* COLOR CONTRAST)

CLINICAL APPLICATIONS
Randomised double-masked placebo-controlled trial of a treatment for congenital nystagmus 38: 2193
Automated visual field examination in children aged 5—8 years: Part I: Experimental validation of a testing procedure 38: 2203
Automated visual field examination in children aged 5—8 years: Part II: Normative values 38: 2211
Acquired colour deficiency in patients with Parkinson's disease 38: 3421
Colour discrimination thresholds in Parkinson's disease: results obtained with a rapid computer-controlled colour vision test 38: 3427
Colour vision in AIDS patients without HIV retinopathy 38: 3441
Comparison of the D-15 and City University (second) color vision tests 38: 3461
Colour vision in normal subjects tested by the colour arrangement test 'Roth 28-hue desaturated' 38: 3467
Skewness and transformations of Farnsworth—Munsell 100-Hue Test scores 38: 3473
Can clinical colour vision tests be used to predict the results of the Farnsworth lantern test? 38: 3483
Validity of the Holmes—Wright lantern as a color vision test for the rail industry 38: 3487
Spatial cone activity distribution in diseases of the posterior pole determined by multifocal electroretinography 38: 3817

COGNITION
Task constraints in visual working memory 38: 125
Perceptual learning in visual search: some evidence of specificities 38: 333
Limited-capacity mechanisms of visual discrimination 38: 375
Spatial frequency discrimination: visual long-term memory or criterion setting? 38: 557
Object recognition using spatiotemporal signatures 38: 947
The contribution of color to visual memory in X-chromosome-linked diachromats 38: 1041
Saccades to remembered targets: the effects of saccades and illusory stimulus motion 38: 1287
A comparison of two computer-based face identification systems with human perceptions of faces 38: 2277
Similarity-based models of human visual recognition 38: 2289
Large-scale tests of a keyed, appearance-based 3-D object recognition system 38: 2469
Accuracy of visually and memory-guided antisaccades in man 38: 2979
Learning pop-out detection: building representations for conflicting target-distractor relationships 38: 3095
Memory-guided saccadic eye movements; effects of cerebellar disease 38: 3181
Hue memory and discrimination in young children 38: 3759

COLOR ANOMALY
Temporal analysis of the topographic ERG: chromatic *versus* achromatic stimulation 38: 1047
Pigment gene expression in protan color vision defects 38: 3359
Molecular genetic detection of female carriers of protan defects 38: 3365
Relating color discrimination to photopigment genes in deutan observers 38: 3371
Severity of color vision defects: electroretinographic (ERG), molecular and behavioral studies 38: 3377
Scotopic vision in colour-blinds 38: 3387
Effect of luminance on color perception of protanopes 38: 3397
Colour vision in gyrate atrophy 38: 3409
Colour discrimination ellipses in patients with dominant optic atrophy 38: 3413
Acquired colour deficiency in patients with Parkinson's disease 38: 3421
Dependence of color on context in a case of cortical color vision deficiency 38: 3455
Can clinical colour vision tests be used to predict the results of the Farnsworth lantern test? 38: 3483

COLOR APPEARANCE
Psychophysical evidence for boundary and surface systems in human vision 38: 71
Color vision in two observers with highly based LWS/MWS cone ratios 38: 601
The contribution of color to visual memory in X-chromosome-linked diachromats 38: 1041
Chromatic induction: border contrast or adaptation to surrounding light? 38: 1561
When is a background equivalent? Sparse chromatic context revisited 38: 1789
Rod influence on hue-scaling functions 38: 3259
Color appearance: neutral surrounds and spatial contrast 38: 3265
Frugivory and colour vision in *Alouatta seniculus*, a trichromatic platyrrhine monkey 38: 3321
Effect of luminance on color perception of protanopes 38: 3397
Colour vision in normal subjects tested by the colour arrangement test 'Roth 28-hue desaturated' 38: 3467

COLOR BLINDNESS (*see* COLOR ANOMALY)

COLOR CONSTANCY
When is a background equivalent? Sparse chromatic context revisited 38: 1789
Dependence of color on context in a case of cortical color vision deficiency 38: 3455

COLOR CONTRAST
A nonlinear chromatic motion mechanism 38: 291
Visual half-field development in children: detection of colour-contrast-defined forms 38: 645
Thresholds for the identification of the direction of motion of plaid patterns defined by luminance or chromatic contrast 38: 881
On the binocular summation of chromatic contrast 38: 1063
Effects of contrast and temporal frequency on orientation discrimination for luminance and isoluminant stimuli 38: 1105
Visual evoked potential assessment of the effects of glaucoma on visual subsystems 38: 1901
The contrast-response of the periphery effect 38: 1983
Pupil responses to stimulus color, structure and light flux increments in the rhesus monkey 38: 3353
Reaction time to motion onset of luminance and chromatic gratings is determined by perceived speed 38: 3681
Temporal analysis of the chromatic flash VEP–separate colour and luminance contrast components 38: 3979

COLOR DISCRIMINATION
Optomotor test for wavelength sensitivity in guppyfish *(Poecilia reticulata)* 38: 45
Short-wave cone signal in the red-green detection mechanism 38: 813
Dichromatic color vision at high light levels: red/green discrimination using the blue-sensitive mechanism 38: 973
Color and luminance detection and discrimination asymmetries and interactions 38: 1085
Tracing the timing of human analysis of motion and chromatic signals from occipital to temporo-parieto-occipital cortex: a transcranial magnetic stimulation study 38: 2619
Spectral bandwidths for the detection of color 38: 3117
Red-green chromatic discrimination with variegated and homogeneous stimuli 38: 3271
Colour vision in gyrate atrophy 38: 3409
Colour discrimination ellipses in patients with dominant optic atrophy 38: 3413
Colour discrimination thresholds in Parkinson's disease: results obtained with a rapid computer-controlled colour vision test 38: 3427
Colour vision in AIDS patients without HIV retinopathy 38: 3441
Residual processing of chromatic signals in the absence of a geniculostriate projection 38: 3447
Comparison of the D-15 and City University (second) color vision tests 38: 3461
Rods affect S-cone discrimination on the Farnsworth—Munsell 100-hue test 38: 3477
Can clinical colour vision tests be used to predict the results of the Farnsworth lantern test? 38: 3483
Validity of the Holmes—Wright lantern as a color vision test for the rail industry 38: 3487
Hue memory and discrimination in young children 38: 3759
Chromatic masking in the ($\Delta L/L$, $\Delta M/M$) plane of cone-contrast space reveals only two detection mechanisms 38: 3913

COLOR MATCHING
Human cone spectral sensitivities: a progress report 38: 3193
On derivation of spectral sensitivities of the human cones from trichromatic colour matching functions 38: 3207
Shift in Rayleigh matches after adaptation to monochromatic light of various intensities 38: 3253
Color appearance: neutral surrounds and spatial contrast 38: 3265
Relating color discrimination to photopigment genes in deutan observers 38: 3371
Severity of color vision defects: electroretinographic (ERG), molecular and behavioral studies 38: 3377
Colour vision in AIDS patients without HIV retinopathy 38: 3441

COLOR OPPONENCY
Post-receptoral mechanisms of colour vision in new world primates 38: 3329
Morphology of P and M retinal ganglion cells of the bush baby 38: 3345
Dichromacy characterized by chrominance planes 38: 3403
Objective specification of tritanopic confusion lines using visual evoked potentials 38: 3499
Chromatic masking in the ($\Delta L/L$, $\Delta M/M$) plane of cone-contrast space reveals only two detection mechanisms 38: 3913

COLOR SELECTIVITY
Development of the spatio-chromatic visual evoked potential (VEP): a longitudinal study 38: 3283

CONES
Light adaptation of cone photoresponses studied at the photoreceptor and ganglion cell levels in the frog retina 38: 19
Color vision in two observers with highly based LWS/MWS cone ratios 38: 601
Short-wave cone signal in the red-green detection mechanism 38: 813
Dichromatic color vision at high light levels: red/green discrimination using the blue-sensitive mechanism 38: 973
Contrast-modulation flicker: dynamics and spatial resolution of the light adaptation process 38: 985
Local nonlinearity in S-cones and their estimated light-collecting apertures 38: 1001
Neurochemistry of the mammalian cone 'synaptic complex' 38: 1359
Multifocal ERG reveals long distance effects of a local bleach in the retina 38: 1567
M- and L-cones in early infancy: I. VEP responses to receptor-isolating stimuli at 4- and 8-weeks of age 38: 1753
M- and L-cones in early infancy: II. action spectra at 8 weeks of age 38: 1765
Effects of known variations in photopigments on *L/M* cone ratios estimated from luminous efficiency functions 38: 1961
Spectral sensitivity of cones in the goldfish, *Carassius auratus* 38: 2135
Functional architecture of primate cone and rod axons 38: 2539
The spatial arrangement of the L and M cones in the central fovea of the living human eye 38: 2575
Human cone spectral sensitivities: a progress report 38: 3193
On derivation of spectral sensitivities of the human cones from trichromatic colour matching functions 38: 3207
L-cone pigment genes expressed in normal colour vision 38: 3213
Expression of L cone pigment gene subtypes in females 38: 3221
Numbers and ratios of X-chromosomal-linked opsin genes 38: 3227
Macular pigment densities derived from central and peripheral spectral sensitivity differences 38: 3233
Macular pigment and the colour-specificity of visual evoked potentials 38: 3241
Response phase of the flicker electroretinogram (ERG) is influenced by cone excitation strength 38: 3247
Shift in Rayleigh matches after adaptation to monochromatic light of various intensities 38: 3253
Rod influence on hue-scaling functions 38: 3259
M- and L-cones in early infancy: III. Comparison of genotypic and phenotypic markers of color vision in infants and adults 38: 3293
A perspective on color vision in platyrrhine monkeys 38: 3307
Pigment gene expression in protan color vision defects 38: 3359
Relating color discrimination to photopigment genes in deutan observers 38: 3371
Flicker cone electroretinogram in dichromats and trichromats 38: 3391
Rods affect S-cone discrimination on the Farnsworth—Munsell 100-hue test 38: 3477
Objective specification of tritanopic confusion lines using visual evoked potentials 38: 3499
Spectra of human L cones 38: 3663
Color from invisible flicker: a failure of the Talbot—Plateau law caused by an early 'hard' saturating nonlinearity used to partition the human short-wave cone pathway 38: 3703
Spatial cone activity distribution in diseases of the posterior pole determined by multifocal electroretinography 38: 3817

CONTOUR PERCEPTION
Psychophysical evidence for boundary and surface systems in human vision 38: 71
Evidence for boundary-specific grouping 38: 143

Examining edge- and region-based texture analysis mechanisms 38: 439
Triphasic temporal impulse responses and Mach bands in time 38: 447
Extraction of perceptually salient contours by striate cortical networks 38: 719
The role of "contrast enhancement" in the detection and appearance of visual contours 38: 783
Texture brightness filling-in 38: 841
Constraints on long range interactions mediating contour detection 38: 865
Contour integration in anisometropic amblyopia 38: 889
The spatiotemporal properties of the Craik—O'Brien—Cornsweet effect are consistent with 'filling-in' 38: 2037
Observer biases in the 3D interpretation of line drawings 38: 2817
Three-dimensionally slanted illusory contours capture stereopsis 38: 3109

CONTRAST DISCRIMINATION
The effects of surround contrast on contrast thresholds, perceived contrast and contrast discrimination 38: 1935
Long-lasting, long-range detection facilitation 38: 2591
Effects of spatial configuration on contrast detection 38: 3541

CONTRAST FLASH (*see* MASKING)

CONTRAST PERCEPTION
The effect of white and filtered noise on contrast detection thresholds 38: 267
Detection facilitation by collinear stimuli in humans: dependence on strength and sign of contrast 38: 423
The role of "contrast enhancement" in the detection and appearance of visual contours 38: 783
The effects of surround contrast on contrast thresholds, perceived contrast and contrast discrimination 38: 1935

CONTRAST REVERSAL
Lack of lateral inhibitory interactions in visual cortex of monocularly deprived cats 38: 1

CONTRAST SENSITIVITY
Effects of mean luminance on goldfish temporal contrast sensitivity 38: 55
Peripheral and central factors limiting the development of contrast sensitivity in macaque monkeys 38: 61
Two segmentation mechanisms with differential sensitivity for colour and luminance contrast 38: 101
Image enhancement improves reading performance in age-related macular degeneration patients 38: 153
On the binocular summation of chromatic contrast 38: 1063
Effects of contrast and temporal frequency on orientation discrimination for luminance and isoluminant stimuli 38: 1105
Discrimination of spatial displacements by patients with retinitis pigmentosa 38: 1171
Psychophysical evidence for a magnocellular pathway deficit in dyslexia 38: 1555
Visual acuity *versus* letter contrast sensitivity in early cataract 38: 2047
Medial-point description of shape: a representation for action coding and its psychophysical correlates 38: 2323
Assessment of visual acuity and contrast sensitivity in the chick using an optokinetic nystagmus paradigm 38: 2629
Theoretical and practical performance of a concentric bifocal intraocular implant lens 38: 2841
Spatial-frequency and contrast tuning of the transient-stereopsis system 38: 3057
Effect of contrast on the perception of moving multiple Gabor patterns 38: 3069

Spatial and temporal aspects of infant color vision 38: 3275
Temporal resolution of dichoptic and second-order motion mechanisms 38: 3531
The effect of suprathreshold contrast on stimulus centroid and its implications for the perceived location of objects 38: 3591
When stereopsis does not improve with increasing contrast 38: 3671
Reaction time to motion onset of luminance and chromatic gratings is determined by perceived speed 38: 3681
Recognition of band-pass filtered hand-written numerals in foveal and peripheral vision 38: 3691
Elongated physiological summation pools in the human visual cortex 38: 3735
Optical, receptoral, and retinal constraints on foveal and peripheral vision in the human neonate 38: 3857
Is the rod visual field temporally homogeneous? 38: 3927

CORTEX
Lack of lateral inhibitory interactions in visual cortex of monocularly deprived cats 38: 1
Cortical computation of stereo disparity 38: 91
Perceptual learning in visual search: some evidence of specificities 38: 333
Extraction of perceptually salient contours by striate cortical networks 38: 719
A model of neuronal responses in visual area MT 38: 743
Tuning of orientation detectors in human vision 38: 963
Two mechanisms underlie processing of stochastic motion stimuli 38: 1211
Human motion perception and smooth eye movements show similar directional biases for elongated apertures 38: 1273
A model for end-stopping in the visual cortex 38: 2023
The spatiotemporal properties of the Craik—O'Brien—Cornsweet effect are consistent with 'filling-in' 38: 2037
Different mechanisms underlie three inhibitory phenomena in cat area 17 38: 2067
The role of the primary visual cortex in higher level vision 38: 2429
Tracing the timing of human analysis of motion and chromatic signals from occipital to temporo-parieto-occipital cortex: a transcranial magnetic stimulation study 38: 2619
Residual processing of chromatic signals in the absence of a geniculostriate projection 38: 3447
Elongated physiological summation pools in the human visual cortex 38: 3735

CORTICAL MAGNIFICATION
Feature asymmetries in visual search: effects of display duration, target eccentricity, orientation and spatial frequency 38: 347
Spatiotemporal impulse response and cortical magnification 38: 1119

CRAIK-O'BRIEN EFFECT (*see* CONTOUR PERCEPTION)

CURVATURE
A simple mechanism for detecting low curvatures. *Vision Research* 36:1411 Errata 38: 773
Constraints on long range interactions mediating contour detection 38: 865
Detection and recognition of radial frequency patterns 38: 3555
Geometric representation of the mechanisms underlying human curvature detection 38: 3843

DEPTH PERCEPTION
Luminance contrast affects motion coherency in plaid patterns by acting as a depth-from-occlusion cue 38: 387
A computational model of depth perception based on headcentric disparity 38: 2999

DETECTION THRESHOLD
Analysis of oscillations of the visual sensitivity 38: 139
Limited-capacity mechanisms of visual discrimination 38: 375
Detection facilitation by collinear stimuli in humans: dependence on strength and sign of contrast 38: 423
The effect of photon noise on the detection of white flashes 38: 691
Motion detection on flashed, stationary pedestal gratings: evidence for an opponent-motion mechanism 38: 795
Thresholds for the identification of the direction of motion of plaid patterns defined by luminance or chromatic contrast 38: 881
Color and luminance detection and discrimination asymmetries and interactions 38: 1085
Orientation dependency for foveal line stimuli: detection and intensity discrimination, resolution, orientation discrimination and Vernier acuity 38: 1097
Forced-choice staircases with fixed step sizes: asymptotic and small-sample properties 38: 1861
The effects of surround contrast on contrast thresholds, perceived contrast and contrast discrimination 38: 1935
Long-lasting, long-range detection facilitation 38: 2591
Spatial frequency discrimination and detection characteristics for gratings defined by orientation texture 38: 2601

DEVELOPMENT
Peripheral and central factors limiting the development of contrast sensitivity in macaque monkeys 38: 61
Long-term reliability and predictive validity of the Teller Acuity Card procedure 38: 619
Rod photoresponses in 6-week and 4-month-old human infants 38: 627
Visual half-field development in children: detection of colour-contrast-defined forms 38: 645
Visual half-field development in children: detection of motion-defined forms 38: 651
Development of directional motion symmetry in the monocular visually evoked potential of infant monkeys 38: 1253
Diversity of glutamate receptors in the mammalian retina 38: 1385
M- and L-cones in early infancy: I. VEP responses to receptor-isolating stimuli at 4- and 8-weeks of age 38: 1753
M- and L-cones in early infancy: II. action spectra at 8 weeks of age 38: 1765
Eye movements, prematurity and developmental co-ordination disorder 38: 1817
Temporal modulation enhances the efficiency of spatial offset discriminations by 6-month-olds 38: 2127
Automated visual field examination in children aged 5—8 years: Part I: Experimental validation of a testing procedure 38: 2203
Automated visual field examination in children aged 5—8 years: Part II: Normative values 38: 2211
Visual field extent in children 3.5—30 months of age tested with a double-arc LED perimeter 38: 2743
A biophysical model for the developmental time course of retinal orientation selectivity 38: 2787
Spatial and temporal aspects of infant color vision 38: 3275
Development of the spatio-chromatic visual evoked potential (VEP): a longitudinal study 38: 3283
M- and L-cones in early infancy: III. Comparison of genotypic and phenotypic markers of color vision in infants and adults 38: 3293
The susceptible period for deprivation-induced myopia in tree shrew 38: 3505
Hue memory and discrimination in young children 38: 3759

Optical, receptoral, and retinal constraints on foveal and peripheral vision in the human neonate 38: 3857

DICHROMACY
Dichromatic color vision at high light levels: red/green discrimination using the blue-sensitive mechanism 38: 973
The contribution of color to visual memory in X-chromosome-linked diachromats 38: 1041
Response phase of the flicker electroretinogram (ERG) is influenced by cone excitation strength 38: 3247
Post-receptoral mechanisms of colour vision in new world primates 38: 3329
Flicker cone electroretinogram in dichromats and trichromats 38: 3391
Dichromacy characterized by chrominance planes 38: 3403

DIPLOPIA (*see* BINOCULAR VISION)

DIRECTIONAL SENSITIVITY (MOTION) (*see* MOTION PERCEPTION (DIRECTIONAL SENSITIVITY))

DISPARITY (*see* BINOCULAR VISION; STEREOPSIS)

ECCENTRICITY (*see* PERIPHERAL VISION)

EDGE DETECTION
Observer biases in the 3D interpretation of line drawings 38: 2817
How much of the visual object is used in estimating its position? 38: 3025
Photoreceptor coupling and boundary detection 38: 3161
The effect of suprathreshold contrast on stimulus centroid and its implications for the perceived location of objects 38: 3591

ELECTRORETINOGRAM
Light adaptation of cone photoresponses studied at the photoreceptor and ganglion cell levels in the frog retina 38: 19
Assessment of local retinal function in patients with retinitis pigmentosa using the multi-focal ERG technique 38: 163
Rod photoresponses in 6-week and 4-month-old human infants 38: 627
Temporal analysis of the topographic ERG: chromatic *versus* achromatic stimulation 38: 1047
Zebrafish retinal mutants 38: 1335
The push—pull action of dopamine on spatial tuning of the monkey retina: the effects of dopaminergic deficiency and selective D1 and D2 receptor ligands on the pattern electroretinogram 38: 1479
Multifocal ERG reveals long distance effects of a local bleach in the retina 38: 1567
Response phase of the flicker electroretinogram (ERG) is influenced by cone excitation strength 38: 3247
Severity of color vision defects: electroretinographic (ERG), molecular and behavioral studies 38: 3377
Flicker cone electroretinogram in dichromats and trichromats 38: 3391
Spatial cone activity distribution in diseases of the posterior pole determined by multifocal electroretinography 38: 3817

ENTOPTIC PHENOMENA
Entoptic image quality of the retinal vasculature 38: 2685

EVOKED POTENTIALS
Development of directional motion symmetry in the monocular visually evoked potential of infant monkeys 38: 1253
M- and L-cones in early infancy: I. VEP responses to receptor-isolating stimuli at 4- and 8-weeks of age 38: 1753
M- and L-cones in early infancy: II. action spectra at 8 weeks of age 38: 1765
Visual evoked potential assessment of the effects of glaucoma on visual subsystems 38: 1901
OKN, perceptual and VEP direction biases in strabismus 38: 2833
Macular pigment and the colour-specificity of visual evoked potentials 38: 3241
Development of the spatio-chromatic visual evoked potential (VEP): a longitudinal study 38: 3283
Objective specification of tritanopic confusion lines using visual evoked potentials 38: 3499
Elongated physiological summation pools in the human visual cortex 38: 3735
Temporal analysis of the chromatic flash VEP–separate colour and luminance contrast components 38: 3979

EYE-MOVEMENTS
Extra-retinal and perspective cues cause the small range of the induced effect 38: 187
The congenital and see-saw nystagmus in the prototypical achiasma of canines: comparison to the human achiasmatic prototype 38: 1629
A model of attention-guided visual perception and recognition 38: 2387

EYE-MOVEMENTS, OPTIC FLOW
Heading detection using motion templates and eye velocity gain fields 38: 2155

EYE-MOVEMENTS, OPTOKINETIC NYSTAGMUS
Optomotor response of *Anableps anableps* depends on the field of view 38: 2001
Assessment of visual acuity and contrast sensitivity in the chick using an optokinetic nystagmus paradigm 38: 2629
OKN, perceptual and VEP direction biases in strabismus 38: 2833

EYE-MOVEMENTS, SACCADIC
Orthographic codes are used in integrating information from the parafovea by the saccadic computation system 38: 115
Task constraints in visual working memory 38: 125
Eye movement control during reading: a simulation of some word-targeting strategies 38: 303
On the "Cyclopean eye": saccadic asymmetry and the reliability of perceived straight-ahead 38: 459
Saccadic localization of random dot targets 38: 895
Unspaced text interferes with both word identification and eye movement control 38: 1129
Saccades to remembered targets: the effects of saccades and illusory stimulus motion 38: 1287
The guidance of eye movements during active visual search 38: 1805
Detecting saccades with jerk 38: 2147
Accuracy of visually and memory-guided antisaccades in man 38: 2979
A computational model of depth perception based on headcentric disparity 38: 2999
Immediate post-saccadic information mediates space constancy 38: 3147
Memory-guided saccadic eye movements; effects of cerebellar disease 38: 3181
Gaze and retinal-image-stability in two kinds of sequential looking tasks 38: 3773
Dynamics of horizontal vergence movements: interaction with horizontal and vertical saccades and relation with monocular preferences 38: 3943

Spatial characteristics of visual-auditory summation in human saccades 38: 3955

EYE-MOVEMENTS, SMOOTH PURSUIT
Perceived head-centric speed is affected by both extra-retinal and retinal errors 38: 941
Evidence for separate control of slow version and vergence eye movements: support for Hering's Law 38: 1145
Human motion perception and smooth eye movements show similar directional biases for elongated apertures 38: 1273
Eye movements, prematurity and developmental co-ordination disorder 38: 1817
Detecting saccades with jerk 38: 2147
Gaze and retinal-image-stability in two kinds of sequential looking tasks 38: 3773
Spatial integration in human smooth pursuit 38: 3785

EYE-MOVEMENTS, VERGENCE
The area of spatial integration for initial horizontal disparity vergence 38: 319
Judging distance from ocular convergence 38: 493
Luminance contrast and spatial-frequency tuning of the transient-vergence system 38: 705
Visual test of Listing's law during vergence 38: 911
Evidence for separate control of slow version and vergence eye movements: support for Hering's Law 38: 1145
Dynamic asymmetries in disparity convergence eye movements 38: 2761
A model of the contribution of oculomotor and optical factors to emmetropization and myopia 38: 2869
Using a synoptophore to test Listing's law during vergence in normal subjects and strabismic patients 38: 3621
Dynamics of horizontal vergence movements: interaction with horizontal and vertical saccades and relation with monocular preferences 38: 3943

EYE-MOVEMENTS, VESTIBULO-OCULAR
Signals of eye position and velocity in the first-order afferents from pigeon extraocular muscles 38: 1795
Detecting saccades with jerk 38: 2147

FACE RECOGNITION
How is bilateral symmetry of human faces used for recognition of novel views? 38: 79
A comparison of two computer-based face identification systems with human perceptions of faces 38: 2277
Coding spatial variations in faces and simple shapes: a test of two models 38: 2307
Stimulus-specific effects in face recognition over changes in viewpoint 38: 2351
Training 'greeble' experts: a framework for studying expert object recognition processes 38: 2401
Recognition of own-race and other-race caricatures: implications for models of face recognition 38: 2455
Inversion superiority in visual agnosia may be common to a variety of orientation polarised objects besides faces 38: 2855

FEATURE DETECTION
How is bilateral symmetry of human faces used for recognition of novel views? 38: 79

FISH VISION
Comparative morphology of distal neurons in larval and adult zebrafish retinas 38: 13
Optomotor test for wavelength sensitivity in guppyfish *(Poecilia reticulata)* 38: 45
Effects of mean luminance on goldfish temporal contrast sensitivity 38: 55
An action spectrum for the light-dependent inhibition of swimming behavior in newly hatched white sturgeon, *Acipenser transmontanus* 38: 111

Zebrafish retinal mutants 38: 1335
Optomotor response of *Anableps anableps* depends on the field of view 38: 2001
Spectral sensitivity of cones in the goldfish, *Carassius auratus* 38: 2135
The pupil response of a teleost fish, *Porichthys notatus:* description and comparison to other species 38: 2697
Imaging of glutamate release from the goldfish retinal slice 38: 2909

FIXATION
Task constraints in visual working memory 38: 125
Comparison of fixation disparities obtained by objective and subjective methods 38: 411
On the "Cyclopean eye": saccadic asymmetry and the reliability of perceived straight-ahead 38: 459
The zone of focal attention during active visual search 38: 1007
Unspaced text interferes with both word identification and eye movement control 38: 1129
Adjustment of fixation duration in visual search 38: 1295
The guidance of eye movements during active visual search 38: 1805
The effect of forced vergence on retinal correspondence 38: 2711
Bilateral symmetry embedded in noise is detected accurately only at fixation 38: 3795

FLICKER
Nonlinear combination of luminance excursions during flicker, simultaneous contrast, afterimages and binocular fusion 38: 523
Contrast-modulation flicker: dynamics and spatial resolution of the light adaptation process 38: 985
Temporal analysis of the topographic ERG: chromatic *versus* achromatic stimulation 38: 1047
The contrast-response of the periphery effect 38: 1983
Temporal modulation enhances the efficiency of spatial offset discriminations by 6-month-olds 38: 2127
Color from invisible flicker: a failure of the Talbot—Plateau law caused by an early 'hard' saturating nonlinearity used to partition the human short-wave cone pathway 38: 3703

FORM PERCEPTION
Evidence for boundary-specific grouping 38: 143
Extra-retinal and perspective cues cause the small range of the induced effect 38: 187
The perceived rigidity of rotating eight-vertex geometric forms: extracting nonrigid structure from rigid motion 38: 541
Plaid slant and inclination thresholds can be predicted from components 38: 1073
Effects of contrast and temporal frequency on orientation discrimination for luminance and isoluminant stimuli 38: 1105
Static aspects of accommodation: age and presbyopia 38: 1643
Surface orientation from texture: ideal observers, generic observers and the information content of texture cues 38: 1655
Discrimination of planar surface slant from texture: human and ideal observers compared 38: 1683
Medial-point description of shape: a representation for action coding and its psychophysical correlates 38: 2323
Determining the similarity of deformable shapes 38: 2365
Ideal observer perturbation analysis reveals human strategies for inferring surface orientation from texture 38: 2635
Observer biases in the 3D interpretation of line drawings 38: 2817
Detection of global structure in Glass patterns: implications for form vision 38: 2933
Detection and recognition of radial frequency patterns 38: 3555

Shape from shading: estimation of reflectance map 38: 3805
Temporal aspects of stereoscopic slant estimation: an evaluation and extension of Howard and Kaneko's theory 38: 3871

FOVEA
Photoreceptor function in unilateral amblyopia 38: 613
Optical properties of retinal photoreceptors and the Campbell effect 38: 953
Discrimination of spatial displacements by patients with retinitis pigmentosa 38: 1171
Multifocal ERG reveals long distance effects of a local bleach in the retina 38: 1567
The spatial arrangement of the L and M cones in the central fovea of the living human eye 38: 2575
Recognition of band-pass filtered hand-written numerals in foveal and peripheral vision 38: 3691
Bilateral symmetry embedded in noise is detected accurately only at fixation 38: 3795
Optical, receptoral, and retinal constraints on foveal and peripheral vision in the human neonate 38: 3857

GAIN CONTROL
Chromatic induction: border contrast or adaptation to surrounding light? 38: 1561
Evidence for a noise gain control mechanism in human vision 38: 1925
Different mechanisms underlie three inhibitory phenomena in cat area 17 38: 2067
Dynamics of a divisive gain control in human vision 38: 2735
The effect of spatial frequency adaptation on the latency of spatial contrast detection 38: 3933

GANGLION CELLS
Light adaptation of cone photoresponses studied at the photoreceptor and ganglion cell levels in the frog retina 38: 19
The primary visual system of adult lizards demonstrates that neurogenesis is not obligatorily linked to central nerve regeneration but may be a prerequisite for the restoration of maps in the brain 38: 789
Reduced retinal deficits in an albino mammal with a cone rich retina: a study of the ganglion cell layer at the area centralis of pigmented and albino grey squirrels 38: 937
Glycine and GABA receptors in the mammalian retina 38: 1411
Neurochemical organization of the macaque retina: effect of TTX on levels and gene expression of cytochrome oxidase and nitric oxide synthase and on the immunoreactivity of Na+K+ATPase and NMDA receptor subunit I 38: 1455
The push—pull action of dopamine on spatial tuning of the monkey retina: the effects of dopaminergic deficiency and selective D1 and D2 receptor ligands on the pattern electroretinogram 38: 1479
Nitrate therapy may retard glaucomatous optic neuropathy, perhaps through modulation of glutamate receptors 38: 1489
Leber hereditary optic neuropathy: respiratory chain dysfunction and degeneration of the optic nerve 38: 1495
Effects of GDNF on retinal ganglion cell survival following axotomy 38: 1505
Prolonged administration of NT-4/5 fails to rescue most axotomized retinal ganglion cells in adult rats 38: 1517
Regenerative capacity of retinal ganglion cells in mammals 38: 1525
Protection of retinal ganglion cells and preservation of function after optic nerve lesion in *bcl*-2 transgenic mice 38: 1537
Functional recovery of vision in regenerated optic nerve fibers 38: 1545
Evidence for a noise gain control mechanism in human vision 38: 1925
Modeling the physiological responses of anuran R3 ganglion cells 38: 2551

A biophysical model for the developmental time course of retinal orientation selectivity 38: 2787
Post-receptoral mechanisms of colour vision in new world primates 38: 3329
Comparative retinal physiology in anthropoids 38: 3339
Morphology of P and M retinal ganglion cells of the bush baby 38: 3345

GENES
Functional characterization of visual and nonvisual pigments of American chameleon *(Anolis carolinensis)* 38: 37
Localization and function of five glutamate transporters cloned from the salamander retina 38: 1443
Neurochemical organization of the macaque retina: effect of TTX on levels and gene expression of cytochrome oxidase and nitric oxide synthase and on the immunoreactivity of Na+K+ATPase and NMDA receptor subunit I 38: 1455
Leber hereditary optic neuropathy: respiratory chain dysfunction and degeneration of the optic nerve 38: 1495
Human cone spectral sensitivities: a progress report 38: 3193
L-cone pigment genes expressed in normal colour vision 38: 3213
Expression of L cone pigment gene subtypes in females 38: 3221
Numbers and ratios of X-chromosomal-linked opsin genes 38: 3227
M- and L-cones in early infancy: III. Comparison of genotypic and phenotypic markers of color vision in infants and adults 38: 3293
Molecular evolution of trichromacy in primates 38: 3299
A perspective on color vision in platyrrhine monkeys 38: 3307
Recent evolution of uniform trichromacy in a New World monkey 38: 3315
Pigment gene expression in protan color vision defects 38: 3359
Molecular genetic detection of female carriers of protan defects 38: 3365
Severity of color vision defects: electroretinographic (ERG), molecular and behavioral studies 38: 3377
Exclusion of the apoE gene in autosomal dominant pigmentosa 38: 3829

GROUPING
Evidence for boundary-specific grouping 38: 143
Texture segregation, surface representation and figure—ground separation 38: 2657

HISTOCHEMISTRY (*see* NEUROCHEMISTRY)

HORIZONTAL CELLS
Neurochemistry of the mammalian cone 'synaptic complex' 38: 1359

HYPERACUITY
Lines and Gabor functions compared as spatial visual stimuli 38: 487
A simple mechanism for detecting low curvatures. *Vision Research* 36:1411 Errata 38: 773
Orientation dependency for foveal line stimuli: detection and intensity discrimination, resolution, orientation discrimination and Vernier acuity 38: 1097
Vernier and letter acuities for low-pass filtered moving stimuli 38: 1967
Temporal modulation enhances the efficiency of spatial offset discriminations by 6-month-olds 38: 2127
The spatial arrangement of the L and M cones in the central fovea of the living human eye 38: 2575
Detection and recognition of radial frequency patterns 38: 3555
Geometric representation of the mechanisms underlying human curvature detection 38: 3843

ILLUSION (*see also* AFTEREFFECTS)
Interaction of stereo vision and optic flow processing revealed by an illusory stimulus 38: 281
Saccades to remembered targets: the effects of saccades and illusory stimulus motion 38: 1287
Evidence for spatial aliasing effects in the Y-like cells of the magnocellular visual pathway 38: 1843
The spatiotemporal properties of the Craik—O'Brien—Cornsweet effect are consistent with 'filling-in' 38: 2037
The cyclopean (stereoscopic) barber pole illusion 38: 2119
Global induced motion and visual stability in an optic flow illusion 38: 3083
Three-dimensionally slanted illusory contours capture stereopsis 38: 3109

ILLUSORY CONTOURS (*see* ILLUSION)

IMAGE QUALITY
Image enhancement improves reading performance in age-related macular degeneration patients 38: 153
Entoptic image quality of the retinal vasculature 38: 2685
Retinal image quality in the human eye as a function of the accommodation 38: 2897

IMMUNOCHEMISTRY
Diversity of glutamate receptors in the mammalian retina 38: 1385
Neurochemical organization of the macaque retina: effect of TTX on levels and gene expression of cytochrome oxidase and nitric oxide synthase and on the immunoreactivity of Na+K+ATPase and NMDA receptor subunit I 38: 1455
Platelet-derived growth factor B-chain expression in the rat retina and optic nerve: distribution and changes after transection of the optic nerve 38: 3031

INTEROCULAR TRANSFER (*see* AFTEREFFECTS)

IRIS
The pupil response of a teleost fish, *Porichthys notatus:* description and comparison to other species 38: 2697

LATENCY (*see* REACTION TIME)

LATERAL GENICULATE NUCLEUS
A model of cortically induced synchronization in the lateral geniculate nucleus of the cat: a role for low-threshold calcium channels 38: 2007
Comparative retinal physiology in anthropoids 38: 3339

LATERAL INHIBITION
Lack of lateral inhibitory interactions in visual cortex of monocularly deprived cats 38: 1
Tuning of orientation detectors in human vision 38: 963
On the time course of exogenous cueing effects; a commentary on Tassinari et al. (1994) 38: 1621
On the time course of exogenous cueing effects: a response to Lupiáñez and Weaver 38: 1625
Different mechanisms underlie three inhibitory phenomena in cat area 17 38: 2067

LENS
Presbyopia and the optical changes in the human crystalline lens with age 38: 209

LOW VISION
Image enhancement improves reading performance in age-related macular degeneration patients 38: 153
Visual acuity *versus* letter contrast sensitivity in early cataract 38: 2047
High and low luminance letters, acuity reserve, and font effects on reading speed 38: 2527
Psychophysics of reading. XVIII. The effect of print size on reading speed in normal peripheral vision 38: 2949

LUMINANCE
Effects of mean luminance on goldfish temporal contrast sensitivity 38: 55
Two segmentation mechanisms with differential sensitivity for colour and luminance contrast 38: 101
Luminance contrast affects motion coherency in plaid patterns by acting as a depth-from-occlusion cue 38: 387
Nonlinear combination of luminance excursions during flicker, simultaneous contrast, afterimages and binocular fusion 38: 523
The effect of photon noise on the detection of white flashes 38: 691
Luminance contrast and spatial-frequency tuning of the transient-vergence system 38: 705
Thresholds for the identification of the direction of motion of plaid patterns defined by luminance or chromatic contrast 38: 881
Color and luminance detection and discrimination asymmetries and interactions 38: 1085
Effects of contrast and temporal frequency on orientation discrimination for luminance and isoluminant stimuli 38: 1105
Differences in the luminance of the first and second displays affects visible persistence in opposite ways 38: 1233
Visual evoked potential assessment of the effects of glaucoma on visual subsystems 38: 1901
High and low luminance letters, acuity reserve, and font effects on reading speed 38: 2527
How much of the visual object is used in estimating its position? 38: 3025
Abnormal motion displacement thresholds are associated with fine scale luminance sensitivity loss in glaucoma 38: 3171
Pupil responses to stimulus color, structure and light flux increments in the rhesus monkey 38: 3353
Scotopic vision in colour-blinds 38: 3387
Effect of luminance on color perception of protanopes 38: 3397
Temporal analysis of the chromatic flash VEP–separate colour and luminance contrast components 38: 3979

MACH BANDS (*see* CONTOUR PERCEPTION)

MACULAR PIGMENT
Macular pigment densities derived from central and peripheral spectral sensitivity differences 38: 3233
Macular pigment and the colour-specificity of visual evoked potentials 38: 3241

MASKING
Cortical computation of stereo disparity 38: 91
The effect of white and filtered noise on contrast detection thresholds 38: 267
Successive episodes produce direction contrast effects in motion perception 38: 579
Orientation masks 3-Gabor alignment performance 38: 827
Texture brightness filling-in 38: 841
Estimating multiple temporal mechanisms in human vision 38: 1023
Motion deblurring in a neural network model of retino-cortical dynamics 38: 1827
The contrast-response of the periphery effect 38: 1983
Dynamics of a divisive gain control in human vision 38: 2735

Spectral bandwidths for the detection of color 38: 3117
Chromatic masking in the (ΔL/L, ΔM/M) plane of cone-contrast space reveals only two detection mechanisms 38: 3913

MCCOLLOUGH EFFECT (*see* AFTEREFFECTS)

MEMORY (*see* COGNITION)

METACONTRAST (*see* MASKING)

MOLECULAR BIOLOGY
Molecular properties of the cGMP-gated channel of rod photoreceptors 38: 1315
Ionotropic glutamate receptors in the retina: moving from molecules to circuits 38: 1399
Molecular composition of GABAC receptors 38: 1431
Molecular evolution of trichromacy in primates 38: 3299
Molecular genetic detection of female carriers of protan defects 38: 3365
Severity of color vision defects: electroretinographic (ERG), molecular and behavioral studies 38: 3377
Exclusion of the apoE gene in autosomal dominant pigmentosa 38: 3829

MONOCULAR VISION
Lack of lateral inhibitory interactions in visual cortex of monocularly deprived cats 38: 1
The *Cyclops effect* in adults: sighting without visual feedback 38: 327
Accuracy of estimating time to collision using binocular and monocular information 38: 499
Monocular occlusion cues alter the influence of terminator motion in the barber pole phenomenon 38: 3883

MORPHOLOGY (*see* NEUROANATOMY)

MOTION PERCEPTION
Luminance contrast affects motion coherency in plaid patterns by acting as a depth-from-occlusion cue 38: 387
Sensitivity to second-order motion as a function of temporal frequency and eccentricity 38: 403
The perceived rigidity of rotating eight-vertex geometric forms: extracting nonrigid structure from rigid motion 38: 541
Visual motion aftereffects: differential adaptation and test stimulation 38: 573
Interactions between global motion and local binocular rivalry 38: 637
Visual half-field development in children: detection of motion-defined forms 38: 651
A model of neuronal responses in visual area MT 38: 743
A physiological model for motion-stereo integration and a unified explanation of Pulfrich-like phenomena. *Vision Research,* 37:1683 Errata 38: 773
Motion detection on flashed, stationary pedestal gratings: evidence for an opponent-motion mechanism 38: 795
dmax for stereopsis and motion in random dot displays 38: 925
Object recognition using spatiotemporal signatures 38: 947
Discrimination of spatial displacements by patients with retinitis pigmentosa 38: 1171
Two mechanisms underlie processing of stochastic motion stimuli 38: 1211
Psychophysical evidence for a magnocellular pathway deficit in dyslexia 38: 1555
The optimal motion stimulus: comments on Watson and Turano (1995) 38: 1611
A rotational stereoscopic 3-dimensional movement aftereffect 38: 1745
Upper displacement limits for spatially broadband patterns containing bandpass noise 38: 1775
Evidence for spatial aliasing effects in the Y-like cells of the magnocellular visual pathway 38: 1843

Vernier and letter acuities for low-pass filtered moving stimuli 38: 1967
Motion blur and motion sharpening: temporal smear and local contrast nonlinearity 38: 2099
Chronic motion perception deficits from midline cerebellar lesions in human 38: 2219
Tracing the timing of human analysis of motion and chromatic signals from occipital to temporo-parieto-occipital cortex: a transcranial magnetic stimulation study 38: 2619
Second-order motions contribute to vection 38: 2801
OKN, perceptual and VEP direction biases in strabismus 38: 2833
Priming reveals attentional modulation of human motion sensitivity 38: 2863
Discrimination of global-motion signal strength 38: 3051
Effect of contrast on the perception of moving multiple Gabor patterns 38: 3069
Abnormal motion displacement thresholds are associated with fine scale luminance sensitivity loss in glaucoma 38: 3171
Spatial and temporal aspects of infant color vision 38: 3275
Position displacement, not velocity, is the cue to motion detection of second-order stimuli 38: 3569
Motion after-effects and word contingency 38: 3583
Motion analysis by feature tracking 38: 3633
Attentional control of spatial scale: effects on self-organized motion patterns 38: 3743
Local velocity representation: evidence from motion adaptation 38: 3899

MOTION PERCEPTION (APERTURE PROBLEM)
Human motion perception and smooth eye movements show similar directional biases for elongated apertures 38: 1273
Local and global factors affecting the coherent motion of gratings presented in multiple apertures 38: 1581
Veridical perception of global motion from disparate component motions 38: 1605
Monocular occlusion cues alter the influence of terminator motion in the barber pole phenomenon 38: 3883

MOTION PERCEPTION (APPARENT MOTION)
Is human motion detection subserved by a single or multiple channel mechanism? 38: 259
A nonlinear chromatic motion mechanism 38: 291
Motion assimilation for expansion/contraction and rotation and its spatial properties 38: 429

MOTION PERCEPTION (DIRECTIONAL SENSITIVITY)
Is human motion detection subserved by a single or multiple channel mechanism? 38: 259
Successive episodes produce direction contrast effects in motion perception 38: 579
Thresholds for the identification of the direction of motion of plaid patterns defined by luminance or chromatic contrast 38: 881
Development of directional motion symmetry in the monocular visually evoked potential of infant monkeys 38: 1253
Motion detection and directional tuning 38: 1593
The search for optimal visual stimuli 38: 1619
Directions of motion after-effects induced by gratings and plaids 38: 2087
The time it takes to detect changes in speed and direction of visual motion 38: 2569
Motion after-effect due to binocular sum of adaptation to linear motion 38: 2963
Temporal resolution of dichoptic and second-order motion mechanisms 38: 3531

MOTION PERCEPTION (OPTIC FLOW)
Interaction of stereo vision and optic flow processing revealed by an illusory stimulus 38: 281

Accuracy of estimating time to collision using binocular and monocular information 38: 499
A global process in motion segregation 38: 853
Optic flow and the metric of the visual ground plane 38: 1153
Large scale stereopsis and optic flow: depth enhanced by speed and opponent-motion 38: 1199
Large receptive fields for optic flow detection in humans 38: 1731
Global induced motion and visual stability in an optic flow illusion 38: 3083
Depth information and perceived self-motion during simulated gaze rotations 38: 3129

MOTION PERCEPTION (SPEED SENSITIVITY)
Large scale stereopsis and optic flow: depth enhanced by speed and opponent-motion 38: 1199
The effect of complex motion pattern on speed perception 38: 1223
Stimulus uncertainty affects velocity discrimination 38: 1265
Independent speed-tuned global-motion systems 38: 1573
The time it takes to detect changes in speed and direction of visual motion 38: 2569
Neural dynamics of motion processing and speed discrimination 38: 2769
Reaction time to motion onset of luminance and chromatic gratings is determined by perceived speed 38: 3681
Local velocity representation: evidence from motion adaptation 38: 3899

MYOPIA
The role of neural and optical factors in limiting visual resolution in myopia 38: 1713
Induction of axial eye elongation and myopic refractive shift in one-year-old chickens 38: 1883
The visual effects of head-mounted display (HMD) are not distinguishable from those of desk-top computer display 38: 2053
A model of the contribution of oculomotor and optical factors to emmetropization and myopia 38: 2869
The susceptible period for deprivation-induced myopia in tree shrew 38: 3505

NEURAL NETWORKS
Cortical computation of stereo disparity 38: 91
Extraction of perceptually salient contours by striate cortical networks 38: 719
A model of neuronal responses in visual area MT 38: 743
Constraints on long range interactions mediating contour detection 38: 865
Motion deblurring in a neural network model of retino-cortical dynamics 38: 1827
A model for end-stopping in the visual cortex 38: 2023
A comparison of two computer-based face identification systems with human perceptions of faces 38: 2277
Similarity-based models of human visual recognition 38: 2289
A model of attention-guided visual perception and recognition 38: 2387
Training 'greeble' experts: a framework for studying expert object recognition processes 38: 2401
Modeling the physiological responses of anuran R3 ganglion cells 38: 2551
Texture segregation, surface representation and figure—ground separation 38: 2657
Neural dynamics of motion processing and speed discrimination 38: 2769
Detection of global structure in Glass patterns: implications for form vision 38: 2933

NEUROANATOMY
Comparative morphology of distal neurons in larval and adult zebrafish retinas 38: 13
A model of cortically induced synchronization in the lateral geniculate nucleus of the cat: a role for low-threshold calcium channels 38: 2007

Functional architecture of primate cone and rod axons 38: 2539
The spatial arrangement of the L and M cones in the central fovea of the living human eye 38: 2575
Entoptic image quality of the retinal vasculature 38: 2685
Unilateral enucleation of adult rats does not effect the synapse-to-neuron ratio within the stratum griseum superficiale of the superior colliculi 38: 3041

NEUROCHEMISTRY
Neurochemistry of the mammalian cone 'synaptic complex' 38: 1359
Amino acid neurotransmitters in the retina: a functional overview 38: 1371
Diversity of glutamate receptors in the mammalian retina 38: 1385
Ionotropic glutamate receptors in the retina: moving from molecules to circuits 38: 1399
Glycine and GABA receptors in the mammalian retina 38: 1411
Molecular composition of GABAC receptors 38: 1431
Localization and function of five glutamate transporters cloned from the salamander retina 38: 1443
Neurochemical organization of the macaque retina: effect of TTX on levels and gene expression of cytochrome oxidase and nitric oxide synthase and on the immunoreactivity of Na+K+ATPase and NMDA receptor subunit I 38: 1455
The push—pull action of dopamine on spatial tuning of the monkey retina: the effects of dopaminergic deficiency and selective D1 and D2 receptor ligands on the pattern electroretinogram 38: 1479
Nitrate therapy may retard glaucomatous optic neuropathy, perhaps through modulation of glutamate receptors 38: 1489
γ-Aminobutyric acid transporter-mediated current from bipolar cells in tiger salamander retinal slices 38: 2521
Water soluble antioxidants in mammalian aqueous humor: interaction with UV B and hydrogen peroxide 38: 2881
Imaging of glutamate release from the goldfish retinal slice 38: 2909
Higher proportions of type C than of types A and B natriuretic peptide receptors exist in the rat ciliary body 38: 3833

NEURODEGENERATIVE DISEASES (*see* PATHOLOGY)

NEUROTRANSMITTER (*see* NEUROCHEMISTRY)

NOISE
Peripheral and central factors limiting the development of contrast sensitivity in macaque monkeys 38: 61
Is human motion detection subserved by a single or multiple channel mechanism? 38: 259
The effect of white and filtered noise on contrast detection thresholds 38: 267
Rod pigment and rod noise in the European toad *Bufo bufo* 38: 483
The effect of photon noise on the detection of white flashes 38: 691
External noise distinguishes attention mechanisms 38: 1183
Stimulus uncertainty affects velocity discrimination 38: 1265
Lesion location influences perception of homonymous scotomata during flickering random dot pattern stimulation 38: 1303
Upper displacement limits for spatially broadband patterns containing bandpass noise 38: 1775
Evidence for a noise gain control mechanism in human vision 38: 1925
Spectral bandwidths for the detection of color 38: 3117
Photoreceptor coupling and boundary detection 38: 3161
Recognition of band-pass filtered hand-written numerals in foveal and peripheral vision 38: 3691
Bilateral symmetry embedded in noise is detected accurately only at fixation 38: 3795

OBJECT RECOGNITION (*see also* FACE RECOGNITION)
Object recognition using spatiotemporal signatures 38: 947
Scaled medial axis representation: evidence from position discrimination task 38: 1947
Linearity across spatial frequency in object recognition 38: 2109
Preface: Models of recognition 38: 2225
Representation of object similarity in human vision: psychophysics and a computational model 38: 2229
Why the visual recognition system might encode the effects of illumination 38: 2259
Similarity-based models of human visual recognition 38: 2289
Coding spatial variations in faces and simple shapes: a test of two models 38: 2307
Medial-point description of shape: a representation for action coding and its psychophysical correlates 38: 2323
The viewpoint complexity of an object-recognition task 38: 2335
Determining the similarity of deformable shapes 38: 2365
A model of attention-guided visual perception and recognition 38: 2387
Training 'greeble' experts: a framework for studying expert object recognition processes 38: 2401
The role of the primary visual cortex in higher level vision 38: 2429
Large-scale tests of a keyed, appearance-based 3-D object recognition system 38: 2469
Early completion of occluded objects 38: 2489
2D observers for human 3D object recognition? 38: 2507
Inversion superiority in visual agnosia may be common to a variety of orientation polarised objects besides faces 38: 2855
Recognition of band-pass filtered hand-written numerals in foveal and peripheral vision 38: 3691

OCCLUSION
Depth information and perceived self-motion during simulated gaze rotations 38: 3129
Monocular occlusion cues alter the influence of terminator motion in the barber pole phenomenon 38: 3883

OCULAR PIGMENTS
Absorption of white light in photoreceptors 38: 195

OPTIC FLOW (*see* MOTION PERCEPTION (OPTIC FLOW))

OPTIC NERVE
Leber hereditary optic neuropathy: respiratory chain dysfunction and degeneration of the optic nerve 38: 1495
Effects of GDNF on retinal ganglion cell survival following axotomy 38: 1505
Prolonged administration of NT-4/5 fails to rescue most axotomized retinal ganglion cells in adult rats 38: 1517
Regenerative capacity of retinal ganglion cells in mammals 38: 1525
Protection of retinal ganglion cells and preservation of function after optic nerve lesion in *bcl*-2 transgenic mice 38: 1537
Functional recovery of vision in regenerated optic nerve fibers 38: 1545
Platelet-derived growth factor B-chain expression in the rat retina and optic nerve: distribution and changes after transection of the optic nerve 38: 3031
Colour discrimination ellipses in patients with dominant optic atrophy 38: 3413
Spatial cone activity distribution in diseases of the posterior pole determined by multifocal electroretinography 38: 3817

ORIENTATION PERCEPTION
Lines and Gabor functions compared as spatial visual stimuli 38: 487
A simple mechanism for detecting low curvatures. *Vision Research* 36:1411 Errata 38: 773

Integration of local orientation in strabismic amblyopia 38: 775
Orientation masks 3-Gabor alignment performance 38: 827
Tuning of orientation detectors in human vision 38: 963
Orientation dependency for foveal line stimuli: detection and intensity discrimination, resolution, orientation discrimination and Vernier acuity 38: 1097
Effects of contrast and temporal frequency on orientation discrimination for luminance and isoluminant stimuli 38: 1105
Visually perceived vertical and visually perceived horizontal are not orthogonal 38: 1989
Orientation-tuned spatial filters for texture-defined form 38: 3849

PATHOLOGY

Image enhancement improves reading performance in age-related macular degeneration patients 38: 153
Assessment of local retinal function in patients with retinitis pigmentosa using the multi-focal ERG technique 38: 163
Microperimetry of localized retinal nerve fiber layer defects 38: 763
Discrimination of spatial displacements by patients with retinitis pigmentosa 38: 1171
Lesion location influences perception of homonymous scotomata during flickering random dot pattern stimulation 38: 1303
Nitrate therapy may retard glaucomatous optic neuropathy, perhaps through modulation of glutamate receptors 38: 1489
Leber hereditary optic neuropathy: respiratory chain dysfunction and degeneration of the optic nerve 38: 1495
Effects of GDNF on retinal ganglion cell survival following axotomy 38: 1505
Prolonged administration of NT-4/5 fails to rescue most axotomized retinal ganglion cells in adult rats 38: 1517
Protection of retinal ganglion cells and preservation of function after optic nerve lesion in *bcl*-2 transgenic mice 38: 1537
Functional recovery of vision in regenerated optic nerve fibers 38: 1545
Psychophysical evidence for a magnocellular pathway deficit in dyslexia 38: 1555
The congenital and see-saw nystagmus in the prototypical achiasma of canines: comparison to the human achiasmatic prototype 38: 1629
Static aspects of accommodation: age and presbyopia 38: 1643
Does dark adaptation exacerbate diabetic retinopathy? Evidence and a linking hypothesis 38: 1723
Eye movements, prematurity and developmental co-ordination disorder 38: 1817
Induction of axial eye elongation and myopic refractive shift in one-year-old chickens 38: 1883
Visual evoked potential assessment of the effects of glaucoma on visual subsystems 38: 1901
Visual acuity *versus* letter contrast sensitivity in early cataract 38: 2047
Coherent motion detection and letter position encoding 38: 2181
Randomised double-masked placebo-controlled trial of a treatment for congenital nystagmus 38: 2193
Chronic motion perception deficits from midline cerebellar lesions in human 38: 2219
High and low luminance letters, acuity reserve, and font effects on reading speed 38: 2527
OKN, perceptual and VEP direction biases in strabismus 38: 2833
Theoretical and practical performance of a concentric bifocal intraocular implant lens 38: 2841
Inversion superiority in visual agnosia may be common to a variety of orientation polarised objects besides faces 38: 2855

A model of the contribution of oculomotor and optical factors to emmetropization and myopia 38: 2869
Temporal and spatial resolution in foveal vision of multiple sclerosis patients 38: 2987
Efficacy of gold weight implants in facial nerve palsy: quantitative alterations in blinking 38: 3019
Abnormal motion displacement thresholds are associated with fine scale luminance sensitivity loss in glaucoma 38: 3171
Memory-guided saccadic eye movements; effects of cerebellar disease 38: 3181
Colour vision in gyrate atrophy 38: 3409
Colour discrimination ellipses in patients with dominant optic atrophy 38: 3413
Acquired colour deficiency in patients with Parkinson's disease 38: 3421
Colour discrimination thresholds in Parkinson's disease: results obtained with a rapid computer-controlled colour vision test 38: 3427
The short-wavelength mechanisms of Stiles in age-related macular degeneration 38: 3433
Colour vision in AIDS patients without HIV retinopathy 38: 3441
Residual processing of chromatic signals in the absence of a geniculostriate projection 38: 3447
Dependence of color on context in a case of cortical color vision deficiency 38: 3455
Skewness and transformations of Farnsworth—Munsell 100-Hue Test scores 38: 3473
Spatial cone activity distribution in diseases of the posterior pole determined by multifocal electroretinography 38: 3817
Exclusion of the apoE gene in autosomal dominant pigmentosa 38: 3829
Spatial characteristics of cerebral polyopia: a case study 38: 3965

PATHWAYS, LUMINANCE AND CHROMATIC
Temporal analysis of the topographic ERG: chromatic *versus* achromatic stimulation 38: 1047
Response phase of the flicker electroretinogram (ERG) is influenced by cone excitation strength 38: 3247

PATHWAYS, MAGNOCELLULAR AND PARVOCELLULAR
Psychophysical evidence for boundary and surface systems in human vision 38: 71
Two segmentation mechanisms with differential sensitivity for colour and luminance contrast 38: 101
Magnocellular visual function and children's single word reading 38: 471
Temporal analysis of the topographic ERG: chromatic *versus* achromatic stimulation 38: 1047
Psychophysical evidence for a magnocellular pathway deficit in dyslexia 38: 1555
Evidence for spatial aliasing effects in the Y-like cells of the magnocellular visual pathway 38: 1843
Visual evoked potential assessment of the effects of glaucoma on visual subsystems 38: 1901
Motion blur and motion sharpening: temporal smear and local contrast nonlinearity 38: 2099
Coherent motion detection and letter position encoding 38: 2181
Temporal and spatial resolution in foveal vision of multiple sclerosis patients 38: 2987
Morphology of P and M retinal ganglion cells of the bush baby 38: 3345

PATHWAYS, SHORT-WAVELENGTH-SENSITIVITY
Optomotor test for wavelength sensitivity in guppyfish *(Poecilia reticulata)* 38: 45
Short-wave cone signal in the red-green detection mechanism 38: 813
Dichromatic color vision at high light levels: red/green discrimination using the blue-sensitive mechanism 38: 973
Local nonlinearity in S-cones and their estimated light-collecting apertures 38: 1001

The short-wavelength mechanisms of Stiles in age-related macular degeneration 38: 3433
Rods affect S-cone discrimination on the Farnsworth—Munsell 100-hue test 38: 3477
Color from invisible flicker: a failure of the Talbot—Plateau law caused by an early 'hard' saturating nonlinearity used to partition the human short-wave cone pathway 38: 3703

PERIPHERAL VISION
Sensitivity to second-order motion as a function of temporal frequency and eccentricity 38: 403
Objective measurement of the off-axis longitudinal chromatic aberration in the human eye 38: 513
Spatiotemporal impulse response and cortical magnification 38: 1119
Large scale stereopsis and optic flow: depth enhanced by speed and opponent-motion 38: 1199
On the time course of exogenous cueing effects; a commentary on Tassinari et al. (1994) 38: 1621
On the time course of exogenous cueing effects: a response to Lupiáñez and Weaver 38: 1625
The contrast-response of the periphery effect 38: 1983
Sensitivity to disparity corrugations in peripheral vision 38: 2533
Visual field extent in children 3.5—30 months of age tested with a double-arc LED perimeter 38: 2743
Psychophysics of reading. XVIII. The effect of print size on reading speed in normal peripheral vision 38: 2949
Recognition of band-pass filtered hand-written numerals in foveal and peripheral vision 38: 3691
Optical, receptoral, and retinal constraints on foveal and peripheral vision in the human neonate 38: 3857

PERSISTENCE (*see also* AFTEREFFECTS)
Differences in the luminance of the first and second displays affects visible persistence in opposite ways 38: 1233
Motion deblurring in a neural network model of retino-cortical dynamics 38: 1827

PHOTOCHEMISTRY
Functional characterization of visual and nonvisual pigments of American chameleon *(Anolis carolinensis)* 38: 37
Molecular properties of the cGMP-gated channel of rod photoreceptors 38: 1315
Reduction of all-*trans*-retinal limits regeneration of visual pigment in mice 38: 1325
Rhodopsin phosphorylation and its role in photoreceptor function 38: 1341
A cGMP-gated cation channel and phototransduction in depolarizing photoreceptors of the lizard parietal eye 38: 1353

PHOTOPIGMENTS
Functional characterization of visual and nonvisual pigments of American chameleon *(Anolis carolinensis)* 38: 37
An action spectrum for the light-dependent inhibition of swimming behavior in newly hatched white sturgeon, *Acipenser transmontanus* 38: 111
Effects of known variations in photopigments on *L/M* cone ratios estimated from luminous efficiency functions 38: 1961
Human cone spectral sensitivities: a progress report 38: 3193
L-cone pigment genes expressed in normal colour vision 38: 3213
Expression of L cone pigment gene subtypes in females 38: 3221
Numbers and ratios of X-chromosomal-linked opsin genes 38: 3227

Macular pigment densities derived from central and peripheral spectral sensitivity differences 38: 3233
Recent evolution of uniform trichromacy in a New World monkey 38: 3315
Pigment gene expression in protan color vision defects 38: 3359
Molecular genetic detection of female carriers of protan defects 38: 3365
Relating color discrimination to photopigment genes in deutan observers 38: 3371
Severity of color vision defects: electroretinographic (ERG), molecular and behavioral studies 38: 3377
Spectra of human L cones 38: 3663

PHOTORECEPTORS (*see also* CONES; RODS)
Light adaptation of cone photoresponses studied at the photoreceptor and ganglion cell levels in the frog retina 38: 19
An action spectrum for the light-dependent inhibition of swimming behavior in newly hatched white sturgeon, *Acipenser transmontanus* 38: 111
Absorption of white light in photoreceptors 38: 195
Rod pigment and rod noise in the European toad *Bufo bufo* 38: 483
Photoreceptor function in unilateral amblyopia 38: 613
Optical properties of retinal photoreceptors and the Campbell effect 38: 953
Contrast-modulation flicker: dynamics and spatial resolution of the light adaptation process 38: 985
Molecular properties of the cGMP-gated channel of rod photoreceptors 38: 1315
Reduction of all-*trans*-retinal limits regeneration of visual pigment in mice 38: 1325
Zebrafish retinal mutants 38: 1335
Rhodopsin phosphorylation and its role in photoreceptor function 38: 1341
A cGMP-gated cation channel and phototransduction in depolarizing photoreceptors of the lizard parietal eye 38: 1353
Functional architecture of primate cone and rod axons 38: 2539
The spatial arrangement of the L and M cones in the central fovea of the living human eye 38: 2575
Photoreceptor coupling and boundary detection 38: 3161

PLASTICITY
Perceptual learning in visual search: some evidence of specificities 38: 333

PUPILS
The pupil response of a teleost fish, *Porichthys notatus:* description and comparison to other species 38: 2697
Mathematical procedures in data recording and processing of pupillary fatigue waves 38: 2889
Pupil responses to stimulus color, structure and light flux increments in the rhesus monkey 38: 3353
Residual processing of chromatic signals in the absence of a geniculostriate projection 38: 3447

REACTION TIME
Limited-capacity mechanisms of visual discrimination 38: 375
Reaction time to motion onset of luminance and chromatic gratings is determined by perceived speed 38: 3681
The effect of spatial frequency adaptation on the latency of spatial contrast detection 38: 3933
Spatial characteristics of visual-auditory summation in human saccades 38: 3955

READING
Orthographic codes are used in integrating information from the parafovea by the saccadic computation system 38: 115
Image enhancement improves reading performance in age-related macular degeneration patients 38: 153
Eye movement control during reading: a simulation of some word-targeting strategies 38: 303
Magnocellular visual function and children's single word reading 38: 471
Unspaced text interferes with both word identification and eye movement control 38: 1129
Psychophysical evidence for a magnocellular pathway deficit in dyslexia 38: 1555
Coherent motion detection and letter position encoding 38: 2181
High and low luminance letters, acuity reserve, and font effects on reading speed 38: 2527
Psychophysics of reading. XVIII. The effect of print size on reading speed in normal peripheral vision 38: 2949

RECEPTIVE FIELDS (*see also individual cell types)*
The area of spatial integration for initial horizontal disparity vergence 38: 319
Triphasic temporal impulse responses and Mach bands in time 38: 447
A simple mechanism for detecting low curvatures. *Vision Research* 36:1411 Errata 38: 773
Large receptive fields for optic flow detection in humans 38: 1731
The role of the primary visual cortex in higher level vision 38: 2429
A biophysical model for the developmental time course of retinal orientation selectivity 38: 2787
Rectification nonlinearity in cortical end-stopped perceptive fields 38: 3517
Spatial characteristics of cerebral polyopia: a case study 38: 3965

RECEPTOR POTENTIAL (*see* CONES; ELECTRORETINOGRAM; PHOTORECEPTORS; RODS)

RETINA
Comparative morphology of distal neurons in larval and adult zebrafish retinas 38: 13
Assessment of local retinal function in patients with retinitis pigmentosa using the multi-focal ERG technique 38: 163
Macular hemodynamic responses to short-term acute exercise in young healthy adults 38: 181
Microperimetry of localized retinal nerve fiber layer defects 38: 763
The primary visual system of adult lizards demonstrates that neurogenesis is not obligatorily linked to central nerve regeneration but may be a prerequisite for the restoration of maps in the brain 38: 789
Reduced retinal deficits in an albino mammal with a cone rich retina: a study of the ganglion cell layer at the area centralis of pigmented and albino grey squirrels 38: 937
Editorial 38: 1313
Reduction of all-*trans*-retinal limits regeneration of visual pigment in mice 38: 1325
Zebrafish retinal mutants 38: 1335
Amino acid neurotransmitters in the retina: a functional overview 38: 1371
Diversity of glutamate receptors in the mammalian retina 38: 1385
Ionotropic glutamate receptors in the retina: moving from molecules to circuits 38: 1399
Glycine and GABA receptors in the mammalian retina 38: 1411
Molecular composition of GABAC receptors 38: 1431
Localization and function of five glutamate transporters cloned from the salamander retina 38: 1443

Neurochemical organization of the macaque retina: effect of TTX on levels and gene expression of cytochrome oxidase and nitric oxide synthase and on the immunoreactivity of Na+K+ATPase and NMDA receptor subunit I 38: 1455
The push—pull action of dopamine on spatial tuning of the monkey retina: the effects of dopaminergic deficiency and selective D1 and D2 receptor ligands on the pattern electroretinogram 38: 1479
Effects of GDNF on retinal ganglion cell survival following axotomy 38: 1505
Prolonged administration of NT-4/5 fails to rescue most axotomized retinal ganglion cells in adult rats 38: 1517
Regenerative capacity of retinal ganglion cells in mammals 38: 1525
Protection of retinal ganglion cells and preservation of function after optic nerve lesion in *bcl*-2 transgenic mice 38: 1537
Functional recovery of vision in regenerated optic nerve fibers 38: 1545
Does dark adaptation exacerbate diabetic retinopathy? Evidence and a linking hypothesis 38: 1723
γ-Aminobutyric acid transporter-mediated current from bipolar cells in tiger salamander retinal slices 38: 2521
Functional architecture of primate cone and rod axons 38: 2539
Modeling the physiological responses of anuran R3 ganglion cells 38: 2551
Entoptic image quality of the retinal vasculature 38: 2685
A biophysical model for the developmental time course of retinal orientation selectivity 38: 2787
Imaging of glutamate release from the goldfish retinal slice 38: 2909
Platelet-derived growth factor B-chain expression in the rat retina and optic nerve: distribution and changes after transection of the optic nerve 38: 3031
Comparative retinal physiology in anthropoids 38: 3339
Exclusion of the apoE gene in autosomal dominant pigmentosa 38: 3829

RETINAL DISEASE (*see* PATHOLOGY)

ROD-CONE INTERACTION (*see* CONES; RODS)

RODS
Rod pigment and rod noise in the European toad *Bufo bufo* 38: 483
Rod photoresponses in 6-week and 4-month-old human infants 38: 627
Molecular properties of the cGMP-gated channel of rod photoreceptors 38: 1315
Reduction of all-*trans*-retinal limits regeneration of visual pigment in mice 38: 1325
Rhodopsin phosphorylation and its role in photoreceptor function 38: 1341
Functional architecture of primate cone and rod axons 38: 2539
Rod influence on hue-scaling functions 38: 3259
Rods affect S-cone discrimination on the Farnsworth—Munsell 100-hue test 38: 3477
Aging and scotopic sensitivity 38: 3655
Is the rod visual field temporally homogeneous? 38: 3927

SACCADES (*see* EYE-MOVEMENTS, SACCADIC)

SATURATION
Temporal analysis of the chromatic flash VEP–separate colour and luminance contrast components 38: 3979

SCOTOPIC VISION
Scotopic vision in colour-blinds 38: 3387
Aging and scotopic sensitivity 38: 3655

SEGMENTATION
Two segmentation mechanisms with differential sensitivity for colour and luminance contrast 38: 101
Evidence for boundary-specific grouping 38: 143
Examining edge- and region-based texture analysis mechanisms 38: 439
Stereoscopic segregation of transparent surfaces and the effect of motion contrast 38: 659
A global process in motion segregation 38: 853
Spatial frequency discrimination and detection characteristics for gratings defined by orientation texture 38: 2601
Texture segregation, surface representation and figure—ground separation 38: 2657
Learning pop-out detection: building representations for conflicting target-distractor relationships 38: 3095
Figure/ground segregation from temporal delay is best at high spatial frequencies 38: 3729
Bilateral symmetry embedded in noise is detected accurately only at fixation 38: 3795
Orientation-tuned spatial filters for texture-defined form 38: 3849

SPATIAL FREQUENCY
Spatial summation in simple (Fourier) and complex (non-Fourier) texture channels 38: 231
The effect of white and filtered noise on contrast detection thresholds 38: 267
Feature asymmetries in visual search: effects of display duration, target eccentricity, orientation and spatial frequency 38: 347
Limited-capacity mechanisms of visual discrimination 38: 375
Spatial frequency discrimination: visual long-term memory or criterion setting? 38: 557
Luminance contrast and spatial-frequency tuning of the transient-vergence system 38: 705
Perceived head-centric speed is affected by both extra-retinal and retinal errors 38: 941
Estimating multiple temporal mechanisms in human vision 38: 1023
Plaid slant and inclination thresholds can be predicted from components 38: 1073
Two mechanisms underlie processing of stochastic motion stimuli 38: 1211
Upper displacement limits for spatially broadband patterns containing bandpass noise 38: 1775
Visual acuity *versus* letter contrast sensitivity in early cataract 38: 2047
Linearity across spatial frequency in object recognition 38: 2109
Spatial frequency discrimination and detection characteristics for gratings defined by orientation texture 38: 2601
Spatial-frequency and contrast tuning of the transient-stereopsis system 38: 3057
Figure/ground segregation from temporal delay is best at high spatial frequencies 38: 3729
The effect of spatial frequency adaptation on the latency of spatial contrast detection 38: 3933

SPATIAL VISION
Judging distance from ocular convergence 38: 493
Immediate post-saccadic information mediates space constancy 38: 3147

SPECTRAL SENSITIVITY
Spectral sensitivity of cones in the goldfish, *Carassius auratus* 38: 2135
Human cone spectral sensitivities: a progress report 38: 3193
On derivation of spectral sensitivities of the human cones from trichromatic colour matching functions 38: 3207
Macular pigment densities derived from central and peripheral spectral sensitivity differences 38: 3233

SPEED (*see* MOTION PERCEPTION (SPEED SENSITIVITY))

SPHERICAL ABERRATION (*see* ABERRATION)

STEREOPSIS
Cortical computation of stereo disparity 38: 91
Extra-retinal and perspective cues cause the small range of the induced effect 38: 187
Lines and Gabor functions compared as spatial visual stimuli 38: 487
Stereoscopic segregation of transparent surfaces and the effect of motion contrast 38: 659
Luminance contrast and spatial-frequency tuning of the transient-vergence system 38: 705
A physiological model for motion-stereo integration and a unified explanation of Pulfrich-like phenomena. *Vision Research*, 37:1683 Errata 38: 773
Visual test of Listing's law during vergence 38: 911
dmax for stereopsis and motion in random dot displays 38: 925
Plaid slant and inclination thresholds can be predicted from components 38: 1073
Optic flow and the metric of the visual ground plane 38: 1153
Large scale stereopsis and optic flow: depth enhanced by speed and opponent-motion 38: 1199
A rotational stereoscopic 3-dimensional movement aftereffect 38: 1745
Stereodeficient subjects show substantial differences in interocular transfer of two motion adaptation aftereffects 38: 1889
The cyclopean (stereoscopic) barber pole illusion 38: 2119
Sensitivity to disparity corrugations in peripheral vision 38: 2533
The effect of forced vergence on retinal correspondence 38: 2711
A computational model of depth perception based on headcentric disparity 38: 2999
Spatial-frequency and contrast tuning of the transient-stereopsis system 38: 3057
Three-dimensionally slanted illusory contours capture stereopsis 38: 3109
Depth information and perceived self-motion during simulated gaze rotations 38: 3129
Lens induced aniso-accommodation 38: 3601
When stereopsis does not improve with increasing contrast 38: 3671
Temporal aspects of stereoscopic slant estimation: an evaluation and extension of Howard and Kaneko's theory 38: 3871

STILES—CRAWFORD EFFECT
Photoreceptor function in unilateral amblyopia 38: 613
Optical properties of retinal photoreceptors and the Campbell effect 38: 953

STRABISMUS (*see also* AMBLYOPIA)
The *Cyclops effect* in adults: sighting without visual feedback 38: 327
Integration of local orientation in strabismic amblyopia 38: 775
OKN, perceptual and VEP direction biases in strabismus 38: 2833
Asymmetrical vertical phorias indicating dissociated vertical deviation in subjects with normal binocular vision 38: 2973
Using a synoptophore to test Listing's law during vergence in normal subjects and strabismic patients 38: 3621

SUMMATION, BINOCULAR
On the binocular summation of chromatic contrast 38: 1063
Motion after-effect due to binocular sum of adaptation to linear motion 38: 2963

SUMMATION, PROBABILITY
The optimal motion stimulus: comments on Watson and Turano (1995) 38: 1611
The search for optimal visual stimuli 38: 1619
Spatial characteristics of visual-auditory summation in human saccades 38: 3955

SUMMATION, SPATIAL
Spatial summation in simple (Fourier) and complex (non-Fourier) texture channels 38: 231
The area of spatial integration for initial horizontal disparity vergence 38: 319
Detection facilitation by collinear stimuli in humans: dependence on strength and sign of contrast 38: 423
Spatial uncertainty and sampling efficiency in amblyopic position acuity 38: 1239
Large receptive fields for optic flow detection in humans 38: 1731
Rectification nonlinearity in cortical end-stopped perceptive fields 38: 3517
Effects of spatial configuration on contrast detection 38: 3541
Elongated physiological summation pools in the human visual cortex 38: 3735
Attentional control of spatial scale: effects on self-organized motion patterns 38: 3743
Spatial integration in human smooth pursuit 38: 3785

SUPPRESSION (*see* BINOCULAR RIVALRY)

TECHNIQUES
Long-term reliability and predictive validity of the Teller Acuity Card procedure 38: 619
Forced-choice staircases with fixed step sizes: asymptotic and small-sample properties 38: 1861
An infrared eccentric photo-optometer 38: 1913
The visual effects of head-mounted display (HMD) are not distinguishable from those of desk-top computer display 38: 2053
Automated visual field examination in children aged 5—8 years: Part I: Experimental validation of a testing procedure 38: 2203
Automated visual field examination in children aged 5—8 years: Part II: Normative values 38: 2211
Mathematical procedures in data recording and processing of pupillary fatigue waves 38: 2889
Platelet-derived growth factor B-chain expression in the rat retina and optic nerve: distribution and changes after transection of the optic nerve 38: 3031
Unilateral enucleation of adult rats does not effect the synapse-to-neuron ratio within the stratum griseum superficiale of the superior colliculi 38: 3041
Molecular genetic detection of female carriers of protan defects 38: 3365
Comparison of the D-15 and City University (second) color vision tests 38: 3461
Colour vision in normal subjects tested by the colour arrangement test 'Roth 28-hue desaturated' 38: 3467
Skewness and transformations of Farnsworth—Munsell 100-Hue Test scores 38: 3473
Rods affect S-cone discrimination on the Farnsworth—Munsell 100-hue test 38: 3477
Can clinical colour vision tests be used to predict the results of the Farnsworth lantern test? 38: 3483
Validity of the Holmes—Wright lantern as a color vision test for the rail industry 38: 3487
Interference filter calibration for vision research 38: 3493
Using a synoptophore to test Listing's law during vergence in normal subjects and strabismic patients 38: 3621

TEMPORAL DISCRIMINATION
Estimating multiple temporal mechanisms in human vision 38: 1023
Figure/ground segregation from temporal delay is best at high spatial frequencies 38: 3729
Is the rod visual field temporally homogeneous? 38: 3927

TEMPORAL FREQUENCY
Effects of mean luminance on goldfish temporal contrast sensitivity 38: 55
Sensitivity to second-order motion as a function of temporal frequency and eccentricity 38: 403
Effects of contrast and temporal frequency on orientation discrimination for luminance and isoluminant stimuli 38: 1105
Temporal modulation enhances the efficiency of spatial offset discriminations by 6-month-olds 38: 2127

TEXTURE PERCEPTION
Evidence for boundary-specific grouping 38: 143
Spatial summation in simple (Fourier) and complex (non-Fourier) texture channels 38: 231
Examining edge- and region-based texture analysis mechanisms 38: 439
Texture brightness filling-in 38: 841
Surface orientation from texture: ideal observers, generic observers and the information content of texture cues 38: 1655
Discrimination of planar surface slant from texture: human and ideal observers compared 38: 1683
Spatial frequency discrimination and detection characteristics for gratings defined by orientation texture 38: 2601
Ideal observer perturbation analysis reveals human strategies for inferring surface orientation from texture 38: 2635
Texture segregation, surface representation and figure—ground separation 38: 2657
Orientation-tuned spatial filters for texture-defined form 38: 3849

THRESHOLD (*see* CONTRAST SENSITIVITY; DETECTION THRESHOLD)

TRANSPARENCY
Stereoscopic segregation of transparent surfaces and the effect of motion contrast 38: 659
Stereoscopic transparency: a test for binocular vision's disambiguating power 38: 2913
Motion analysis by feature tracking 38: 3633

TRICHROMACY
On derivation of spectral sensitivities of the human cones from trichromatic colour matching functions 38: 3207
Molecular evolution of trichromacy in primates 38: 3299
Recent evolution of uniform trichromacy in a New World monkey 38: 3315
Frugivory and colour vision in *Alouatta seniculus*, a trichromatic platyrrhine monkey 38: 3321
Post-receptoral mechanisms of colour vision in new world primates 38: 3329
Comparative retinal physiology in anthropoids 38: 3339
Flicker cone electroretinogram in dichromats and trichromats 38: 3391

VELOCITY (*see* MOTION PERCEPTION (SPEED SENSITIVITY))

VERNIER ACUITY (*see* HYPERACUITY)

VISUAL SEARCH
Perceptual learning in visual search: some evidence of specificities 38: 333
Feature asymmetries in visual search: effects of display duration, target eccentricity, orientation and spatial frequency 38: 347
Attentional selection by distractor suppression 38: 669
The zone of focal attention during active visual search 38: 1007
Adjustment of fixation duration in visual search 38: 1295
The guidance of eye movements during active visual search 38: 1805

Early completion of occluded objects 38: 2489
WAVELENGTH DISCRIMINATION (*see* COLOR DISCRIMINATION)

BACK ISSUES OF THIS JOURNAL

SAVE UP TO 25% BY PURCHASING COMPLETE SETS

Customers wishing to purchase complete sets can do so at a saving of 25% off the individual volume price.

MICROFORM EDITIONS

Back issues in microform of Elsevier Science research journals are also available. For further information please apply to your nearest Elsevier Science office.

BACK ISSUES PRICE LIST

Full details of the rates of back issues of all Elsevier Science journals can be found in our Back Issues Price List. Please contact your nearest Elsevier Science office for a copy.

Back issues of this and all other Elsevier Science journals are available in hard copy. New subscribers to a journal may purchase back issues of that publication in hard copy edition at 25% discount off the standard price. Elsevier Science maintains stocks of back issues and orders may be placed with confidence at your nearest Elsevier Science office. Should any issue of a volume be temporarily out of stock at the time of ordering, a high quality photoduplicated copy will be supplied at no extra charge to complete your order.

Regional Sales Offices

For customers in Europe, Middle East and Africa
Elsevier Science, Regional Sales Office, Customer Support Department, P.O. Box 211, 1000 AE Amsterdam, The Netherlands
Tel: (+31) 20 485 3757, Fax: (+31) 20 485 3432, E-mail: nlinfo-f@elsevier.nl

For customers in the United States & Canada
Elsevier Science, Regional Sales Office, Customer Support Department, P.O. Box 945, New York, N.Y. 10159-0945, U.S.A.
Tel: (+1) 212 633 3730, Toll Free number for North-American customers: 1-888-4ES-INFO (437-4636), Fax: (+1) 212 633 3680
E-mail: usinfo-f@elsevier.com

For customers in Japan
Elsevier Science, Regional Sales Office, Customer Support Department, 9-15 Higashi-Azabu, 1-chome, Minato-ku, Tokyo, 106-0044 Japan
Tel: (+81) 3 5561 5033, Fax: (+81) 3 5561 5047, E-mail: info@elsevier.co.jp

For customers in Asia and Australasia
Elsevier Science, Regional Sales Office, Customer Support Department, No. 1 Temasek Avenue, #17-01 Millenia Tower, Singapore 039192
Tel: (+65) 434 3727, Fax: (+65) 337 2230, E-mail: asiainfo@elsevier.com.sg

For customers in Latin America
Elsevier Science, Regional Sales Office, Rua Sete de Setembro 111/16 Andar, 20050-002 Centro, Rio de Janeiro - RJ, Brazil
Tel: (+55) 21 509 5340, Fax: (+55) 21 507 1991, E-mail: elsevier@campus.com.br

VISION RESEARCH

INSTRUCTIONS TO AUTHORS

General

Five double-spaced typewritten copies of the manuscript and illustrations are required. The original plus three copies must be submitted to the central office, preferably by airmail:

Vision Research
P.O. Box 12011
1100 AA Amsterdam-Zuidoost
The Netherlands

and one copy to one of the 10 Section Editors whose subject area most closely relates to the work submitted. This holds for full papers as well as for Rapid Communications. (Please indicate to the central office which Section Editor you have selected; every sixth issue of *Vision Research* contains a full description of the scope of each section). To speed up the reviewing process, the title and abstract of your manuscript should be Emailed simultaneously to the Section Editor of your choice. Should you prefer to send your manuscript by express *courier*, please contact the Central Office by email (e.borghols@ioi.knaw.nl) to obtain the appropriate address, since courier services do not accept packages addressed to a P.O. Box number.

Section 1

GÜNTER NIEMEYER, Department of Ophthalmology, Neurophysiology Laboratory, University Hospital, Rämistrasse 100, CH-8091 Zürich, Switzerland [*Email* niemeyer@opht.unizh.ch]

SAMUEL M. WU, Mail Station NC–205, Cullen Eye Institute Baylor College of Medicine, Houston, TX 77030, U.S.A. [*Email* sam@cephalo.neusc.bcm.tmc.edu]

Section 2

WILSON S. GEISLER, Centre for Vision and Image Sciences, Department of Psychology, University of Texas at Austin, Mezes Hall 330, Austin, TX 78712, U.S.A. [*Email* geisler@psy.utexas.edu]

STEVEN K. SHEVELL, Visual Sciences Center, The University of Chicago, 939 East 57th Street, Chicago, IL 60637, U.S.A. [*Email* shevell@uchicago.edu]

Section 3

EILEEN KOWLER, Department of Psychology, Rutgers University, 152 Frelinghuysen Road, Piscataway, NJ 08854-8020, U.S.A. [*Email* kowler@rci.rutgers.edu]

CHRISTA NEUMEYER, Institut für Zoologie (Abt. III), Johannes Gutenberg Universität, 55099 Mainz, Germany [*Email* christa.neumeyer@uni-mainz.de]

Section 4

ELLEN C. HILDRETH, Department of Computer Science, Wellesley College, Wellesley, MA 02181, U.S.A. [*Email* ehildreth@wellesley.edu]

CONCETTA MORRONE, Istituto di Neurofisiologia del C.N.R., Via S. Zeno, 51, 56100, Pisa, Italy [*Email* concetta@neuro.in.pi.cnr.it]

Section 5

IVAN BODIS-WOLLNER, Department of Neurology, SUNY Health Science Center at Brooklyn, 450 Clarkson Avenue, Box 1213, Brooklyn, NY 11203, U.S.A. [*Email* bodisi01@hscbklyn.edu]

EBERHART ZRENNER, Department of Pathophysiology of Vision and Neuro-Ophthalmology, University of Tübingen, Schleichstraße 12–16, 72076 Tübingen, Germany [*Email* eberhart.zrenner@uni-tuebingen.de]

Authors are urged to be as concise as their material will allow, both in text and in illustrations and to take particular care to ensure that the paper is in final form once submited. Papers of monograph length will not be considered, nor will a series of numbered papers. *Rapid Communications* should not exceed a length of about 2000 words.

All manuscripts should be accompanied by a clear statement that the work has not been published elsewhere and is not under review with another journal, and that if published in *Vision Research* it will not be reprinted elsewhere in any language in the same form without the consent of the publisher, who holds the copyright. Authors should keep copies of all material submitted. Manuscripts will not be returned, and top copies of the artwork will be returned only if this is specifically indicated.

All authors must sign the 'Transfer of Copyright' agreement before the article can be published. This transfer agreement enables Elsevier Science Ltd to protect the copyrighted material for the authors, but does not relinquish the author's proprietary rights. The copyright transfer covers the exclusive rights to reproduce and distribute the article, including reprints, photographic reproductions, microform or any other reproductions of similar nature and translations, and includes the right to adapt the article for use in conjunction with computer systems and programs, including reproduction or publication in machine-readable form and incorporation in retrieval systems. Authors are responsible for obtaining from the copyright holder permission to reproduce any figures for which copyright exists.

Full papers and Rapid Communications will be judged by two qualified reviewers. If in response to a published article a letter to the Editor is received, this letter will be sent out for review and at the same time be forwarded to the author(s) tackled. If the letter is accepted, the author(s) of the initial paper will be invited to write a reply within a short period of time, and the reviewers of the letter will be asked to review the reply. Authors volunteering to prepare *Minireviews* are invited to submit proposals to the appropriate Section Editor including the following information: (1) title, (2) justification for a Minireview at this time on the topic selected, (3) a rough outline and (4) a **firm** date for submission of the completed work, should the Section Editor accept the proposal. *Vision Research* has a restrictive *Obituary* policy. Obituaries should be submitted to the appropriate section Editor and the Chairman, and should not exceed a length of one printed page including photograph.

Specific

1. Papers should be written in the English language, accompanied by an abstract. The title page should include up to five key words selected from the key word list published bi-annually in the first and thirteenth issues of *Vision Research*. If a key word which does not appear in the list is needed, it should be underlined. Animal classification should also be given to serve as a guideline for abstracting and indexing.
2. The abstract must be no longer than 100 words and should supplement the title informing the reader of the essential points of the paper.
3. Authors are encouraged to use 95% confidence limits. For purely descriptive studies, rather than those which aim to compare means, the standard deviation is an appropriate measure.
4. The manuscript should be single-sided, double-spaced *typewritten* with generous margins. All materials will be discarded **one month** after publication, unless the publisher is requested to return original material to the author.

5. Rejected manuscripts and figures will not be returned to authors, unless specifically required. Rejected manuscripts will not be reconsidered for publication, so they cannot be resubmitted as a revision. Submission as a new paper is possible if manuscript and experiments have been extended substantially.
6. Authors should return a revised manuscript within 6 months, otherwise it will be treated as a new submission. All material will be discarded after 1 year.
7. *Electronic Manuscripts*

   Authors are encouraged to submit a computer disk (5.25″ or 3.5″ HD/DD disk) containing the *final* version of the paper along with the *final* manuscript to the Editorial office. Please observe the following criteria:

   (a) Send only hard copy when first submitting your paper.
   (b) When your paper has been refereed, revised if necessary and accepted, send a disk containing the final version with the final hard copy. **It is essential that the printed version supplied is produced directly from the electronic version**. In the event of differences between disk and hard copy, the hard copy will be considered to be definitive.
   (c) Specify what software was used, including which release (e.g. WordPerfect 4.0).
   (d) Specify what computer was used (either IBM compatible PC or Apple Macintosh).
   (e) Include the text file and separate table and illustration files, if available.
   (f) The file should follow the general instructions on style/arrangement and, in particular, the reference style of this journal as given in item (10).
   (g) The file should be single and should use the wrap-around end-of-line feature (i.e. no returns at the end of each line). Use hard returns (i.e. the enter key) only at the end of paragraphs. Page design will be handled by the publisher. There is no need therefore to use formatting commands such as centring, justifying text, indenting etc. Use the word processors' facilities to indicate the following text attributes: bold, underline, italic, superscript, subscript, strikeout. When using symbols to denote special characters please supply a list of all codes used. Do not use the hyphenation facilities available on the word processor. Authors should not use their own macros. When preparing tables, tabs should be used, not spaces, to align columns.
   (h) Authors wishing to submit their articles as a LaTeX file are recommended to use the "Article" style or LaTeX package which is available via anonymous FTP and CTAN centres on the Internet.

Host names	CTAN directory
ftp.dante.de	/pub/tex/macros/latex209/contrib/elsevier
ftp.tex.ac.uk	/pub/archive/macros/latex209/contrib/elsevier
ftp.shsu.ed	/tex-archive/macros/latex209/contrib/elsevier

   Further details on TeX can be obtained from Sebastian Rahtz: *Tel.* 44 1865 843662; *Fax* 44 1865 843905; *Email* s.rahtze@elsevier.co.uk.

   (i) Keep a back-up disk for reference and safety.
8. Reprints can be provided at a reasonable cost if ordered when the page proofs are returned. A reprint order form will accompany the proofs. Copies of the particular issue in which the article appears may also be ordered on this form, at a generous discount offer.
9. **Corrections to the proofs must be restricted to printer's errors**. Other than these, any substantial changes will be charged to the author.
10. When human subjects are used, manuscripts must be accompanied by a statement that the experiments were undertaken with the understanding and written consent of each subject. Authors should be aware of the Code of Ethics of the World Medical Association (Declaration of Helsinki), which has been printed in the *British Medical Journal* (18 July 1964). When experimental animals are used, the methods section must clearly indicate that adequate measures were taken to minimize pain or discomfort. Experiments should be carried out in accordance with the European Communities Council Directive of 24 November 1986 (86/609/EEC) or with the Guidelines laid down by the NIH in the US regarding the care and use of animals for experimental procedures. Editors reserve the right to reject papers if there is doubt whether appropriate procedures have been used.
11. *References*

   (a) These should be cited in the text by giving the last name of the author (or authors) followed by the year of publication in parentheses, e.g. Gray (1998), Gray and Regan (1998) or (Gray & Regan, 1998). If there are three or more authors, citations should read Brandstätter, Koulen and Wässle (1997), first citation; Brandstätter et al. (1997), second citation. If there is more than one work by an author (or authors) in a given year, then they should be labelled alphabetically within each year (e.g. Gray, 1998a,b).
   (b) The full references should be typed on a separate page and placed at the end of the article. They should not be given as footnotes. References should include the names of all the authors and their initials, the year of publication, the full title of the article or book, name of the journal, the volume number and the pages. For books, the city of publication and the publisher should be given. The following may serve as illustrations.:

   Gray, R., & Regan, D. (1998). Spatial frequency discrimination and detection characteristics for gratings defined by orientation texture. *Vision Research, 38*, 2601–2617

   Brandstätter, J. H., Koulen, P., & Wässle, H. (1997) Kainate receptors in the rat retina. *Investigative Ophthalmology and Visual Science, 38* (Suppl.), 689 (Abstract).

   Kamermans, M., & Spekreijse, H. (1995). Spectral behaviour of cone-driven horizontal cells in teleost retina. In: N.N. Osborne, & G.J. Chader (Eds.), *Progress in Retinal and Eye Research* (pp. 313–360). Oxford: Pergamon Press.

   (c) Unpublished work, work in press or conference proceedings should be cited only exceptionally, and preprints *must* accompany the paper if they are essential to its argument.
12. *Illustrations and Tables*

   (a) Only standard size (*ca* $8\frac{1}{2} \times 12$ in.) should be sent with the paper. They should not be affixed in place, but the proper places for insertion should be indicated in the text. All photographs, graphs and diagrams should be referred to as "Figures" and should be numbered consecutively, as should the tables. The legends should be typed, correspondingly, on a separate sheet at the end of the article. The author's name, the number, and an indication of the proper orientation should be written lightly on the back of each figure or table.
   (b) Halftone illustrations (e.g. micrographs) should be glossy prints and should be approximately 1.5 times the final size. In general, it is preferable that any lines or letters that are to appear on the photographs be inserted by the publisher. Their position should be drawn on a leaf of drawing paper firmly attached to the photograph, or on an additional print. Where possible, the author should include a guide to the Production Department which will help them identify the salient features to be reproduced.
   (c) Line drawings should be drawn on stiff white paper or tracing cloth, high quality computer graphics are acceptable. They should be approximately twice their final size. The letters and symbols should be drawn so that they will be clearly legible when reduced. The following standard symbols are readily available to the publisher. ○ △ □ ● ▲ ■ + ×. Other special symbols (e.g. Greek letters) should be made legible and explicit.


1.0
1.1
1.25
1.4
1.6
1.8
2.0
2.2
2.5
2.8
3.2
3.6
4.0
4.5
5.0